STATE OF NORTH DAKOTA

Criminal Justice Information Sharing CJIS Data Architecture Volume 1

May 23, 2002



MTG Management Consultants, L.L.C. 1111 Third Avenue, Suite 2700 Seattle, Washington 98101-3201 206.442.5010 206.442.5011 fax www.mtgmc.com

TABLE OF CONTENTS

			<u>Page</u>
I.	INTRODUCTION		
	A. DEF	INED REQUIREMENTS	1
	B. DET	ERMINED MESSAGING AND NAMING STANDARDS	2
	C. DET	ERMINED RELATIONSHIPS	2
	D. DEF	INED STANDARD DATA ELEMENTS	2
II.	DATA ARCHITECTURE FRAMEWORK		3
	A. DAT	A DICTIONARY STANDARDS	3
	B. DAT	A ELEMENT NAMING GUIDELINES	5
	C. CLA	SS WORDS	6
III.	STRATEGIC DATA MODEL		13
	A. PRIM	MARY META-RELATIONS	13
	B. SEC	ONDARY META-RELATIONS	14
	C. PRIM	MARY EVENT META-RELATIONS	15
IV.	ENTITY RELATIONSHIP MODELS		16
	A. CON	IVENTIONS	16
	B. ENT	ITY RELATIONSHIP DIAGRAMS	19
V.	DATA ELE	MENT DICTIONARY	20
APP	ENDIX A – S	YSTEM LISTINGS (Volume I)	
APP	ENDIX B – D	ATA ELEMENT LISTINGS (Volumes I and II [TAG])	
APP	ENDIX C – D	ATA ELEMENT DICTIONARY (Volume III)	
APP	ENDIX D – D	ATA ELEMENT SUMMARY (Volume IV)	
APP	ENDIX E – D	ATA ELEMENT SUMMARY (Volume IV)	
APP	ENDIX F – D	ATA ELEMENT SUMMARY (Volume IV)	
APP	ENDIX G – T	RANSACTION DATA ELEMENT SUMMARY (Volume IV)	
APP	ENDIX H – E	DI TRANSACTION DATA SETS (Volume IV)	

i





I. INTRODUCTION

The state of North Dakota is facilitating the design of the Criminal Justice Information Sharing (CJIS) architecture. This statewide planning effort will integrate the separate state and local computer systems that support the state's criminal justice system. Specific goals of this effort include:

- Define the information sharing needs of North Dakota criminal justice agencies.
- Develop a conceptual design for technologies to support information exchange.
- Develop data standards for information that is shared among criminal justice agencies.
- Identify and plan the implementation of high-priority CJIS projects.

The CJIS planning framework is supported by an established baseline set of data standards and information exchanges that will assist local and state agencies in defining information commonly so that it can be exchanged.

The approach utilized to determine the data elements and relationships necessary to support CJIS business requirements involved establishing business requirements and data element standards, then defining, consistent with the standards, the data elements necessary to satisfy the requirements. These data elements were then checked to ensure that they would meet the requirements. Determining the shareable data elements currently in use by CJIS organizational entities and verifying the newly defined standard data elements will allow for the interchange of that information with other organizational entities. The detailed steps taken in this approach are described below and provide the background necessary for understanding the contents of this document.

This document is presented in four volumes because of its size. Volume I contains data standards, framework, strategic data model, and entity relationship diagrams (ERDs). Volume II presents the data elements of the North Dakota Department of Corrections offender-based tracking system, TAG, and shows how those elements relate to the data dictionary presented in Volume I. Volume III presents the data element dictionary. Finally, Volume IV presents data element summaries and transaction data element summary information.

A. <u>DEFINED REQUIREMENTS</u>

Basic requirements were determined through identification of North Dakota state and local criminal justice agencies, as well as other stakeholders, that have a need to share data with criminal justice

1

agencies. These requirements will be refined through evaluating specific agency practices and existing systems as this planning project progresses.

B. DETERMINED MESSAGING AND NAMING STANDARDS

Standards for message formatting and data element naming were determined by reviewing XML data standards, as well as other established data architecture standards. Standards that would support message transmission via XML were selected. The CJIS data element naming standards are detailed in Section II.

C. <u>DETERMINED RELATIONSHIPS</u>

The major CJIS subject areas, or meta-relations, were determined through evaluation of the criminal justice process. These are provided in Section III of this document. Each of these meta-relationships was broken down into an ERD that shows how entities and their respective attributes are related. These ERDs are provided in Section IV.

D. <u>DEFINED STANDARD DATA ELEMENTS</u>

Specific data elements required to satisfy CJIS business requirements were determined based on the attributes defined in the previous steps. The specific name, format, and codes for each data element were determined by reviewing the use of the element and the standards. These standard data elements form the basis for the CJIS Data Element Dictionary and are listed in Section V of this document.



II. <u>DATA ARCHITECTURE FRAMEWORK</u>

A. <u>DATA DICTIONARY STANDARDS</u>

In order to define the data elements within the CJIS Data Element Dictionary, a number of messagerelated data standards must first be defined. These standards identify the content and structure requirements necessary to uniformly transmit data electronically in a meaningful way between two trading partners. Data-oriented standards required to support the messaging environment include:

- Character Set
- Data Elements
- Data Types
- Composite Data Elements

Each of the above data definition components is defined in detail below.

1. Character Set

All data element values shall be constructed using both the basic character set and the extended character set. The basic character set is used for all data elements, except for those defined with the variable character data type.

■ Basic Character Set

The basic character set consists of uppercase letters (A to Z), digits (0 to 9), special characters, and the space character. The special characters are the following:

■ Extended Character Set

An extended character set may be used for variable-length fields. The extended character set includes those characters in the basic character set, lowercase letters (a to z), and additional special characters. The additional special characters are the following:

2. <u>Data Elements</u>

The data element is the smallest named unit of information in the standard. Data elements are identified as either simple or component. A data element that occurs as an ordinary positioned member of a composite data structure is a component data element. A data element that occurs in a segment outside the defined boundaries of a composite data structure is a simple data element.

3. <u>Data Types</u>

A data element data type defines the kind of information stored in a particular data element. Data element types and length characteristics are based on the ANSI X12.6 EDI Application Control Structure standards and are described below.

■ Numeric (NUM)

A numeric data element is represented by one or more digits with an optional leading sign representing a value in base 10. It is used when the position of the decimal point within the data is permanently fixed and is not to be transmitted with the data. Leading zeros are omitted when transmitting data.

■ <u>Decimal Number (DEC)</u>

A decimal data element contains an explicit decimal point and is used for numeric values that have a varying number of decimal positions. The decimal point always appears in the character stream if it is at any place other than the right end of the screen. If the value is an integer, the decimal point should be omitted. For negative values, the leading minus sign is used. Leading zeros are omitted when transmitting data.

■ Fixed Character (CHAR)

A fixed-length character string is a sequence of any uppercase characters from the basic character set. This data type should be space-filled to satisfy length. Significant data should be left-aligned.

■ Variable Character (VARCHAR)

A variable-length character data element is a sequence of uppercase and lowercase characters from the extended character set, and it contains at least one nonspace character. The significant characters shall be left-aligned. Leading spaces, when they occur, are presumed to be significant characters.

■ Date (DATE)

A date data element is used to express the standard date in CCYYMMDD format in which CC is the century, YY is the year, MM is the month, and DD is the day.

■ Time (TIME)

A time data element is used to express the time in HHMMSSd...d format in which HH is the hour for a 24-hour clock, MM is the minute, SS is the second, and d...d is decimal seconds. The numbers are left-aligned, and seconds and decimal seconds are optional.

4. Composite Data Elements

The composite data structure is an intermediate unit of information in a segment. By definition, a composite data structure consists of two or more component data elements preceded by a data element separator. Each component data element within the composite data structure, except the last, is followed by a component element separator.

B. <u>DATA ELEMENT NAMING GUIDELINES</u>

Data element name standards apply to all data identified in the CJIS Data Dictionary. The names used in these standards are the full-word, fully spelled names that are contained in the data dictionary. Each data element name consists of three constructs in the order presented below:

- A prime word designator. Prime words identify business information objects (or entities) to which the data element (or attribute) belongs (e.g., Person). A data element name must begin with at least one prime word.
- *Modifier words or adjectives*. These words further describe the data element (e.g., Last). Modifier words are optional.
- A class word designator. A class word designator categorizes or classifies a data element according to its use in business processes or procedures (e.g., Name). A data element name must end with a class word. Class word designators are further described below.

These naming guidelines provide for simple identification of the position and role of each data element within the CJIS data architecture.

5

C. <u>CLASS WORDS</u>

Class words further define the type of data maintained within a data element. They are global descriptors that assist the reader in understanding the format and content of the data in a data element. All of the data element names have been suffixed by one of the following class words:

Class Word: **CODE**

Examples: State Code

Definition: Identifies classifications, categories, or types of data (such as male, female,

other). This class word can also contain abbreviations.

Explanation: Exceptions to this rule can be made. Codes that are limited in number and

unlikely to change can be given any suitable number of positions and can

embed meaningful values. For example:

PERSON GENDER CODE CHAR(1)

Values: F=Female, M=Male

Format: CHAR(1)...CHAR(9).

Class Word: **COUNT**

Examples: Agency Population Count

Definition: The total number of units or quantity (including fractions) of anything except

monetary amounts.

Explanation: All fields used for tallying or representing a quantity shall be signed if nega-

tive. A signed counter is necessary in the event of a negative tally from an arithmetic operation. For example, a negative on-hand quantity of an item

could occur from a faulty prior inventory or shrinkage (theft).

Format: NUMERIC(1-255,0)

Class Word: **DATE/TIME**

Examples: Arrest Date/Time

Definition: A point in time expressed in CENTURY, YEARs, MONTHs, DAYs and time

denoted in a military time format.

Explanation: All date fields will be in Gregorian (not Julian) format and will accommodate

6

(from left to right) a two-digit century, two-digit year, two-digit month, and

two-digit day. Configuring all date fields in this way avoids turn-of-thecentury conversion errors. This format also can facilitate date sort processing because all date fields are in collating sequence. As with date fields, if time is represented with a format of HHMMSS, it is in a natural collating sequence. TIME data elements can have four, six, or eight digits.

NOTE: This format would apply to intersystem transactions, not necessarily to presentation formats.

Format: DATE and TIME

Class Word: **DAYS**

Examples: Jail Time Suspended Days

Definition: A duration or quantity of time measured in terms of days.

Explanation: DAYS is used to represent the increment of 24 hours from any start time, not

specific to a month or year.

Format: NUMERIC(1-255,0)

Class Word: **DAY**

Examples: Meeting Day

Definition: The standard abbreviation for the name of a day of the week.

Explanation: None.

Format: CHAR(3)

Class Word: **DESCRIPTION**

Examples: Agency Description

Definition: Data having undefined, free-form, unstructured, or unformatted content that is

used to describe another item of information and that is not an address or

name.

Explanation: Generally used within a lookup table to explain the meaning of a code. For

example, the PLACE OF BIRTH table has two data elements, CODE and

DESCRIPTION.

Format: VARCHAR

Class Word: **HOURS**

Examples: Unit of Service Hours

Definition: A duration or quantity of time measured in units of hours.

Explanation: None.

Format: NUMERIC(1-255,0)

Class Word: FLAG

Examples: Person Circumcision Flag

Definition: An indicator that identifies whether a condition exists or is undefined. Com-

pare with INDICATOR.

Explanation: A data element with the FLAG class word is a one-character field that con-

tains an X if the condition exists or is null if the condition is not known.

Format: CHAR(1)

Class Word: **INDICATOR**

Examples: Multiple Clearance Indicator

Definition: Used to indicate one of three possible conditions or states. Contrast with

FLAG or CODE.

Explanation: An indicator represents a binary condition with the capability of marking a

nonresponse as "unknown." Only one of the three values, if specified, is per-

mitted, as explained below.

Values: N = No, Y = Yes, Null = Unknown

Format: CHAR(1)

Class Word: MINUTES

Examples: Arrival Time Minutes

Definition: A duration or quantity of time measured in units of minutes.

Explanation: None.

Format: NUMERIC(1-255,0)

Class Word: **MONEY**

Examples: Sentence Suspended Money

Definition: The quantity of monetary amounts.

Explanation: All dollar amounts should always be signed. This will reduce confusion and

conversion between signed and unsigned fields and will avoid truncation and error if an arithmetic operation results in a negative amount that is moved to an unsigned field. An 11-position field will allow for the storage of up to \$999 million. This will provide for significant growth and (hopefully) all

future rates of inflation.

Format: NUMERIC(11,2)

Class Word: **MONTHS**

Examples: Jail Time Suspended Months

Definition: A duration or quantity of time measured in units of months.

Explanation: None.

Format: NUMERIC(1-255,0)

Class Word: **NAME**

Examples: Person Name

Definition: A word or phrase that constitutes the distinctive designation of a person,

place, or thing.

Explanation: None.

Format: VARCHAR

Class Word: **NUMBER**

Examples: Fingerprint Card Number

Definition: A numeral or combination of numerals, letters, or other symbols used to iden-

tify something.

Explanation: None.

Format: VARCHAR (length defined by data element)

Class Word: **PERCENT**

Examples: Breathalyzer Test Percent

Definition: A number that represents a ratio between two quantities or the result of an

arithmetic division.

Explanation: All percentage fields will be expressed as 9.9999, where 1.0000 = 100 percent

and 0.0750 = 7.5 percent. By representing all percentage fields using the same format, truncation, rounding, and conversion errors can be minimized.

Format: DEC(6)

Class Word: RATIO

Examples: Jail Bed Ratio

Definition: A number that represents the relative size of two quantities expressed as the

quotient of one divided by the other.

Explanation: None.

Format: DEC(8)

Class Word: **SECONDS**

Examples: Response Seconds

Definition: A duration or quantity of time measured in units of seconds.

Explanation: None.

Format: NUMERIC(1-255,0)

Class Word: **TELEPHONE**

Examples: Agency Telephone

Definition: Identification of a telephone number.

Explanation: Includes area code. No formatting characters are stored.

Format: CHAR(10)

Class Word: **TEXT**

Examples: Incident Text

Definition: Data having undefined, free-form, unstructured, or unformatted content and

that is not an address or name. Contrast with NAME, DESCRIPTION, and

ADDRESS.

Explanation: None.

Format: VARCHAR

Class Word: VALUE

Examples: Property Value

Definition: The value of an item in monetary amounts.

Explanation: All dollar amounts should always be signed. This will reduce confusion and

conversion between signed and unsigned fields and will avoid truncation and error if an arithmetic operation results in a negative amount that is moved to an unsigned field. An 11-position field will allow for the storage of up to

\$999 million. Contrast with MONEY.

Format: NUMERIC(11,2)

Class Word: YEAR

Examples: Vehicle Model Year

Definition: An identifier that describes the particular calendar year an item was made or

an event occurred.

Explanation: Year is four positions to accommodate a two-digit century. For use if only a

11

year needs to be specified, without any other date information. See DATE.

Format: NUMERIC(4); format is CCYY

Class Word: YEARS

Examples: Prison Time Years

Definition: A duration or quantity of time measured in units of calendar years, or 365

days.

Explanation: None.

Format: NUMERIC(1-255,0)



III. STRATEGIC DATA MODEL

The CJIS strategic data model provides an overview of the data meta-relations, or major data subject areas, developed with analysis of related criminal processing events and related processing source documents. The enterprise-wide model serves as a resource for development of detailed logical data models related to the identified meta-relations, such as Criminal Incident, which may be used to implement new data repositories or modifications to existing databases to support future information requirements. The strategic data model may additionally serve as a resource in development of future criminal justice system interfacing and development within the state.

EXHIBIT III-1 — Meta-Relations, which follows this section, presents the basic structure of the strategic data model. The model is based upon a hierarchy of data definition areas that provide the basis for identification and definition of information collected and utilized during the criminal justice process.

- Primary Meta-Relations The top level of the model identifies and defines the three primary components of data collection person, place, or thing. The fundamental data entities and relationships for each area are constructed at this level.
- Secondary Meta-Relations The secondary level of the model identifies and defines supportive data components that are used within the criminal justice process with the primary components. It identifies the data entities and relationships required to support the criminal justice process and relates them to the primary components defined above.
- Primary Event Meta-Relations The last level of the model is for the sequential primary events that occur within the criminal justice process. These events allow for presentation of the information collected and utilized at their respective stages within the process.

These three levels of meta-relations provide the basic framework for development of entity-relationship models and identification of the data attributes that are the foundation of the data element standards defined later in this document.

A. PRIMARY META-RELATIONS

The primary meta-relations are the foundation upon which all other information is based. Each criminal justice process documents the information and decisions created or utilized when a person, location, or property item is involved in an event or occurrence. The primary meta-relations are:



Person

The person meta-relation contains information about people and their roles and/or relationship to the criminal justice process. It identifies and defines the various types of people involved in the criminal justice process (official, witness, suspect, etc.). It also identifies and defines the relationships between the types of people.

■ <u>Location</u>

The location meta-relation contains information about physical locations across the state. A location is a specific place in a facility at a given address or locale. The location meta-relation is where relationships between a place, city, county, and state are defined.

■ Property Item

The last primary meta-relation is for things involved in the criminal justice process. Property items include guns, vehicles, boats, securities, and other items that may be related to a criminal case.

B. SECONDARY META-RELATIONS

Between the primary meta-relations and events are a number of secondary meta-relations that are necessary to capture and understand the criminal justice process. The secondary meta-relations are:

Organization

The organization meta-relation is for the agencies involved in the criminal justice process, which include law enforcement, judicial, and correction organizations at both the state and local level

■ <u>Law</u>

The law meta-relation is for the authority or powers given certain organizations to arrest, prosecute, and adjudicate persons involved in the criminal justice process. The relationships between state laws and local ordinances are defined.

Jurisdiction


The jurisdiction meta-relation outlines the relationships between organizations, laws, and persons.

C. PRIMARY EVENT META-RELATIONS

To complete a strategic data model, it is necessary to understand the primary processing events related to the analyzed data. Documenting the events helps to group information requirements into additional meta-relations and identify fundamental entities. These events are shown in EXHIBIT III-I.

STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING

META-RELATIONS





IV. <u>ENTITY RELATIONSHIP MODELS</u>

Given the strategic data model described in the previous section, the system's detailed information requirements can be recorded and analyzed using ERDs. This section describes the contents of an ERD and the conventions used in this document, then presents an ERD for each of the primary, secondary, and primary event meta-relations described in the strategic data model.

A. CONVENTIONS

This section describes the components of an ERD and the ways in which those components are depicted.

1. Entities

An entity, sometimes referred to as an object, is a thing. It represents something tangible, a role someone plays, an event, or an interaction. The entities found in the ERDs are not physical and are relevant to business purposes and use, independent of technology or physical implementation. Each occurrence of an entity can be uniquely identified through one or more of the entity's attributes or properties. Attributes generally represent single facts or elements describing an entity. An attribute represents the most elementary unit of information within a logical data model.

The ERD may contain three types of entities: fundamental, associative, and attributive.

- A fundamental entity is the most common type of entity in an ERD and describes a base entity that depends on no other entity for its existence. For example, the PERSON entity, which describes a person, is dependent on no other entity. It is referenced by other entities. In the ERD, a fundamental entity is denoted by a box with squared corners.
- An associative entity describes the relationship between two entities and data attributes maintained about the relationship. This type of entity is used to resolve any many-to-many relationships. An example is the association of offenses to a court case. Besides the relationship of a standard offense to a case, an additional attribute may be the date of association. The resulting associative entity would be COURT CASE OFFENSE, with relationships to COURT CASE and OFFENSE. An associative entity is dependent on other entities for its existence. A dependent entity is denoted in the ERD by a box with rounded corners.
- The attributive entity is used to resolve any repeating attributes. In order for a logical data model to be normalized, no attribute may occur multiple times when describing an entity.


When describing a PERSON, it is known that he or she may have multiple SCARS, MARKS, and TATTOOS. An attribute should not be defined in PERSON; rather an attributive entity would be created called PERSON SCARS, MARKS, TATTOOS. The entity would occur zero-to-many times for one PERSON. An attributive entity is dependent on other entities for its existence and is denoted in the ERD by a box with rounded corners.

Primary Keys

Each entity identified within an ERD must have an attribute or set of attributes used to identify an entity occurrence. Most commonly, this is an identification number or code. Identifying the primary or access key for an entity helps to determine what entities exist in a model and what entities are actually attributes within a different entity or a subtype entity. For associative entities, entities defining the association of two other entities, the primary key is made up of foreign or reference keys associating two or more entities. An attributive entity usually contains the primary key of the associated fundamental entity and a token sequencing attribute or time-stamp.


Subtypes

An entity may have an identifiable set of subtypes. In this relationship, which is depicted below, an entity has a key and attributes; one of these attributes denotes the subtype to which the record refers. In the example, the entity AGENCY would have an attribute that distinguishes which subtype to which the record applies. An occurrence of AGENCY would include information pertaining to the agency, such as agency name, as well as information specific to the subtype. For example, if the record referred to a court, the record would include the basic agency information, as well as information that applies only to a court. The agency and the court entities would have the same primary key.



2. **Relationships**

An ERD comprises entities and relationships between the entities. Below is an example of two entities with a relationship. An entity is represented by a box with the entity name, and relationships are shown by lines connecting entities with a verb phrase describing the relationship. The relationship of the entities is read from the "parent" entity to the "child" entity, which is identified by a solid dot at the child entity end of the relationship line. In the example, one ARREST "results in" zero-tomany BOOKINGs.



In the example above, the relationship is an *identifying* one because the child record cannot be uniquely identified without information from the parent. This fact is denoted by the solid line connecting the entities. A nonidentifying relationship, in which the child record can be uniquely identified without information from the parent entity, is denoted with a dashed line with a diamond at the parent end.

Cardinality

The cardinality of a relationship indicates how many times the relationship can occur between the two entities. In the models, each relationship is denoted at the child end of the relationship line:

- "1" means the relationship is one-to-one.
- "P" means one to one or many.
- "Z" means one to zero or one.
- No indication of cardinality means the relationship is one to zero, one or many.

With a zero cardinality in the relationship, the relationship is optional. If the cardinality includes a maximum of "many," then multiple occurrences of the related entity may contain multiple occurrences that reference the main entity. For example, an INDIVIDUAL may have many ARRESTs, resulting in the relationship "is the subject of zero-to-many."

18

B. <u>ENTITY RELATIONSHIP DIAGRAMS</u>


The following pages contain a series of ERDs that present the relationships between CJIS entities necessary to satisfy business requirements. An ERD is presented for each of the primary, secondary, and primary event meta-relations described in the strategic data model.

EXHIBIT IV-1, which follows the ERDs, is a table that provides information specific to each entity referenced in the ERDs. For each entity, the following information is provided:


- *Definition*. This explains the basic information conveyed by the entity.
- *Primary Key(s)*. The attributes contained in the entity that uniquely identify the entity. Every entity will have at least one key.
- *Attribute(s)*. The individual pieces of information contained in the entity. An entity may contain no nonkey attributes. In this case, the entity simply joins information from other entities as indicated by the primary keys.

Attributes (including keys) that contain a hyphen are "foreign" to the entity in that they reference an attribute contained in another entity. A foreign key is an attribute that completes a relationship by identifying the parent entity. Foreign keys provide a method for maintaining integrity in the data (called referential integrity) and for navigating between different instances of an entity.


STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - ACCIDENT



STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - ADJUDICATION




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - CITATION





STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - ARREST/BOOKING Court Court Case Person Court Order Person Name Arrest Offense Offense Law Warrant Arrest Booking Law Enforcement Case Law Enforcement Agency Incident Location Law Enforcement Officer


STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - CORRECTIONS/RELEASE




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - PROSECUTION








STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - ORGANIZATION




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - LOCATION




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - LAW




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - JURISDICTION




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - INVESTIGATION




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - CRIMINAL INCIDENT




STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - IDENTIFICATION



STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - DISPATCH INCIDENT



STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING ENTITY RELATIONSHIP DIAGRAM - SENTENCE



STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING

ENTITY DEFINITIONS

Entity Definitions, Keys, and Attributes

ACCIDENT

<u>Definition</u>: Information regarding an accident involving at least one vehicle.

Primary Key(s):

Accident Number

Accident - Incident Number

Accident - Organization ID Number

Accident - Agency ORI Number

Attribute(s):

Accident Scene Investigation Indicator

Accident Severity Code

Accident Surface Condition Code

Accident Rescue Unit Count

Accident Photograph Taken Indicator

Accident Median Type Code

Accident Time

Accident Date

Accident Temperature Measure

Accident Weather Condition Code

Accident Report Date

Accident Zone Type Code

Accident State Code

Accident Alcohol Indicator

Accident Light Condition Code

Accident Hit Run Indicator

Accident Investigation Complete Indicator

Accident Description

Accident Engineering Study Required Indicator

Accident Fatality Indicator

Accident Environmental Factor Code



ACCIDENT PERSON

<u>Definition</u>: Information regarding a person involved in an accident.

Primary Key(s):

Accident Person – Incident Number

Accident Person – Person Name Sequence Number

Accident Person - Person Sequence Number

Accident Person - Agency ORI Number

Accident Person - Organization ID Number

Accident Person - Accident Number

Attribute(s):

Accident Person Role Code

Accident Person Restraint Code

Accident Person Helmet Indicator

Accident Person Transported Code

Accident Person Seat Position Code

Accident Person Body Region Code

Accident Person Pedestrian Location Code

Accident Person Pedestrian Condition Code

Accident Person Human Factor Code

Accident Person Pedestrian Action Code

Accident Person Insured Indicator

Accident Person Injury Severity Code

Accident Person Ejection/Trapped Code

Accident Person Driver's Report Exchange Indicator

Accident Person Driver Condition Code

Accident Person Citation Issued Indicator

Accident Person Blood Alcohol Percent

ACCIDENT PERSON/VEHICLE

<u>Definition</u>: This entity associates persons and vehicles associated in an accident.

Primary Key(s):

Accident Person/Vehicle - Accident Number

Accident Person/Vehicle - Incident Number

Accident Person/Vehicle - Agency ORI Number

Accident Person/Vehicle - Person Name Sequence Number

Accident Person/Vehicle - Property Sequence Number

Accident Person/Vehicle - Person Sequence Number

Attribute(s):

Accident Person/Vehicle Role Code



ACCIDENT TRAFFIC CONTROL

<u>Definition</u>: Information regarding traffic controls at the scene and time of an accident.

Primary Key(s):

Accident Traffic Control Sequence Number

Accident Traffic Control - Agency ORI Number

Accident Traffic Control – Accident Number

Accident Traffic Control - Incident Number

Attribute(s):

Accident Traffic Control Code

Accident Traffic Control Operational Indicator

ADDRESS

<u>Definition</u>: Postal address information for a specific location.

Primary Key(s):

Address – Location Sequence Number

Attribute(s):

Address Building Suffix Number

Address Complete Street Address

Address Occupancy Type Code

Address Type Code

Address NIBRS Premise Code

Address Building Name

Address Unit Number

Address Street Number

Address Postal Code

Address Half House Number Flag

Address Post Office Box Number

AGENCY

<u>Definition</u>: A state or local government criminal justice agency.

Primary Key(s):

Agency ORI Number

Agency - Organization ID Number

Attribute(s):

Agency – Organization ID Number

Agency - County Code

Agency - City Name

Agency - State/Province/Country Code

Agency Regional System Code

Agency District Code



Agency Civilian Female Count

Agency Civilian Male Count

Agency Sworn Female Count

Agency Report Media Type Code

Agency Jurisdiction - Law Sequence Number

Agency ID Number

Agency UCR Representative Name

Agency Origination Code

Agency Classification Code

Agency Sworn Male Count

Agency Population Count

Agency Type Code

Agency Administrator Name

Agency Name

Agency Mnemonic Code

AGENCY DEPARTMENT

Definition: A department of a specific agency.

Primary Key(s):

Agency Department Code

Agency Department – Agency ORI Number

Attribute(s):

Agency Department Name

AGENCY EMPLOYEE

<u>Definition</u>: AN employee of a specific agency.

Primary Key(s):

Agency Employee – Agency ORI Number

Agency Employee – Identified Person SID Number

Attribute(s):

Agency Employee Type Code

ARREST

<u>Definition</u>: An arrest made by a law enforcement agency.

Primary Key(s):

Arrest Number

Arrest – Agency ORI Number

Attribute(s):

Arrest – Person Name Sequence Number

Arrest – Person Sequence Number

Arrest – Identified Person SID Number



Arrest – Location Sequence Number

Arrest - Law Enforcement Officer Number

Arrest - Law Enforcement Case Number

Arrest - Court Order Sequence Number

Arrest Time

Arrest Fingerprint Card Number

Arrest Bail Money

Arrest Fingerprint Flag

Arrest Prior Arrest Indicator

Arrest Weapon Code

Arrest Release Code

Arrest Release Date/Time

Arrest DUI Intoxicant Code

Arrest Processing Control Number

Arrest Amputated Bandaged Code

Arrest Fee Code

Arrest Arrestee Number

Arrest Resident Code

Arrest Fingerprinted Date

Arrest Arrestee Status Code

Arrest Response Request Flag

Arrest Transaction Suffix Number

Arrest Drug Code

Arrest Corrections Code

Arrest Comment Description

Arrest Date

Arrest Breath Analyzer Results Code

Arrest Type Code

Arrest Treated Adult Flag

ARREST OFFENSE

<u>Definition</u>: An offense for which an arrest was made.

Primary Key(s):

Arrest Offense Sequence Number

Arrest Offense – Agency ORI Number

Arrest Offense - Arrest Number

Attribute(s):

Arrest Offense – Offense Code

Arrest Offense General Character Code



Arrest Offense Disposition Date

Arrest Offense Disposition Code

ARREST/PROSECUTION CASE

<u>Definition</u>: This entity links an arrest to a prosecution case.

Primary Key(s):

Arrest/Prosecution Case – Prosecution Case Number

Arrest/Prosecution Case - Organization ID Number

Arrest/Prosecution Case – Agency ORI Number

Arrest/Prosecution Case - Arrest Number

Attribute(s):

(none)

ATTORNEY

<u>Definition</u>: Basic identifying information regarding an attorney (e.g., prosecutor).

Primary Key(s):

Attorney – Court Officer Sequence Number

Attorney – Agency ORI Number

Attorney - Identified Person SID Number

Attribute(s):

Attorney BAR Number

Attorney Code

BOAT

<u>Definition</u>: Basic identifying information about a specific boat.

Primary Key(s):

Boat Sequence Number

Attribute(s):

Boat Color Code

Boat Hull Serial Number

Boat Hull Shape Code

Boat Model Year

Boat Outer Hull Material Code

Boat Propulsion Type Code

Boat Type Code

Boat Make Code

BOOKING

<u>Definition</u>: Information regarding the booking of an arrestee.

Primary Key(s):

Booking Document Control Number

Booking - Agency ORI Number



Attribute(s):

Booking - Arrest Number

Booking Time

Booking Date

CHARGE

<u>Definition</u>: A charge filed by the prosecutor against an arrestee.

Primary Key(s):

Charge Sequence Number

Charge – Prosecution Case Number

Attribute(s):

Charge - Offense Code

Charge Plea Code

Charge Treated Adult Flag

Charge Sealed Record Flag

Charge Disposition Code

Charge Disposition Date

Charge Count

Charge Version Code

Charge Offense General Character Code

CHARGE ACTION

<u>Definition</u>: An action taken by the prosecutor regarding charges against an arrestee (e.g., filing).

Primary Key(s):

Charge Action Sequence Number

Charge Action – Prosecution Case Number

Charge Action - Charge Sequence Number

Attribute(s):

Charge Action Code

Charge Action Date

CITATION

<u>Definition</u>: Information regarding a citation issued by a law enforcement officer.

Primary Key(s):

Citation Number

Citation - Agency ORI Number

Attribute(s):

Citation – Person Sequence Number

Citation - Person Name Sequence Number

Citation – Location Sequence Number

Citation - Identified Person SID Number



Citation – Law Enforcement Officer Number

Citation Weather Code

Citation Zone Type Code

Citation Traffic Code

Citation Posted Speed Number

Citation Narrative Description

Citation Actual Speed Number

Citation Court Code

Citation Time

Citation Date

Citation Type Code

Citation Light Code

Citation Disposition Code

CITATION OFFENSE

Definition: An offense for which a citation was issued.

Primary Key(s):

Citation Offense - Offense Code

Citation Offense – Citation Number

Citation Offense – Agency ORI Number

Attribute(s):

Citation Offense Count

CITY

<u>Definition</u>: A city.

Primary Key(s):

City Name

City - County Code

City - State/Province/Country Code

Attribute(s):

(none)

COMMITMENT ORDER

<u>Definition</u>: Information regarding a commitment order issued by the court.

Primary Key(s):

Commitment Order - Court Order Sequence Number

Commitment Order - Agency ORI Number

Attribute(s):

Commitment Order Number



CORRECTIONS AGENCY

<u>Definition</u>: Information regarding a corrections agency that takes custody of offenders.

Primary Key(s):

Agency ORI Number

Attribute(s):

(none)

CORRECTIONS EMPLOYEE

<u>Definition</u>: An employee of a correctional facility (corrections officer or probation officer).

Primary Key(s):

Corrections Employee Sequence Number

Corrections Employee - Organization ID Number

Corrections Employee - Identified Person SID Number

Corrections Employee - Agency ORI Number

Attribute(s):

Corrections Employee Type Code

CORRECTIONS OFFICER

<u>Definition</u>: Information regarding a corrections officer.

Primary Key(s):

Corrections Officer - Agency ORI Number

Corrections Officer - Identified Person SID Number

Corrections Officer - Corrections Employee Sequence Number

Corrections Officer Number

Attribute(s):

(none)

COUNTY

<u>Definition</u>: A county.

Primary Key(s):

County Code

County - State/Province/Country Code

Attribute(s):

County Name

County FIPS Code

COURT

<u>Definition</u>: Information regarding a criminal court.

Primary Key(s):

Court – Agency ORI Number

Attribute(s):

Court Calendar Code



Court Calendar Year

Court Calendar Day

Court Calendar Address

Court Calendar Work Day Type Code

Court Type Code

Court Location Code

COURT CASE

<u>Definition</u>: Information regarding the court case in which an arrestee is tried.

Primary Key(s):

Court Case Number

Court Case – Agency ORI Number

Attribute(s):

Court Case – Prosecutor Case Number

Court Case - Identified Person SID Number

Court Case Comment Description

Court Case Disposition Code

Court Case Trial Code

Court Case Counsel Code

Court Case PSI Due Date

Court Case Appearance Code

Court Case PSI Order Date

Court Case Start Date

Court Case Bond Effective Date

Court Case Medical Evaluation Flag

Court Case Hearing Type Code

Court Case Psychological Evaluation Flag

Court Case Name

Court Case Hearing Date

Court Case Dismissed Prejudice Code

Court Case PSI Criminal History Ordered Date

Court Case Dismissed Date

Court Case Educational Evaluation Flag

Court Case Defense Attorney – Court Officer Sequence Number

Court Case Class Code

Court Case Code

Court Case Bond Expiration Date

Court Case Appearance Time

Court Case Appearance Date



Court Case Judgment Date

Court Case Status Code

Court Case Arraignment Date

Court Case Conviction Date

Court Case Sentence Date

COURT CASE EVENT

<u>Definition</u>: Information regarding an event that takes place during the course of a court case (e.g., a hearing).

Primary Key(s):

Court Case Event Sequence Number

Court Case Event - Court Case Number

Court Case Event - Agency ORI Number

Attribute(s):

Court Case Event Code

Court Case Event Adult Juvenile Code

Court Case Event Date

Court Case Event Time

COURT CASE EVENT ACTION

<u>Definition</u>: Information regarding actions that take place during or as a result of a court case event.

Primary Key(s):

Court Case Event Action Sequence Number

Court Case Event Action - Court Case Number

Court Case Event Action - Agency ORI Number

Court Case Event Action – Court Case Event Sequence Number

Attribute(s):

Court Case Event Action Code

Court Case Event Action Date

COURT OFFICER

<u>Definition</u>: An officer of the court (e.g., judge, attorney, probation officer).

Primary Key(s):

Court Officer Sequence Number

Court Officer – Agency ORI Number

Court Officer - Identified Person SID Number

Attribute(s):

Court Officer Type Code



COURT ORDER

<u>Definition</u>: A court order issued by the court.

Primary Key(s):

Court Order Sequence Number

Court Order - Agency ORI Number

Court Order - Organization ID Number

Court Order - Court Case Number

Attribute(s):

Court Order Type Code

Court Order Signed Date

CUSTODY

<u>Definition</u>: Information regarding an offender's satisfaction of the custody obligation imposed by the court.

Primary Key(s):

Custody Sequence Number

Custody – Identified Person SID Number

Custody – Person Sequence Number

Attribute(s):

Custody - Agency ORI Number

Custody – Court Case Number

Custody – Obligation Sequence Number

Custody Actual Release Date

Custody Actual Release Time

Custody Detainer Code

Custody Projected Release Date

Custody Parole Hearing Disposition Code

Custody Parole Hearing Date

Custody Reason Confined Code

Custody Status Code

Custody Reason Released Code

Custody Comment Text

Custody Inmate Number

Custody Status Start Date

Custody Admission Count

Custody Received Date

Custody Admission Location Code

Custody Discharge Date

Custody Parole Earned Discharge Date

Custody Sentence Scheduled Expiration Date



Custody Parole Eligibility Date

Custody Institution Code

Custody Sentence Actual Expiration Date

Custody Interstate Corrections Compact Offense Literal Description

Custody Interstate Corrections Compact Flag

CUSTODY INSTITUTION

<u>Definition</u>: Information regarding an offender's incarceration at a specific facility.

Primary Key(s):

Custody Institution – Custody Sequence Number

Custody Institution - Identified Person SID Number

Custody Institution – Person Sequence Number

Custody Institution Sequence Number

Attribute(s):

Custody Institution Facility Code

Custody Institution Intake Date

Custody Institution Intake Time

Custody Institution Abbreviation Code

Custody Institution Release Date

Custody Institution Release Time

Custody Institution Release Reason Code

DISPOSED CHARGE

<u>Definition</u>: Information regarding a charge on which a disposition has been determined.

Primary Key(s):

Disposed Charge Sequence Number

Disposed Charge – Sentence Order Number

Disposed Charge – Court Case Number

Disposed Charge - Agency ORI Number

Attribute(s):

Disposed Charge – Offense Code

Disposed Charge Disposition Date

Charge Disposition Code

Disposed Charge Offense General Character Code

DRUG

<u>Definition</u>: A specific quantity of a specific drug.

Primary Key(s):

Drug - Agency ORI Number

Drug - Property Sequence Number

Drug – Incident Number



Attribute(s):

Drug Estimated Quantity Count

Drug Estimated Quantity Fraction

Drug Type Code

Drug Estimated Quantity Measurement Code

EMAIL

Definition: An email address.

Primary Key(s):

Email Address Description

Attribute(s):

None

FINANCIAL OBLIGATION

<u>Definition</u>: Information regarding an offender's satisfaction of a financial obligation imposed by the court.

Primary Key(s):

Financial Obligation – Court Order Sequence Number

Financial Obligation – Obligation Sequence Number

Financial Obligation - Agency ORI Number

Attribute(s):

(none)

GEOGRAPHICAL POSITION

Definition: A specific location as identified by longitude and latitude.

Primary Key(s):

Geographical Position – Location Sequence Number

Attribute(s):

Geographical Position Latitude Number

Geographical Position Longitude Number

IDENTIFIED PERSON

<u>Definition</u>: A person that has been positively identified (e.g., via fingerprints) and assigned a State Identification Number (SID).

Primary Key(s):

Identified Person SID Number

Attribute(s):

Identified Person - Person Sequence Number

Identified Person Identification Comment Description

Identified Person Identification Method Code

Identified Person Fingerprint Card Type Code

Identified Person Fingerprint Class Finger Number

Identified Person Fingerprinted Reason Code



Identified Person FBI Number

Identified Person Fingerprint Class Code

IMAGE

<u>Definition</u>: A picture of a person or item.

Primary Key(s):

Image Sequence Number

Attribute(s):

Image – Person Sequence Number

Image Type Code

Image Photo Date

Image Photo Description

Image Subject Pose Code

Image NIST Digital Type of Transaction Code

Image Color

Image Reason Taken

Image Capture Device Code

Image Pose Offset Angle

Image Horizontal Line Length

Image Vertical Line Length

Image Colorspace Code

Image Compressional Algorithm Code

Image Scale Units Code

Image Vertical Pixel Scale

Image Horizontal Pixel Scale

INCIDENT

Definition: A criminal incident.

Primary Key(s):

Incident Number

Incident - Agency ORI Number

Attribute(s):

Incident - Identified Person SID Number

Incident – Location Sequence Number

Incident - Law Enforcement Officer Number

Incident – State/Province/Country Code

Incident NCIC Number

Incident Description

Incident Police Arrived Time

Incident Finger Number Required Count



Incident FBI File Number

Incident Police Notified Time

Incident Exit Point Code

Incident Safe Entered Code

Incident Theft Type Code

Incident Activity Code

Incident Entry Exit Code

Incident Entry Instrument Code

Incident Premise Neighborhood Code

Incident Report Date

Incident Report Date Indicator

Incident Exceptional Clearance Date

Incident Date

Incident Time

Incident Cleared Exception Code

Incident Entry Method Code

INCIDENT BOAT

<u>Definition</u>: Information regarding a boat that was involved in a criminal incident.

Primary Key(s):

Incident Boat - Agency ORI Number

Incident Boat - Incident Number

Incident Boat - Incident Property Sequence Number

Incident Boat – Boat Sequence Number

Attribute(s):

(none)

INCIDENT OFFENSE

<u>Definition</u>: A violation of the law (i.e., offense) that occurred during a criminal incident.

Primary Key(s):

Incident Offense - Incident Number

Incident Offense – Agency ORI Number

Incident Offense Sequence Number

Attribute(s):

Incident Offense - Offense Code

Incident Offense General Character Code

Incident Offense Attempted/Completed Code

Incident Offense Automatic Weapon Indicator

Incident Offense Criminal Activity Code

Incident Offense Domestic Violence Flag



Incident Offense Drug Suspected Indicator

Incident Offense Gang Involvement Flag

Incident Offense Hate/Bias Code

Incident Offense Premises Entered Count

Incident Offense Weapon/Force Code

INCIDENT OFFENSE/PERSON

<u>Definition</u>: An associative entity that links an incident person to an offense.

Primary Key(s):

Incident Offense/Person - Incident Number

Incident Offense/Person - Agency ORI Number

Incident Offense/Person – Person Name Sequence Number

Incident Offense/Person – Person Sequence Number

Incident Offense/Person – Incident Offense Sequence Number

Attribute(s):

(none)

INCIDENT OTHER PROPERTY

<u>Definition</u>: Information regarding property (other than boat, vehicle, drug, jewelry, weapon, or security) that is involved in a criminal incident.

Primary Key(s):

Incident Other Property – Person Sequence Number

Incident Other Property - Other Property Sequence Number

Incident Other Property - Agency ORI Number

Incident Other Property – Incident Number

Incident Other Property – Property Sequence Number

Attribute(s):

(none)

INCIDENT PERSON

<u>Definition</u>: Information about a person that is true for a specific incident but is subject to change.

Primary Key(s):

Incident Person - Incident Number

Incident Person – Agency ORI Number

Incident Person – Person Sequence Number

Incident Person – Person Name Sequence Number

Attribute(s):

Incident Person Medical Condition Comment Description

Incident Person Height Number

Incident Person Comment Description

Incident Person Eye Color Code



Incident Person Glasses Code

Incident Person Weight Number

Incident Person Age Code

Incident Person Right/Left Handed Code

Incident Person Suspected Using Code

Incident Person Danger Code

Incident Person Type Code

Incident Person Hair Color Code

Incident Person Hair Description

Incident Person Grade Code

Incident Person Skin Tone Code

Incident Person Jewelry Description

Incident Person Citizenship Code

Incident Person Dependents Count

Incident Person Smoker Indicator

Incident Person Resident Status Code

Incident Person Religion Code

Incident Person Sexual Preference Code

Incident Person Education Years Count

Incident Person Gang Affiliation Code

Incident Person Marital Status Code

Incident Person Gang Code

Incident Person Language Code

INCIDENT PERSON INTEREST

<u>Definition</u>: Information regarding a person that is interest to law enforcement based on a criminal incident (e.g., witness).

Primary Key(s):

Incident Person Interest – Person Name Sequence Number

Incident Person Interest – Person Sequence Number

Incident Person Interest - Incident Number

Incident Person Interest - Agency ORI Number

Attribute(s):

Incident Person Interest Type Code

INCIDENT PROPERTY

<u>Definition</u>: General information about a piece of property associated with an incident. Information specific to the piece of property is contained in another entity according to the property type (e.g., weapon, vehicle).

Primary Key(s):

Incident Property Sequence Number



Incident Property - Incident Number

Incident Property - Agency ORI Number

Attribute(s):

Incident Property Count

Incident Property Damage/Loss Value Money

Incident Property Recovery Value Money

Incident Property Value Money

Incident Property Type Code

Incident Property Recovery Date

Incident Property NCIC Code

Incident Property Circumstances Code

Incident Property Name

Incident Property Offense Code

INCIDENT PROPERTY LOCATION

<u>Definition</u>: Where, when, and why a specific incident property item is or was at a particular location.

Primary Key(s):

Incident Property Location - Agency ORI Number

Incident Property Location - Incident Number

Incident Property Location - Incident Property Sequence Number

Incident Property Location - Location Sequence Number

Attribute(s):

Incident Property Location Start Date

Incident Property Location Stop Date

Incident Property Location Reason Code

INCIDENT SECURITY

Definition: Information regarding financial securities involved in a criminal incident.

Primary Key(s):

Incident Security - Incident Number

Incident Security - Securities Sequence Number

Incident Security - Incident Property Sequence Number

Incident Security – Agency ORI Number

Attribute(s):

(none)

INCIDENT SUSPECT

Definition: Information regarding a person suspected in a criminal incident.

Primary Key(s):

Incident Suspect – Person Sequence Number

Incident Suspect – Person Name Sequence Number



Incident Suspect – Incident Number

Incident Suspect – Agency ORI Number

Attribute(s):

Incident Suspect Number

Incident Suspect Dangerous Flag

INCIDENT VEHICLE

<u>Definition</u>: Information about a specific vehicle for a specific incident, but that is subject to change.

Primary Key(s):

Incident Vehicle Sequence Number

Incident Vehicle - Incident Property Sequence Number

Incident Vehicle – Incident Number

Incident Vehicle - Agency ORI Number

Attribute(s):

Incident Vehicle Abandoned Indicator

Incident Vehicle Commercial Indicator

Incident Vehicle Delinquent Payment Indicator

Incident Vehicle Fire Indicator

Incident Vehicle Hazardous Material Flag

Incident Vehicle Key Needed Indicator

Incident Vehicle Keys in Vehicle Indicator

Incident Vehicle Locked Indicator

Incident Vehicle Recovered Condition Code

Incident Vehicle Recovered Date

Incident Vehicle Consent Indicator

Incident Vehicle Impound Indicator

Incident Vehicle Towed To Name

Incident Vehicle Towed By Name

Incident Vehicle Driver Bag Indicator

Incident Vehicle Damage Comment Description

Incident Vehicle Direction Code

Incident Vehicle Disposition Code

Incident Vehicle Driveable Indicator

Incident Vehicle Estimated Damage Money

Incident Vehicle Impact Point Code

Incident Vehicle Movement Code

Incident Vehicle Detail Comment Description

Incident Vehicle Damage Area Code

Incident Vehicle Deformity Extent Code



Incident Vehicle Passenger Bag Indicator

INCIDENT VEHICLE DAMAGE

<u>Definition</u>: Information regarding damage to a vehicle resulting from a criminal incident.

Primary Key(s):

Incident Vehicle Damage Area Code

Incident Vehicle Damage – Incident Number

Incident Vehicle Damage - Agency ORI Number

Incident Vehicle Damage - Incident Property Sequence Number

Incident Vehicle Damage - Incident Vehicle Sequence Number

Attribute(s):

Incident Vehicle Damage Comment Description

Incident Vehicle Damage Deformity Extent Code

INCIDENT VICTIM

Definition: A victim of a criminal incident.

Primary Key(s):

Incident Victim - Agency ORI Number

Incident Victim - Incident Number

Incident Victim – Person Sequence Number

Incident Victim – Person Name Sequence Number

Attribute(s):

Incident Victim Relationship Offender Code

Incident Victim Resident Indicator

Incident Victim Justifiable Homicide Code

Incident Victim Homicide Circumstances Code

Incident Victim LEOKA Activity Code

Incident Victim Suspect Number

Incident Victim LEOKA Assignment Code

Incident Victim LEOKA Act Code

Incident Victim Circumstances Code

Incident Victim Type Code

Incident Victim Aggravated Assault Code

Incident Victim Number

INCIDENT VICTIM INJURY

<u>Definition</u>: Information regarding an injury sustained by the victim of a specific incident.

Primary Key(s):

Incident Victim Injury Number

Incident Victim Injury - Person Name Sequence Number

Incident Victim Injury - Incident Number



Incident Victim Injury - Agency ORI Number

Incident Victim Injury - Person Sequence Number

Attribute(s):

Incident Victim Injury Code

INCIDENT WEAPON

<u>Definition</u>: Information regarding a weapon used in a specific incident.

Primary Key(s):

Incident Weapon - Agency ORI Number

Incident Weapon - Incident Number

Incident Weapon - Incident Property Sequence Number

Incident Weapon - Weapon Sequence Number

Attribute(s):

(none)

INTERSECTION

<u>Definition</u>: The component of Location that is identified by two cross streets.

Primary Key(s):

Intersection - Location Sequence Number

Attribute(s):

Intersection Primary Street - Street Sequence Number

Intersection Cross Street - Street Sequence Number

JEWELRY

<u>Definition</u>: Information specifically relating to an article of jewelry.

Primary Key(s):

Jewelry - Property Sequence Number

Jewelry - Incident Number

Jewelry - Agency ORI Number

Attribute(s):

Jewelry Necklace/Bracelet Width Count

Jewelry Ring Size Number

Jewelry Necklace/Bracelet Length Count

Jewelry Metal Content Code

Jewelry Total Weight Count

Jewelry Sex Code

Jewelry Size/Style Code

Jewelry Type Code

Jewelry Metal Color Code

Jewelry Metal Code

Jewelry Link Style Description



JEWELRY STONE

<u>Definition</u>: Details about the type of gem or pearl associated with a piece of jewelry.

Primary Key(s):

Jewelry Stone – Incident Number

Jewelry Stone – Agency ORI Number

Jewelry Stone – Property Sequence Number

Jewelry Stone Sequence Number

Attribute(s):

Jewelry Stone Width Count

Jewelry Stone Length Count

Jewelry Stone Count

Jewelry Stone Type Code

Jewelry Stone Shape Code

Jewelry Stone Transparency Code

Jewelry Stone Weight/Carat Count

Jewelry Stone Color Code

Jewelry Stone Code

JUDGE

<u>Definition</u>: Information regarding a judge that hears criminal cases.

Primary Key(s):

Judge – Court Officer Sequence Number

Judge – Identified Person SID Number

Judge - Agency ORI Number

Attribute(s):

Judge Number

LAW

<u>Definition</u>: Reference to criminal law in the state. The Law Sequence Number is used to reference all state and local laws (e.g., revised statutes, local ordinances, administrative codes).

Primary Key(s):

Law Sequence Number

Attribute(s):

Law Reference Code

Law Effective Date

Law Discontinued Date

Law Abbreviated Description

Law Crime Group Code

Law Felony Severity Code

Law Person Code



Law Full Description

Law FBI Submission Flag

Law Statute File Status Code

Law Misdemeanor Class Code

Law Crime Type Code

Law Chapter Number

Law Section Number

Law Subsection 1 Number

Law Subsection 2 Number

Law Subsection 3 Number

Law Subsection 4 Number

LAW ENFORCEMENT AGENCY

Definition: A specific law enforcement agency within the state (e.g., sheriff's office, police department, state patrol).

Primary Key(s):

Law Enforcement Agency - Agency ORI Number

Attribute(s):

(none)

LAW ENFORCEMENT CASE

<u>Definition</u>: The incident/arrest case compiled by the law enforcement agency.

Primary Key(s):

Law Enforcement Case - Agency ORI Number

Law Enforcement Case Number

Attribute(s):

Law Enforcement Case - Incident Number

Law Enforcement Case - Identified Person SID Number

Law Enforcement Case - Law Enforcement Officer Number

LAW ENFORCEMENT OFFICER

<u>Definition</u>: A law enforcement officer as identified by a unique number (e.g., badge number).

Primary Key(s):

Law Enforcement Officer – Agency ORI Number

Law Enforcement Officer - Identified Person SID Number

Law Enforcement Officer Number

Attribute(s):

(none)



LOCATION

<u>Definition</u>: A place identified by Site Address, Intersection, Road Segment, or Geographic Position (longitude and latitude).

Primary Key(s):

Location Sequence Number

Attribute(s):

Location - City Name

Location - Street Sequence Number

Location - County Code

Location – State/Province/Country Code

Location Type Code

Location Private Property Indicator

Location One-Way Street Indicator

Location Posted Speed Limit

Location Road Character Code

Location Road Through Lanes Code

Location Code

OBLIGATION

<u>Definition</u>: An offender's obligation (financial, supervision, custody) according to the sentence order.

Primary Key(s):

Obligation Sequence Number

Obligation – Court Case Number

Obligation - Identified Person SID Number

Obligation – Person Sequence Number

Obligation - Agency ORI Number

Attribute(s):

Obligation – Sentence Order Number

Obligation – Disposed Charge Sequence Number

Obligation Type Code

Obligation Satisfaction Date

OFFENSE

<u>Definition</u>: This entity cites specific violations of the law for reference by other entities (e.g., incident, arrest, charge).

Primary Key(s):

Offense Code

Attribute(s):

Offense - Law Sequence Number

Offense Severity Code

Offense Description



ORGANIZATION

<u>Definition</u>: A business or government agency.

Primary Key(s):

Organization ID Number

Attribute(s):

Organization Type Code

Organization Name

ORGANIZATION LOCATION

<u>Definition</u>: The location (address) of the organization.

Primary Key(s):

Organization Location Start Date

Organization Location - Organization ID Number

Organization Location - Location Sequence Number

Attribute(s):

Organization Location Stop Date

ORGANIZATION TELEPHONE

<u>Definition</u>: The telephone number associated with a specific organization.

Primary Key(s):

Organization Telephone Start Date/Time

Organization Telephone - Organization ID Number

Organization Telephone – Telephone Sequence Number

Attribute(s):

Organization Telephone Stop Date/Time

Organization Telephone Type Code

OTHER PROPERTY

<u>Definition</u>: Information about a specific piece of property that is not a vehicle, boat, drug, security, or weapon.

Primary Key(s):

Other Property Sequence Number

Attribute(s):

Other Property – Person Sequence Number

Other Property Owner Applied Number

Other Property Partial Serial Number Indicator

Other Property Model Name

Other Property Manufactured Year

Other Property Style Name

Other Property Serial Number

Other Property Size Description

Other Property Description



Other Property Age Years

Other Property Livestock Brand Description

Other Property Gender Code

Other Property Brand Name

Other Property Engraving Description

Other Property Color Code

PAROLE

<u>Definition</u>: Information regarding an offender's parole.

Primary Key(s):

Parole – Supervision Sequence Number

Parole - Person Sequence Number

Parole – Identified Person SID Number

Attribute(s):

Parole - Agency ORI Number

Parole - Corrections Employee Sequence Number

Parole Special Condition Code

Parole Type Code

Parole Discharge Type Code

Parole Revocation Date

Parole Revocation Type

Parole Officer Number

Parole Discharge Date

PAROLE OFFICER

<u>Definition</u>: Information regarding a parole officer.

Primary Key(s):

Parole Officer – Person Sequence Number

Parole Officer – Agency ORI Number

Parole Officer - Corrections Employee Sequence Number

Parole Officer - Identified Person SID Number

Attribute(s):

(none)

PAROLE VIOLATION

<u>Definition</u>: Information regarding a specific violation of the offender's parole conditions.

Primary Key(s):

Parole Violation Date

Parole Violation - Identified Person SID Number

Parole Violation – Supervision Sequence Number

Parole Violation - Person Sequence Number



Attribute(s):

Parole Violation Type Code

PERSON

<u>Definition</u>: Information about a specific person that is not likely to change.

Primary Key(s):

Person Sequence Number

Attribute(s):

Person Blood Type Code

Person Custody Status Code

Person CHRI Number

Person Death Date/Time

Person Deceased Code

Person Ethnicity Code

Person Fingerprint Indicator

Person Juvenile ID Number

Person Law Enforcement Employee Indicator

Person Race Code

Person Birthplace - State/Province Code

Person Circumcision Code

Person Registered Sex Offender Flag

Person Comment Text

Person Caution Medical Condition Flag

Person Type Code

Person Insurance Policy Number

Person Sex Code

Person On Bail Pending Appeal Indicator

Person Photo Date

Person INS Number

Person ID Number

Person Warning Description

Person Warning Date

Person Firearms Code

Person Emancipation Date

Person Firearm Code Date

Person Domestic Violence Flag Date

Person Most Recent Adult Inmate Number

Person Most Recent Juvenile Inmate Number

Person Brady Indicator



Person Sex Offender Registration Date/Time

Person Sex Offender Juvenile Flag

PERSON DNA

<u>Definition</u>: Information regarding the collection of a DNA sample from a person.

Primary Key(s):

Person DNA Date

Person DNA - Person Sequence Number

Attribute(s):

Person DNA Agency ORI Number

PERSON DOB

<u>Definition</u>: Birth date information associated with a person.

Primary Key(s):

Person Sequence Number

Person DOB Birth Date

Attribute(s):

(none)

PERSON DRIVER LICENSE

<u>Definition</u>: A driver license associated with a person.

Primary Key(s):

Person Driver License Sequence Number

Person Driver License – Person Name Sequence Number

Person Driver License – Person Sequence Number

Attribute(s):

Person Driver License State - State/Province Code

Person Driver License Withdrawal Effective Date

Person Driver License Withdrawal Reinstatement Date

Person Driver License Withdrawal Eligibility Date

Person Driver License Classification Code

Person Driver License Expiration Year

Person Driver License Withdrawal Code

Person Driver License Withdrawal Reason Code

Person Driver License Withdrawal Extent Code

Person Driver License Non-CDL Status Code

Person Driver License CDL Status Code

Person Driver License Number

Person Driver License Expiration Date

Person Driver License Issue Date



PERSON DRIVER PERMIT

<u>Definition</u>: A driver permit associated with a person.

Primary Key(s):

Person Driver Permit Issue Date

Person Driver Permit – Person Name Sequence Number

Person Driver Permit – Person Sequence Number

Attribute(s):

Person Driver Permit Restriction Code

Person Driver Permit Restriction End Date

Person Driver Permit Code

Person Driver Permit Restriction Comment

Person Driver Permit Expiration Date

PERSON EMAIL

<u>Definition</u>: An email address associated with a person.

Primary Key(s):

Person Email Start Date

Person Email – Email Sequence Number

Person Email – Person Name Sequence Number

Person Email - Person Sequence Number

Attribute(s):

Person Email Stop Date

PERSON EMPLOYER

<u>Definition</u>: When a person worked for a specific employer.

Primary Key(s):

Person Employer - Organization ID Number

Person Employer – Person Sequence Number

Person Employer Start Date

Attribute(s):

Person Employer Stop Date

Person Employer Comment Description

PERSON LOCATION

<u>Definition</u>: Where a specific person was located and when.

Primary Key(s):

Person Location Start Date

Person Location – Location Sequence Number

Person Location – Person Sequence Number



Attribute(s):

Person Location Stop Date

Person Location Type Code

PERSON MISC NUMBER

<u>Definition</u>: A number associated with a person.

Primary Key(s):

Person Misc Number – Person Sequence Number

Person Misc Number

Attribute(s):

Person Misc Number Code

Person Misc Number Comment

PERSON NAME

<u>Definition</u>: A name associated with a person.

Primary Key(s):

Person Name Sequence Number

Attribute(s):

Person Name - Person Sequence Number

Person Name First Name

Person Name Last Name

Person Name Suffix Name

Person Name Soundex Code

Person Name Middle Name

Person Name Use Code

Person Name Complete Name

Person Name Date

PERSON OCCUPATION

<u>Definition</u>: An occupation associated with a person.

Primary Key(s):

Person Occupation Sequence Number

Person Occupation – Person Sequence Number

Attribute(s):

Person Occupation Type Code

Person Occupation Additional Description

Person Occupation Date

PERSON/ORG/ADDRESS TELEPHONE

<u>Definition</u>: A telephone number associated with a particular person, organization, and address.

Primary Key(s):

Person/Org/Address Telephone - Telephone Number



Person/Org/Address Telephone - Location Sequence Number

Person/Org/Address Telephone – Person Name Sequence Number

Person/Org/Address Telephone – Person Sequence Number

Person/Org/Address Telephone - Organization ID Number

Attribute(s):

Telephone Type Code

Telephone Extension Number

PERSON/ORGANIZATION EMAIL

<u>Definition</u>: An email address associated with a specific person and organization.

Primary Key(s):

Organization Email - Organization ID Number

Person/Organization Email - Person Name Sequence Number

Person/Organization Email – Person Sequence Number

Organization Email - Email Address Description

Attribute(s):

(none)

PERSON SMT

<u>Definition</u>: Scars, marks, tattoos, or amputations that a person possesses.

Primary Key(s):

Person SMT Sequence Number

Person Sequence Number

Attribute(s):

Person SMT Code

Person SMT Additional Description

Person SMT Tattoo Class Code

Person SMT Tattoo Color

Person SMT Location Code

Person SMT Size

Person SMT Source

PERSON SSN

<u>Definition</u>: A social security number associated with a person.

Primary Key(s):

Person SSN Sequence Number

Person SSN – Person Sequence Number

Attribute(s):

Person SSN Number

Person SSN Use Code



PERSON TELEPHONE

<u>Definition</u>: A telephone number associated with a person.

Primary Key(s):

Person Telephone Start Date

Person Telephone - Telephone Sequence Number

Person Telephone – Person Sequence Number

Attribute(s):

Person Telephone Stop Date

Person Telephone Type Code

PROBATION

<u>Definition</u>: Information regarding an offender's probation.

Primary Key(s):

Probation - Identified Person SID Number

Probation – Supervision Sequence Number

Probation - Person Sequence Number

Attribute(s):

Probation - Court Officer Sequence Number

Probation - Agency ORI Number

Probation End Date

Probation Compliance Flag

Probation Completion Date

Probation Revocation Type Code

Probation Revocation Flag

Probation Condition Type Code

Probation Completion Status

Probation Level Code

Probation Sealed Record Flag

Probation Revocation Date

Probation Discharge Type Code

Probation Discharge Date

Probation Officer Number

PROBATION OFFICER

<u>Definition</u>: Information regarding a probation officer.

Primary Key(s):

Probation Officer - Court Officer Sequence Number

Probation Officer - Identified Person SID Number

Probation Officer - Agency ORI Number

Probation Officer – Person Sequence Number



Attribute(s):

(none)

PROBATION VIOLATION

<u>Definition</u>: Information regarding a specific violation of the offender's probation conditions.

Primary Key(s):

Probation Violation Date

Probation Violation - Supervision Sequence Number

Probation Violation - Person Sequence Number

Probation Violation - Identified Person SID Number

Attribute(s):

Probation Violation Type Code

PROSECUTION CASE

<u>Definition</u>: Information regarding the prosecutor's case against the arrestee.

Primary Key(s):

Prosecution Case Number

Prosecution Case - Agency ORI Number

Attribute(s):

Prosecution Case - Court Officer Sequence Number

Prosecution Case - Identified Person SID Number

Prosecution Case Declination Reason Code

Prosecution Case Filed Date

Prosecution Case Comment Text

Prosecution Case Diversion Initiated Text

Prosecution Case Filed Flag

Prosecution Case Diversion Period Months

Prosecution Case Diversion Revoked Date

Prosecution Case Diversion Early Termination Date

Prosecution Case Dismissed Code

Prosecution Case Bond Money

PROTECTION ORDER

<u>Definition</u>: Information regarding a protection order issued by the court.

Primary Key(s):

Protection Order - Court Order Sequence Number

Protection Order – Agency ORI Number

Attribute(s):

Protection Order - Person Name Sequence Number

Protection Order – Person Sequence Number

Protection Order Condition Code



Protection Order Expiration Date

Protection Order Number

Protection Order Status Code

Protection Order Person Type Code

REGISTERED BOAT

<u>Definition</u>: Information regarding the registration of a boat with the state.

Primary Key(s):

Registered Boat Registration Date

Registered Boat – Person Sequence Number

Registered Boat – Person Name Sequence Number

Registered Boat – Boat Sequence Number

Attribute(s):

Registered Boat Name

REGISTERED GUN

<u>Definition</u>: Information regarding the registration of a gun with the state.

Primary Key(s):

Registered Gun Registration Date

Registered Gun – Person Sequence Number

Registered Gun – Person Name Sequence Number

Registered Gun - Weapon Sequence Number

Attribute(s):

(none)

REGISTERED SECURITY

<u>Definition</u>: Information regarding the registration of a financial security.

Primary Key(s):

Registered Security Registration Date

Registered Security – Person Name Sequence Number

Registered Security - Person Sequence Number

Registered Security - Securities Sequence Number

Attribute(s):

(none)

REGISTERED VEHICLE

<u>Definition</u>: Information regarding the registration of a vehicle with the state.

Primary Key(s):

Registered Vehicle License Plate Number

Registered Vehicle – Vehicle Sequence Number

Registered Vehicle - Person Name Sequence Number

Registered Vehicle - Person Sequence Number



Attribute(s):

Registered Vehicle License Plate – State/Province/Country Code

Registered Vehicle Color Code

Registered Vehicle License Plate Year

Registered Vehicle License Plate NCIC Type Code

Registered Vehicle Commercial Indicator

Registered Vehicle License Plate DMV Type Code

Registered Vehicle Partial License Plate Indicator

SECURITIES

Definition: Financial securities.

Primary Key(s):

Securities Sequence Number

Attribute(s):

Securities Multiple Serial Number

Securities Type Code

Securities Single Serial Number

SENTENCE

<u>Definition</u>: Information regarding the sentence order from a court case.

Primary Key(s):

Sentence – Court Order Sequence Number

Sentence - Agency ORI Number

Attribute(s):

Sentence Begin Date

Sentence Criminal History Classification Code

Sentence Objection Criminal History Indicator

Sentence Objection Code

Sentence Ruling on Objection Code

Sentence Primary Offense Code

Sentence Comment

Sentence New Trial Denied Flag

Sentence Acquittal Denied Flag

Sentence Jail Time Suspended Days

Sentence Prison Time Suspended Months

Sentence Probation Suspended Months

Sentence Money

Sentence Suspended Money

Sentence Money Code

Sentence Confinement Minimum Days



Sentence Confinement Minimum Months

Sentence Confinement Minimum Years

Sentence Confinement Maximum Days

Sentence Confinement Maximum Months

Sentence Confinement Maximum Years

Sentence Concurrent/Consecutive Code

Sentence Concurrent/Consecutive Charge Number

Sentence Registered Offender Code

Sentence Supervision Type Code

Sentence Supervision Days

Sentence Supervision Months

Sentence Probation Prison Term

Sentence Probation Comment Text

Sentence Probation County Jail Days

Sentence Special Probation Condition Flag

Sentence Confinement Code

Sentence Post Release Period Months

Sentence Jail Time Credit Days

Sentence Recap Comment

Sentence Death Flag

STATE/PROVINCE/COUNTRY

<u>Definition</u>: A state, province or country.

Primary Key(s):

State/Province/Country Code

Attribute(s):

State/Province/Country Name

STREET

<u>Definition</u>: A street, including its name and upper and lower address ranges.

Primary Key(s):

Street Sequence Number

Attribute(s):

Street ID Number

Street Lower Range Number

Street Upper Range Number

Street Name

Street Post Direction Code

Street Pre Direction Code



Street Suffix Code

Street Type Code

STREET ALIAS

<u>Definition</u>: An alternative name a street is known by.

Primary Key(s):

Street Alias Name

Street Alias – Street Sequence Number

Attribute(s):

(none)

STREET SEGMENT REFERENCE

<u>Definition</u>: The component of Location that is identified by beginning and ending milepost numbers.

Primary Key(s):

Street Segment Reference – Location Sequence Number

Attribute(s):

Street Segment Reference Distance Measure

Street Segment Reference Distance Unit Code

Street Segment Reference Object Name

Street Segment Reference Direction Code

SUPERVISION

<u>Definition</u>: General information about an offender's supervision (probation or parole).

Primary Key(s):

Supervision Sequence Number

Supervision – Identified Person ID Number

Supervision – Person Sequence Number

Attribute(s):

Supervision – Agency ORI Number

Supervision – Court Case Number

Obligation Sequence Number

Supervision Type Code

SUPERVISION OBLIGATION

<u>Definition</u>: General information about an offender's supervision (probation or parole).

Primary Key(s):

Supervision - Obligation Sequence Number

Supervision – Agency ORI Number

Supervision – Court Order Sequence Number

Attribute(s):

Supervision Type Code

Supervision Status Date



Supervision Probation Expiration Date

Supervision Release Start

Supervision Release Date

TELEPHONE

<u>Definition</u>: A telephone number and extension.

Primary Key(s):

Telephone Number

Attribute(s):

(none)

VEHICLE

<u>Definition</u>: Basic identifying information about a specific vehicle.

Primary Key(s):

Vehicle Sequence Number

Attribute(s):

Vehicle Air Bag Available Code

Vehicle Identification Number

Vehicle Make Code

Vehicle Make Description

Vehicle Model Code

Vehicle Model Year

Vehicle Partial Identification Number Indicator

Vehicle Style Code

Vehicle Sub Year Indicator

Vehicle Type Code

Vehicle Engine Power Count

Vehicle Engine Power Measurement Code

WARRANT

<u>Definition</u>: Information about a warrant issued by the court.

Primary Key(s):

Warrant Number

Warrant – Agency ORI Number

Attribute(s):

Warrant - Court Case Number

Warrant - Incident Number

Warrant – Person Name Sequence Number

Warrant - Person Sequence Number

Warrant - Incident Offense Sequence Number



Warrant Type Code

Warrant Expiration Date

WEAPON

<u>Definition</u>: Identifying information about a specific weapon.

Primary Key(s):

Weapon Sequence Number

Attribute(s):

Weapon Altered Description

Weapon Altered Indicator

Weapon Barrel/Blade Length Measurement Count

Weapon Caliber Code

Weapon Engraving Description

Weapon Finish Code

Weapon Gauge Code

Weapon Grip Description

Weapon Make Code

Weapon Make Description

Weapon Miscellaneous Description

Weapon Model Description

Weapon Model Number

Weapon NCIC Action Type Code

Weapon NCIC Type Code

Weapon Overall Length Measurement Count

Weapon Owner Applied Number

Weapon Partial Serial Number Indicator

Weapon Serial Number

Weapon Shotgun Caliber Code





V. <u>DATA ELEMENT DICTIONARY</u>

This section presents the CJIS Data Element Dictionary. It summarizes the content and format of the dictionary and lists the standard data elements that have been defined for exchange of CJIS data.

For each data element listed in the dictionary, the following information is provided:

- Name of Data Element Naming of data elements is based upon recognized data administration practices. Included at the end of each name is a data element class word that can be matched to the global data types.
- *Definition* A description or definition of the data element provided in relationship to other data elements and the criminal justice process.
- Data Type/Length This entry describes the format for coding the data based upon an approved list of class words or global data types. For example, the format and length of a data element with the name ending in a class word of DATE will be defined by the DATE data type, and a data element with the name ending in a class word of NUMBER will be defined by the NUMBER data type of VARCHAR and its specified length.
- Source of Definition Many definitions are based on material from other standards or systems. Known sources for these references are listed.
- Source of Element This field or entry identifies the primary documents, forms, or collectors of the data.
- Synonyms Other terms or field identifiers that are sometimes used in place of a data element name are listed as synonyms.
- Source of Code Many codes in this dictionary are based on national standards or on codes used in existing data systems. This field or entry cites the source of the codes listed in the dictionary.
- Codes For each data element, permissible codes are listed with their interpretation or descriptions.
- XML Data Tag This field identifies the equivalent data element detailed in the Justice XML Data Dictionary Version 1.1.

20

■ *Notes* – This contains any additional comments regarding the data element.

APPENDIX A SYSTEM LISTINGS

Existing Information Systems

TITLE	SYSTEM NAME	OWNER
AFIS	Automated Fingerprint Identification System The computer system which is maintained by the FBI for IAFIS.	FBI
CAS	Case Management System	AG
ССН	Criminal History and Offender Registration	BCI
DOCSTAR	Department of Correction STAR	DOC
НР	Highway Patrol	Highway Patrol
III	Interstate Identification Index The computer system maintained by the FBI which contains the Interstate Identification Index records.	FBI
JPS XML	Justice and Public Safety XML Version .05	
JUS XML	Justice XML Version 1.1	NLETS
NCIC	National Crime Information Center An on-line information service provided by the FBI to criminal justice agencies across the United States, Puerto Rico, the US Virgin Islands, Mexico, and Canada.	FBI
ND NIBRS	North Dakota NIBRS	BCI
NIBRS	NIBRS National Incident Based Reporting System NIBRS is an incident-based reporting system. Data are collected on each single crime occurrence. NIBRS data are designed to be generated as a byproduct of local, state, and Federal automated records systems. This information is collected by the FBI as a part of the Uniform Crime Reporting program.	
RADIO	North Dakota State Mobile Radio System	RADIO

Existing Information Systems

TITLE	SYSTEM NAME	OWNER
TAG		DOC
UCISDW	Unified Court Information System Data Warehouse	Judicial Branch
VRTS	Vehicle Registration Title System	DOT

APPENDIX B <u>DATA ELEMENT LISTING</u>

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Electronic Latent Submission	ACTION TO BE TAKEN	0-300/ANS	This field is used in free text answers to submission requests to indicate that a latent case will be established or to indicate recommendations for further actions.	0	Unsharable
Electronic Latent Submission	AGE RANGE	4/N	An estimated age range may be entered using a pair of two-digit numbers.	5	Incident Person Age Code
Electronic Latent Submission	ARREST OFFENSE LITERAL	1-300/AN	The field contains free text description of an offense charged on an arrest.	504	Incident Description
Electronic Latent Submission	ATTENTION INDICATOR	3-30/AN	This field shall contain a designation of the individual to whose attention a response it to be directed.	302	Person Name First Name
Electronic Latent Submission	CASE TITLE	4-50/ANS	This field identities the Latent Case. It will include information concerning the case and it must include the offense type.	0	Unsharable
Electronic Latent Submission	COLOR EYES	3/A	For this field, the three-letter code from the following table is used to indicate the subject's color of eyes.	11	Incident Person Eye Color Code
Electronic Latent Submission	CONTRIBUTOR CASE IDENTIFICATION NUM	24-48/AN	This field is a 48-byte maximum aplhanumeric assigned by the contributor to uniquely identify a latent case.	0	Unsharable
Electronic Latent Submission	CONTRIBUTOR CASE IDENTIFIER EXTENSI	2/N	This field is a two-byte numeric supplement to the Case Identifier Number that allows multiple searches to be associated with the same case.	0	Unsharable
Electronic Latent Submission	DATE OF OFFENSE	8/N	This field contains the date of offense. The DOO and AOL comprise the arrest segment of the arrest data.	38	Incident Begin Date/Time
Electronic Latent Submission	DATE PRINTED	8/N	This field contains the date that the subject was fingerprinted.	209	Booking Date/Time
Electronic Latent Submission	FBI FILE NUMBER	10/NS	This is a 10-byte numeric representing the FBI Investigative File Number.	407	Incident FBI File Number
Electronic Latent Submission	FBI LATENT CASE EXTENSION	6/AN		0	Unsharable

5040\01\northdakota(mdb) B - 1 (AFIS) Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Electronic Latent Submission	FBI LATENT CASE NUMBER	1-9/AN		0	Unsharable
Electronic Latent Submission	GENDER	1/A	This field is used to report the gender of the subject.	23	Person Sex Code
Electronic Latent Submission	GEOGRAPHICAL AREA OF SEARCH	2/A	This field indicates the geographic area to be searched.	0	Unsharable
Electronic Latent Submission	HAIR COLOR	3/A	In this field, the three-letter code from the table is used to indicate the subject's color of hair.	12	Incident Person Hair Color Code
Electronic Latent Submission	HEIGHT RANGE	6/N	If a range of height is given, it shall be expressed as two three-character values formatted as described for mnemonic HGT, indicating the shortest and tallest hights of the subject.	13	Incident Person Height Number
Electronic Latent Submission	IMAGE DESIGNATION CHARACTER	2/N	The Image Designation Character shall be a sequentially assigned positive integer starting from zero and increasing by one for each finger position, image, or Type-2 record present.	0	Unsharable
Electronic Latent Submission	IMAGE PREPROCESSING	1/AN	This field is used to indicate whether the image is original or compressed.	0	Unsharable
Electronic Latent Submission	IMAGE PROCESSING FIELD	100/AN	This free text field is used to log the make, model, and serial number of the equipment used to acquire images.	0	Unsharable
Electronic Latent Submission	IMAGE RECORD TYPE DESIRED	1/N	This field is used in transactions involving a request for fingerprint image information.	0	Unsharable
Electronic Latent Submission	IMAGE TYPE	2/A	This field identifies the type of image (e.g., palm prints, toe prints) included in an electronic submittal.	0	Unsharable
Electronic Latent Submission	LENGTH	4/N	This field contains the length of the logical record specifying the toal number of bytes, including every character of every field contained in the record.	0	Unsharable

5040\01\northdakota(mdb) B - 2 (AFIS) Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Electronic Latent Submission	MILITARY CODE	1/A	A one-letter code from the table shall be entered in this field to indicate which branch of the United States Military submitted the transaction.	0	Unsharable
Electronic Latent Submission	MISCELLANEOUS IDENTIFICATION NO.	4-15/ANS	If there are any miscellaneous identification numbers, they shall be entered in this field.	0	Unsharable
Electronic Latent Submission	NCIC FINGERPRINT CLASSIFICATION	2-20/A		326	Identified Person Fingerprint Class Code
Electronic Latent Submission	OFFENSE CATEGORY	1/N	This field shall contain a "1" for a crime categorized as a personal, a "2" for one categorized as property, and a "3" for one categorized as both.	0	Unsharable
Electronic Latent Submission	PATTERN LEVEL CLASSIFICATION	2-20/AN	This field contains information about the finger(s) pattern types.	326	Identified Person Fingerprint Class Code
Electronic Latent Submission	PLACE OF BIRTH	2/AS	The subject's place of birth shall be entered in this field.	2	State/Province/Country Code
Electronic Latent Submission	RACE	1/A	This field is used to indicate the race of the subject.	21	Person Race Code
Electronic Latent Submission	REQUEST FOR CRIMINAL HISTORY	1/A	The purpose of this field is to allow the contributors to optionally request any criminal history data, e.g. rap sheet the FBI has on file.	0	Unsharable
Electronic Latent Submission	SCARS, MARKS, TATTOOS	3-10/A	For each scar, mark, or tattoo present on the subject, the apporpriate NCIC code shall be used in this information item.	525	Person SMT Code
Electronic Latent Submission	SEND COPY TO	9-19/AN	The purpose of this field is to indicated requirements for production of additional response(s) for a receiving agency other than the contributor.	302	Person Name First Name
Electronic Latent Submission	WEIGHT RANGE	3/N	If a range of weight is given, it shall be expressed as two 3-digit numbers indicating the minumum and maximum wieghts (in pounds) of the subject.	33	Incident Person Weight Number

5040\01\northdakota(mdb) B - 3 (AFIS) Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Electronic Remote Ten- Print	COLOR EYES	3/A	For this field, the three-letter code from the following table is used to indicate the subject's color of eyes.	11	Incident Person Eye Color Code
Electronic Remote Ten- Print	FINGER NUMBER(S) REQUESTED	1-2/AN	This field is used in transactions involving a request for fingerprint image information.	408	Incident Finger Number Required Count
Electronic Remote Ten- Print	GENDER	1/A	This field is used to report the gender of the subject.	23	Person Sex Code
Electronic Remote Ten- Print	HAIR COLOR	3/A	In this field, the three-letter code from the table is used to indicate the subject's color of hair.	12	Incident Person Hair Color Code
Electronic Remote Ten- Print	HEIGHT RANGE	3/N	If a range of height is given, it shall be expressed as two three-character values formatted as described for mnemonic HGT, indicating the shortest and tallest hights of the subject.	13	Incident Person Height Number
Electronic Remote Ten- Print	IMAGE TYPE DESIRED	1/N		0	Unsharable
Electronic Remote Ten- Print	PATTERN LEVEL CLASSIFICATIONS	2-20/AN	This field contains information about the finger(s) pattern types.	326	Identified Person Fingerprint Class Code
Electronic Remote Ten- Print	RACE	1/A	This field is used to indicate the race of the subject.	21	Person Race Code
Electronic Remote Ten- Print	SCARS, MARKS, AND TATTOOS	3-10/A	For each scar, mark, or tattoo present on the subject, the apporpriate NCIC code shall be used in this information item.	525	Person SMT Code
Electronic Remote Ten- Print	WEIGHT RANGE	6/N	If a range of weight is given, it shall be expressed as two 3-digit numbers indicating the minumum and maximum wieghts (in pounds) of the subject.	33	Incident Person Weight Number
Electronic Ten-Print	ARREST OFFENSE LITERAL	1-300/AN	The field contains free text description of an offense charged on an arrest.	504	Incident Description
Electronic Ten-Print	COLOR EYES	3/A	For this field, the three-letter code from the following table is used to indicate the subject's color of eyes.	11	Incident Person Eye Color Code

5040\01\northdakota(mdb) B - 4 (AFIS) Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Electronic Ten-Print	COURT DISPOSITION DATE	8/N	This field contains the date a court count was disposed of by the court.	239	Court Case Judgment Date/Time
Electronic Ten-Print	COURT SEGMENT LITERAL	2-376/ANS	This field is a composite field consisting of a Court Offense Literal and a Other Court Sentence Provision Literal.	0	Unsharable
Electronic Ten-Print	CUSTODY OR SUPERVISORY LITERAL	1-300/ANS		0	Unsharable
Electronic Ten-Print	CUSTODY OR SUPERVISORY STATUS - STA	8/N		254	Supervision Status Code
Electronic Ten-Print	DATE OF ARREST	8/N	Date of arrest.	42	Arrest Date/Time
Electronic Ten-Print	DATE OF ARREST - SUFFIX	1/N	This field contains the sequence of the subject's arrests within a given date.	42	Arrest Date/Time
Electronic Ten-Print	DATE OF BIRTH	8-9/N	This field contains the date of birth.	7	Person Birth Date/Time
Electronic Ten-Print	DATE OF OFFENSE	8/N	This field contains the date of offense. The DOO and AOL comprise the arrest segment of the arrest data.	38	Incident Begin Date/Time
Electronic Ten-Print	DATE PRINTED	8/N	This field contains the date that the subject was fingerprinted.	209	Booking Date/Time
Electronic Ten-Print	EMPLOYER AND ADDRESS	1-120/AS	The name and address of the subject's employer may be entered into this field.	429	Address Street Number
Electronic Ten-Print	GENDER	1/A	This field is used to report the gender of the subject.	23	Person Sex Code
Electronic Ten-Print	HAIR COLOR	3/A	Hair color.	12	Incident Person Hair Color Code
Electronic Ten-Print	HEIGHT	3/N	If a range of height is given, it shall be expressed as two three-character values formatted as described for mnemonic HGT, indicating the shortest and tallest hights of the subject.	13	Incident Person Height Number
Electronic Ten-Print	IDENTIFICATION COMMENTS	1-50/A	Additional miscellaneous identification remarks providing the reason for caution may be entered in this field.	0	Unsharable
Electronic Ten-Print	IMAGE PROCESSING	1/AN		0	Unsharable
5040\01\	JI. \		D 5 (ADIO)		T

5040\01\northdakota(mdb) B - 5 (AFIS) Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Electronic Ten-Print	IMAGE PROCESSING FIELD	100/AN	This free text field is used to log the make, model, and serial number of the equipment used to acquire images.	0	Unsharable
Electronic Ten-Print	IMAGE TYPE DESIRED	1/N	This field identifies the type of image (e.g., palm prints, toe prints) included in an electronic submittal.	0	Unsharable
Electronic Ten-Print	OCCUPATION	1-50/AS	This free text field contains the subject's occupation.	1511	Person Occupation Type Code
Electronic Ten-Print	PALM PRINTS AVAILABLE INDICATOR	1/A	If palm prints are available, this field shall contain a "Y".	868	Identified Person Palm Prints Flag
Electronic Ten-Print	PATTERN LEVEL CLASSIFICATION	2-20/AN	This field contains information about the finger(s) pattern types.	326	Identified Person Fingerprint Class Code
Electronic Ten-Print	PHOTO AVAILABLE INDICATOR	1/A	If a photograph of the subject is available, this field shall contain a "Y"; otherwis, the field shall be omitted.	869	Person Photo Flag
Electronic Ten-Print	RACE	1/A	This field is used to indicate the race of the subject.	21	Person Race Code
Electronic Ten-Print	REQUEST FOR CRIMINAL HISTORY	1/A	The purpose of this field is to allow the contributors to optionall request any criminal history data, e.g. rap sheet, the FBI has on file.	0	Unsharable
Electronic Ten-Print	RESIDENCE OF PERSON FINGERPRINTED	1-120/ANS	The subject's residential address may be entered in this field as alphanumeric date.	429	Address Street Number
Electronic Ten-Print	SCARS, MARKS AND TATTOOS	3-10/A	For each scar, mark, or tattoo present on the subject, the apporpriate NCIC code shall be used in this information item.	525	Person SMT Code
Electronic Ten-Print	WEIGHT	3/N	If a range of weight is given, it shall be expressed as two 3-digit numbers indicating the minumum and maximum wieghts (in pounds) of the subject.	33	Incident Person Weight Number
Notification of Action	ACTION TO BE TAKEN	0-300/ANS	This field is used in free text answers to submission requests to indicate that a latent case will be established or to indicate recommendations for further actions.	0	Unsharable

5040\01\northdakota(mdb) B - 6 (AFIS) Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Notification of Action	ATTENTION INDICATOR	3-30/AN	This field shall contain a designation of the individual to whose attention a response it to be directed.	302	Person Name First Name
Notification of Action	CASE TITLE	4-50/ANS	This field identifies the Latent Case.	0	Unsharable
Notification of Action	CONTRIBUTOR CASE IDENTIFICATION NUM	24-48/AN	This field is a 48-byte maximum aplhanumeric assigned by the contributor to uniquely identify a latent case.	0	Unsharable
Notification of Action	CONTRIBUTOR CASE IDENTIFIER EXTENSI	2/N	This field is a two-byte numeric supplement to the Case Identifier Number that allows multiple searches to be associated with the same case.	0	Unsharable
Notification of Action	FBI FILE NUMBER	10/NS	This is a 10-byte numeric representing the FBI Investigative File Number.	407	Incident FBI File Number
Notification of Action	FBI LATENT CASE EXTENSION	6/AN		0	Unsharable
Notification of Action	FBI LATENT CASE NUMBER	6/AN		0	Unsharable
Notification of Action	IMAGE DESIGNATION CHARACTER	2/N	The Image Designation Character shall be a sequentially assigned positive integer starting from zero and increasing by one for each finger position, image, or Type-2 record present.	0	Unsharable
Notification of Action	LENGTH	4/N	This field contains the length of the logical record specifying the toal number of bytes, including every character of every field contained in the record.	0	Unsharable
Notification of Action	MESSAGE	1-300/ANS	This field will contain status or error messages that are generated as a result of the processing of an incoming transaction and will be sent back to the submitter.	0	Unsharable
Notification of Action	MISCELLANEOUS IDENTIFICATION NO.	4-15/ANS	If there are any miscellaneous identification numbers, they shall be entered in this field.	0	Unsharable
Notification of Action	SEND COPY TO	9-19/AN	This field shall contain a designation of the individual to whose attention a response it to be directed.	302	Person Name First Name
5040\01\northdakota(mdb))		B - 7 (AFIS)		Version 2.0

Data Element Listing For AFIS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Remote Ten-Print Type-1	AGE RANGE	4/N	An estimated age range may be entered using a pair of two-digit numbers.	5	Incident Person Age Code
Remote Ten-Print Type-1	ALIASES	3-30/AS	This field contains alias names of the subject.	302	Person Name First Name
Remote Ten-Print Type-1	ATTENTION INDICATOR	3-30/AN	This field shall contain a designation of the individual to whose attention a response it to be directed.	302	Person Name First Name
Remote Ten-Print Type-1	COUNTRY OF CITIZENSHIP	2/A	This field contains the name of the country of which the subject is a citizen.	2	State/Province/Country Code
Remote Ten-Print Type-1	IMAGE DESIGNATION CHARACTER	2/N	The Image Designation Character shall be a sequentially assigned positive integer starting from zero and increasing by one for each finger position, image, or Type-2 record present.	0	Unsharable
Remote Ten-Print Type-1	LENGTH	4/N	This field contains the length of the logical record specifying the toal number of bytes, including every character of every field contained in the record.	0	Unsharable
Remote Ten-Print Type-1	MISCELLANEOUS IDENTIFICATION NO.	4-15/ANS	If there are any miscellaneous identification numbers, they shall be entered in this field.	0	Unsharable
Remote Ten-Print Type-1	NAME	3-30/AS	This field contains the name(s) of the subject.	302	Person Name First Name
Remote Ten-Print Type-1	ORIGINATING AGENCY CASE NUMBER	1-10/AN	The field contains the 10-character Originating Agency Case Identifier that has been assigned by this agency.	130	LEA Case Number
Remote Ten-Print Type-1	PLACE OF BIRTH	2/AS	The subject's place of birth shall be entered in this field.	2	State/Province/Country Code
Remote Ten-Print Type-1	SEND COPY TO	9-19/AN	This field shall contain a designation of the individual to whose attention a response it to be directed.	302	Person Name First Name
Remote Ten-Print Type-1	SOCIAL SECURITY ACCOUNT NUMBER	9-10/N	This field contains the subject's social security number, if known.	25	Person SSN Number
Remote Ten-Print Type-1	STATE IDENTIFICATION NUMBER	3-10/AN	This field contains any known state identification number	35	Identified Person SID Number

5040\01\northdakota(mdb) B - 8 (AFIS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_ADD	ADDRESS	CHAR(35)		1697	Address Complete Street Address
CAS_ADD	CITY	CHAR(20)		1	City Name
CAS_ADD	ORG_KEY	CHAR(6)	The numeric key number to the organization record it is linked to.	1510	Organization ID Number
CAS_ADD	PER_KEY	CHAR(6)	The numeric key number to the person record it is linked to.	1689	Person Sequence Number
CAS_ADD	PHONE	CHAR(10)		41	Telephone Number
CAS_ADD	ST	CHAR(2)		2	State/Province/Country Code
CAS_ADD	ZIP	CHAR(9)		4	Address Postal Code
CAS_ATT	ATT_AGENT	CHAR(5)	Agent userid.	0	Unsharable
CAS_ATT	ATT_CASE	CHAR(6)		0	Unsharable
CAS_ATT	ATT_DATE	DATE(8)		0	Unsharable
CAS_ATT	ATT_DESC	CHAR(50)		0	Unsharable
CAS_ATT	ATT_SEQ	CHAR(2)	Unique number within case.	0	Unsharable
CAS_ATT	ATT_TYPE	CHAR(1)	Same as report type – prefix 08 from code table.	0	Unsharable
CAS_CAS	ACT_DATE1	DATE(8)	activity date – date agent started working on case, filled out report, etc.	0	Unsharable
CAS_CAS	ACT_DATE2	DATE(8)	could signify a range.	0	Unsharable
CAS_CAS	AGENT	CHAR(5)	Agent userid.	310	Parole Officer Number
CAS_CAS	CAS_NAT	CHAR(50)	Nature of the case, such as homicide, theft, suicide, etc	0	Unsharable
CAS_CAS	CAS_TITLE	CHAR(50)	Title of the case	0	Unsharable
CAS_CAS	CASE	CHAR(6)	Case number assigned – next seq number.	0	Unsharable
CAS_CAS	COUNTY	CHAR(2)	County where offense occurred (from county table.	47	County Code
CAS_CAS	DESC_PRT	CHAR(1)	Y or N for should the additional comments contained in the MEMO field be included on the summary reports -	0	Unsharable
CAS_CAS	INIT_ASST	CHAR(1)	I = means BCI initiated this case, A= means BCI is assisting another agency with this case.	0	Unsharable
5040\01\northdakota(mo	db)		B - 1 (CAS)		Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_CAS	LOCATION	CHAR(50)	Location where the offense occurred	465	Location Sequence Number
CAS_CAS	MEMO	MEMO	Additional comments.	0	Unsharable
CAS_CAS	MULT_CO	CHAR(1)	Y if offenses occurred in multiple counties	0	Unsharable
CAS_CAS	OFF_DATE1	DATE(8)	Date of offense.	38	Incident Begin Date/Time
CAS_CAS	OFF_DATE2	DATE(8)	If this date is entered, it means the offenses occurred over a range of dates from off_date1 thru off_date2.	38	Incident Begin Date/Time
CAS_CAS	OFF1	CHAR(4)	NCIC code for offense 1	605	Law NCIC Offense Code
CAS_CAS	OFF2	CHAR(4)	NCIC code for offense 2	605	Law NCIC Offense Code
CAS_CAS	OFF3	CHAR(4)	NCIC code for offense 3	605	Law NCIC Offense Code
CAS_CAS	OFF4	CHAR(4)	NCIC code for offense 4	605	Law NCIC Offense Code
CAS_CAS	OFF5	CHAR(4)	NCIC code for offense 5	605	Law NCIC Offense Code
CAS_CAS	OFF6	CHAR(4)	NCIC code for offense 6	605	Law NCIC Offense Code
CAS_CAS	ORI_ASST	CHAR(9)	If INIT_ASST = A, this is the originating agency number of the agency requesting the assistance.	0	Unsharable
CAS_CAS	RESTRICT	CHAR(1)	Y or N – restrict this report so it can only be seen by word processing, agent creating the report, and the agent's supervisor or chief agent	0	Unsharable
CAS_CAS	RPT_TITLE	CHAR(30)	Title for this particular report within this case	0	Unsharable
CAS_CAS	SEQ	CHAR(2)	Seq within type of report – only one initial but could be multiple supplementals.	0	Unsharable
CAS_CAS	ТҮРЕ	CHAR(1)	Type of report – initial, supplemental, etc – prefix 08 from code file.	0	Unsharable
CAS_DIS1	ADDRESS	CHAR(35)	•	1697	Address Complete Street Address
CAS_DIS1	ADDRESS2	CHAR(35)		1697	Address Complete Street Address
CAS_DIS1	AGENCY	CHAR(40)		40	Agency Name

5040\01\northdakota(mdb) B - 2 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_DIS1	ATTACH	CHAR(1)	If this field is Y it means that these attachments should be copied and distributed with the report- if it is N then it means don't copy them, if it is blank then there aren't any additional attachments.	0	Unsharable
CAS_DIS1	CASE	CHAR(6)	Report type again from prefix 08 on code table.	0	Unsharable
CAS_DIS1	CITY	CHAR(20)		1	City Name
CAS_DIS1	ENV	CHAR(1)	Y or N – print an envelop for this distribution record.	0	Unsharable
CAS_DIS1	FNAME	CHAR(15)		302	Person Name First Name
CAS_DIS1	LNAME	CHAR(20)		304	Person Name Last Name
CAS_DIS1	SEQ	CHAR(2)		0	Unsharable
CAS_DIS1	ST	CHAR(2)		2	State/Province/Country Code
CAS_DIS1	TITLE	CHAR(40)		0	Unsharable
CAS_DIS1	TYPE	CHAR(1)		0	Unsharable
CAS_DIS1	ZIP	CHAR(9)		4	Address Postal Code
CAS_DIS2	ADDRESS	CHAR(35)		1697	Address Complete Street Address
CAS_DIS2	ADDRESS2	CHAR(35)		1697	Address Complete Street Address
CAS_DIS2	AGENCY	CHAR(40)		40	Agency Name
CAS_DIS2	CITY	CHAR(20)		1	City Name
CAS_DIS2	FNAME	CHAR(15)		302	Person Name First Name
CAS_DIS2	LNAME	CHAR(20)		304	Person Name Last Name
CAS_DIS2	ST (State)	CHAR(2)		2	State/Province/Country Code
CAS_DIS2	TITLE	CHAR(40)		0	Unsharable
CAS_DIS2	ZIP	CHAR(9)		4	Address Postal Code
CAS_DRU	AGENT	CHAR(5)		310	Parole Officer Number
CAS_DRU	CASE	CHAR(6)		0	Unsharable
CAS_DRU	DRU_BS	CHAR(1)	This field contains either a B for buy or an S for Seize	0	Unsharable

5040\01\northdakota(mdb) B - 3 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_DRU	DRU_DESC	CHAR(30)	Description of the drug	86	Drug Type Code
CAS_DRU	DRU_DT1	DATE(8)	Date submitted to the lab	0	Unsharable
CAS_DRU	DRU_DT2	DATE(8)	Date of the lab report	0	Unsharable
CAS_DRU	DRU_LOC	CHAR(30)	Where the seized drugs are being stored	465	Location Sequence Number
CAS_DRU	DRU_MEAS	CHAR(2)	Measurement such as grams, ounces, etc from code table	88	Drug Measurement Code
CAS_DRU	DRU_NO	CHAR(7)		0	Unsharable
CAS_DRU	DRU_QUAN	NUM(8)	Quantity in measurement listed in measurement field	87	Drug Estimated Quantity Count
CAS_DRU	DRU_TYP	CHAR(1)	Type of drug from code table	86	Drug Type Code
CAS_DRU	DRU_VAL	NUM(6)	Value of the seized drug	67	Incident Property Value Money
CAS_DRU	MEMO	MEMO(UNLIMITE D)		0	Unsharable
CAS_DRU	SEQ	CHAR(2)		0	Unsharable
CAS_DRU	TYPE	CHAR(1)	Report type again from prefix 08 on code table.	0	Unsharable
CAS_HIS	AGENT	CHAR(5)	Agent userid.	310	Parole Officer Number
CAS_HIS	CASE	CHAR(6)		0	Unsharable
CAS_HIS	DATE	DATE(8)	Date of status	0	Unsharable
CAS_HIS	INT	LOGICAL	T=True if this is an Intel report F= if not. Intelligence reports are no longer entered through this system	0	Unsharable
CAS_HIS	SEQ	CHAR(2)		0	Unsharable
CAS_HIS	STATUS	CHAR(1)	Status of the report such as agent typed, received, draft, etc. (from code table – prefix 09.	0	Unsharable
CAS_HIS	TYPE	CHAR(1)	Report type again from prefix 08 on code table.	0	Unsharable
CAS_HIS	USER	CHAR(8)	The user who worked with the report in this status	0	Unsharable
CAS_KEY1	CASE	NUM(6)		0	Unsharable
CAS_KEY2	DIS	NUM(6)		0	Unsharable
CAS_KEY2	INT	CHAR(2)		0	Unsharable

5040\01\northdakota(mdb) B - 4 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_KEY2	ORG (organization)	NUM(6)		1510	Organization ID Number
CAS_KEY2	PER (Person)	NUM(6)		0	Unsharable
CAS_KEY2	SZR	NUM(6)		0	Unsharable
CAS_LOG	AGENT	CHAR(5)	Agent userid.	310	Parole Officer Number
CAS_LOG	CASE	CHAR(6)		0	Unsharable
CAS_LOG	DATE	DATE(8)	Date of status	0	Unsharable
CAS_LOG	INT	LOGICAL	T=True if this is an Intel report F= if not. Intelligence reports are no longer entered through this system	0	Unsharable
CAS_LOG	SEQ	CHAR(2)		0	Unsharable
CAS_LOG	STATUS	CHAR(1)	Status of the report such as agent typed, received, draft, etc. (from code table – prefix 09.	0	Unsharable
CAS_LOG	STATUS_NO	NUM(1)		0	Unsharable
CAS_LOG	TYPE	CHAR(1)	Report type again from prefix 08 on code table.	0	Unsharable
CAS_LOG	USER	CHAR(8)	The user who worked with the report in this status	0	Unsharable
CAS_LOG2	AGENT	CHAR(8)	Agent userid.	310	Parole Officer Number
CAS_LOG2	DATE	DATE(8)		0	Unsharable
CAS_LOG2	STATUS	CHAR(7)	On, off, or invalid	0	Unsharable
CAS_LOG2	TIME	CHAR(8)		0	Unsharable
CAS_ORG1	ADDRESS	CHAR(35)		1697	Address Complete Street Address
CAS_ORG1	AGENT	CHAR(5)		310	Parole Officer Number
CAS_ORG1	CASE	CHAR(6)		0	Unsharable
CAS_ORG1	CITY	CHAR(20)		1	City Name
CAS_ORG1	INTEL	CHAR(1)		0	Unsharable
CAS_ORG1	ORG_DESC	MEMO(Unlimited)		1510	Organization ID Number
CAS_ORG1	ORG_KEY	CHAR(6)		1510	Organization ID Number
CAS_ORG1	ORG_METH	MEMO(Unlimited)		0	Unsharable
CAS_ORG1	ORG_NAME1	CHAR(40)		1508	Organization Name

5040\01\northdakota(mdb) B - 5 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_ORG1	ORG_NAME2	CHAR(40)		1508	Organization Name
CAS_ORG1	ORG_TYPE	CHAR(1)		1509	Organization Type Code
CAS_ORG1	PHONE	CHAR(10)		41	Telephone Number
CAS_ORG1	RPT_DATE	DATE(8)		0	Unsharable
CAS_ORG1	SEQ	CHAR(2)		0	Unsharable
CAS_ORG1	ST	CHAR(2)		2	State/Province/Country Code
CAS_ORG1	TYPE	CHAR(1)		0	Unsharable
CAS_ORG1	TYPE_OTH	CHAR(30)		0	Unsharable
CAS_ORG1	ZIP	CHAR(9)		4	Address Postal Code
CAS_ORG2	ADDRESS	CHAR(35)		1697	Address Complete Street Address
CAS_ORG2	CITY	CHAR(20)		1	City Name
CAS_ORG2	FNAME	CHAR(15)		302	Person Name First Name
CAS_ORG2	LNAME	CHAR(20)		304	Person Name Last Name
CAS_ORG2	MNAME	CHAR(15)		303	Person Name Middle Name
CAS_ORG2	ORG_KEY	CHAR(6)		1510	Organization ID Number
CAS_ORG2	PHONE	CHAR(10)		41	Telephone Number
CAS_ORG2	ST	CHAR(2)		2	State/Province/Country Code
CAS_ORG2	ZIP	CHAR(9)		4	Address Postal Code
CAS_ORG3	CHG_CODE	CHAR(4)		0	Unsharable
CAS_ORG3	CHG_DESC	CHAR(30)		0	Unsharable
CAS_ORG3	ORG_KEY	CHAR(6)		1510	Organization ID Number
CAS_PER1	ADDRESS	CHAR(35)		1697	Address Complete Street Address
CAS_PER1	AGE1	CHAR(2)		5	Incident Person Age Code
CAS_PER1	AGE2	CHAR(2)		5	Incident Person Age Code
CAS_PER1	AGENT	CHAR(5)		310	Parole Officer Number
CAS_PER1	ARMED	CHAR(1)		0	Unsharable
CAS_PER1	BCI	CHAR(1)		0	Unsharable
CAS_PER1	CASE	CHAR(6)		0	Unsharable

5040\01\northdakota(mdb) B - 6 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_PER1	CITY	CHAR(20)		1	City Name
CAS_PER1	CWIS	CHAR(1)		0	Unsharable
CAS_PER1	DL	CHAR(1)		0	Unsharable
CAS_PER1	DOB	DATE(8)		7	Person Birth Date/Time
CAS_PER1	EPIC	CHAR(1)		0	Unsharable
CAS_PER1	EYES	CHAR(3)		11	Incident Person Eye Color Code
CAS_PER1	FBI_NO	CHAR(15)		36	Identified Person FBI Number
CAS_PER1	FINGER	CHAR(20)		0	Unsharable
CAS_PER1	FNAME	CHAR(15)		302	Person Name First Name
CAS_PER1	HAIR	CHAR(3)		12	Incident Person Hair Color Code
CAS_PER1	HEIGHT	CHAR(3)		13	Incident Person Height Number
CAS_PER1	III	CHAR(1)		0	Unsharable
CAS_PER1	INTEL	CHAR(1)		0	Unsharable
CAS_PER1	LIC_NO	CHAR(15)		8	Person Driver License Number
CAS_PER1	LIC_ST	CHAR(2)		2	State/Province/Country Code
CAS_PER1	LNAME	CHAR(20)		304	Person Name Last Name
CAS_PER1	MNAME	CHAR(15)		303	Person Name Middle Name
CAS_PER1	NCIC	CHAR(1)		0	Unsharable
CAS_PER1	OTH_CODE	CHAR(2)		0	Unsharable
CAS_PER1	OTH_NO	CHAR(15)		0	Unsharable
CAS_PER1	PAR_PRO	CHAR(2)		1732	Supervision Type Code
CAS_PER1	PAROLE	CHAR(1)		1732	Supervision Type Code
CAS_PER1	PER_COMM	MEMO(10)		0	Unsharable
CAS_PER1	PER_DESC	MEMO(10)		0	Unsharable
CAS_PER1	PER_KEY	CHAR(6)		1689	Person Sequence Number
CAS_PER1	PER_TYPE	CHAR(1)		0	Unsharable
CAS_PER1	PHONE_H	CHAR(10)		41	Telephone Number
CAS_PER1	PHONE_W	CHAR(10)		41	Telephone Number
CAS_PER1	РНОТО	CHAR(1)		0	Unsharable
CAS_PER1	PHOTO_AT	CHAR(15)		0	Unsharable
5040\01\41.1-1-4-(1	1 \		D = (CAS)		T

5040\01\northdakota(mdb) B - 7 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_PER1	POB	CHAR(15)		2	State/Province/Country Code
CAS_PER1	PROBATION	CHAR(1)	1	732	Supervision Type Code
CAS_PER1	RACE	CHAR(2)		21	Person Race Code
CAS_PER1	RPT_DATE	DATE(8)		0	Unsharable
CAS_PER1	SEQ	CHAR(2)		0	Unsharable
CAS_PER1	SEX	CHAR(1)		23	Person Sex Code
CAS_PER1	SID_NO	CHAR(15)		35	Identified Person SID Number
CAS_PER1	SID_ST	CHAR(2)		2	State/Province/Country Code
CAS_PER1	SSN	CHAR(9)		25	Person SSN Number
CAS_PER1	ST	CHAR(2)		2	State/Province/Country Code
CAS_PER1	TYPE	CHAR(1)		0	Unsharable
CAS_PER1	TYPE_OTH	CHAR(30)		0	Unsharable
CAS_PER1	WEIGHT	CHAR(3)		33	Incident Person Weight Number
CAS_PER1	ZIP	CHAR(9)		4	Address Postal Code
CAS_PER2	PER_KEY	CHAR(6)	1	689	Person Sequence Number
CAS_PER2	SCR_CODE	CHAR(12)		0	Unsharable
CAS_PER2	SCR_DESC	CHAR(40)		0	Unsharable
CAS_PER3	ALI_FNAME	CHAR(15)		302	Person Name First Name
CAS_PER3	ALI_LNAME	CHAR(20)		304	Person Name Last Name
CAS_PER3	ALI_MNAME	CHAR(15)		303	Person Name Middle Name
CAS_PER3	PER_KEY	CHAR(6)	1	689	Person Sequence Number
CAS_PER4	CHG_CODE	CHAR(4)		56	Offense Code
CAS_PER4	CHG_DESC	CHAR(30)		56	Offense Code
CAS_PER4	CHG_YN	CHAR(1)		0	Unsharable
CAS_PER4	PER_KEY	CHAR(6)	1	689	Person Sequence Number
CAS_PER5	ASC_DOB	DATE(8)		7	Person Birth Date/Time
CAS_PER5	ASC_FNAME	CHAR(15)		302	Person Name First Name
CAS_PER5	ASC_LNAME	CHAR(20)		304	Person Name Last Name
CAS_PER5	ASC_MNAME	CHAR(15)		303	Person Name Middle Name
CAS_PER5	ASC_RPT	CHAR(1)		0	Unsharable
5040\04\ .1.1.1			T 0 (G1 G)		

5040\01\northdakota(mdb) B - 8 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_PER5	INTEL	CHAR(1)		0	Unsharable
CAS_PER5	PER_KEY	CHAR(6)		1689	Person Sequence Number
CAS_PER6	PER_KEY	CHAR(6)		1689	Person Sequence Number
CAS_PER6	SSN	CHAR(9)		25	Person SSN Number
CAS_PER7	CODE	CHAR(12)		0	Unsharable
CAS_PER7	DESC	CHAR(40)		0	Unsharable
CAS_PRO	AGENT	CHAR(5)		310	Parole Officer Number
CAS_PRO	CASE	CHAR(6)		0	Unsharable
CAS_PRO	PRO_CODE	CHAR(2)		0	Unsharable
CAS_PRO	PRO_DATE	DATE(8)		0	Unsharable
CAS_PRO	PRO_DESC	CHAR(50)		0	Unsharable
CAS_PRO	PRO_LOC	CHAR(15)		0	Unsharable
CAS_PRO	PRO_NCIC	CHAR(1)		0	Unsharable
CAS_PRO	PRO_QUAN	NUM(20)		0	Unsharable
CAS_PRO	PRO_STAT	CHAR(1)		0	Unsharable
CAS_PRO	PRO_VAL	NUM(20)		0	Unsharable
CAS_PRO	SEQ	CHAR(2)		0	Unsharable
CAS_PRO	TYPE	CHAR(1)		0	Unsharable
CAS_RPT	ACT_DATE1	DATE(8)		0	Unsharable
CAS_RPT	ACT_DATE2	DATE(8)		0	Unsharable
CAS_RPT	AGENT	CHAR(5)		310	Parole Officer Number
CAS_RPT	CAS_NAT	CHAR(50)		0	Unsharable
CAS_RPT	CAS_TITLE	CHAR(50)		0	Unsharable
CAS_RPT	CASE	CHAR(6)		0	Unsharable
CAS_RPT	COUNTY	CHAR(2)		47	County Code
CAS_RPT	DESC_PRT	CHAR(1)		0	Unsharable
CAS_RPT	INIT_ASST	CHAR(1)		0	Unsharable
CAS_RPT	LOCATION	CHAR(50)		465	Location Sequence Number
CAS_RPT	MEMO	MEMO(10)		0	Unsharable
CAS_RPT	MULT_CO	CHAR(1)		0	Unsharable
5040(01)	11.	.	0 (QAQ)		T

5040\01\northdakota(mdb) B - 9 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_RPT	NOT_DESC	MEMO(10)		0	Unsharable
CAS_RPT	OFF_DATE1	DATE(8)		38	Incident Begin Date/Time
CAS_RPT	OFF_DATE2	DATE(8)		38	Incident Begin Date/Time
CAS_RPT	OFF1	CHAR(4)		605	Law NCIC Offense Code
CAS_RPT	OFF2	CHAR(4)		605	Law NCIC Offense Code
CAS_RPT	OFF3	CHAR(4)		605	Law NCIC Offense Code
CAS_RPT	OFF4	CHAR(4)		605	Law NCIC Offense Code
CAS_RPT	OFF5	CHAR(4)		605	Law NCIC Offense Code
CAS_RPT	OFF6	CHAR(4)		605	Law NCIC Offense Code
CAS_RPT	ORI_ASST	CHAR(9)		0	Unsharable
CAS_RPT	RESTRICT	CHAR(1)		0	Unsharable
CAS_RPT	RPT_TITLE	CHAR(30)		0	Unsharable
CAS_RPT	SEQ	CHAR(2)		0	Unsharable
CAS_RPT	TYPE	CHAR(1)		0	Unsharable
CAS_SZR1	ASSET	CHAR(1)		0	Unsharable
CAS_SZR1	CASE	CHAR(6)		0	Unsharable
CAS_SZR1	LEIN	CHAR(35)		0	Unsharable
CAS_SZR1	LEIN_ADD	CHAR(35)		0	Unsharable
CAS_SZR1	OWN_ADD	CHAR(35)		0	Unsharable
CAS_SZR1	OWNER	CHAR(35)		0	Unsharable
CAS_SZR1	REC_BY	CHAR(35)		0	Unsharable
CAS_SZR1	STORAGE	CHAR(35)		465	Location Sequence Number
CAS_SZR1	SZ_AGENCY	CHAR(1)		19	Agency ORI Number
CAS_SZR1	SZ_AGENT	CHAR(20)		0	Unsharable
CAS_SZR1	SZ_DATE	DATE(8)		0	Unsharable
CAS_SZR1	SZ_DESC	MEMO(10)		0	Unsharable
CAS_SZR1	SZ_FROM	CHAR(35)		0	Unsharable
CAS_SZR1	SZ_LOC	CHAR(35)		0	Unsharable
CAS_SZR1	SZ_ORI	CHAR(9)		19	Agency ORI Number
CAS_SZR1	SZ_REQ_P	NUM(3)		0	Unsharable

5040\01\northdakota(mdb) B - 10 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_SZR1	SZ_REQ_V	NUM(9)		0	Unsharable
CAS_SZR1	SZ_VALUE	NUM(9)		0	Unsharable
CAS_SZR1	SZR_KEY	CHAR(6)		0	Unsharable
CAS_SZR2	DISP	CHAR(1)		0	Unsharable
CAS_SZR2	DISP_DATE	DATE(8)		0	Unsharable
CAS_SZR2	DISP_DESC	CHAR(35)		0	Unsharable
CAS_SZR2	DISP_PCT	NUM(3)		0	Unsharable
CAS_SZR2	DISP_VAL1	NUM(9)		0	Unsharable
CAS_SZR2	DISP_VAL2	NUM(9)		0	Unsharable
CAS_SZR2	DSIP_ORI	CHAR(9)		19	Agency ORI Number
CAS_SZR2	SZR_KEY	CHAR(6)		0	Unsharable
CAS_SZR3	LIC_NO	CHAR(8)		14	Registered Vehicle License Plate Number
CAS_SZR3	LIC_ST	CHAR(2)		2	State/Province/Country Code
CAS_SZR3	LIC_YR	CHAR(2)		17	Registered Vehicle License Plate Expiration Year
CAS_SZR3	MILEAGE	CHAR(7)		0	Unsharable
CAS_SZR3	SZR_KEY	CHAR(6)		0	Unsharable
CAS_SZR3	VEH_CO	CHAR(7)		0	Unsharable
CAS_SZR3	VEH_MK	CHAR(4)		27	Vehicle Make Code
CAS_SZR3	VEH_MO	CHAR(3)		28	Vehicle Model Code
CAS_SZR3	VEH_YR	CHAR(2)		31	Vehicle Model Year
CAS_SZR3	VIN	CHAR(25)		32	Vehicle Identification Number
CAS_VEH	AGENT	CHAR(5)		310	Parole Officer Number
CAS_VEH	CASE	CHAR(6)		0	Unsharable
CAS_VEH	IMP_LOC	CHAR(25)		0	Unsharable
CAS_VEH	LIC_NO	CHAR(8)		14	Registered Vehicle License Plate Number
CAS_VEH	LIC_ST	CHAR(2)		2	State/Province/Country Code

5040\01\northdakota(mdb) B - 11 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
CAS_VEH	LIC_YR	CHAR(2)		17	Registered Vehicle License Plate Expiration Year
CAS_VEH	NCIC	CHAR(1)		0	Unsharable
CAS_VEH	ORG_KEY	CHAR(6)		1510	Organization ID Number
CAS_VEH	PER_KEY	CHAR(6)		1689	Person Sequence Number
CAS_VEH	REG_ADDR	CHAR(35)		1697	Address Complete Street Address
CAS_VEH	REG_CITY	CHAR(20)		1	City Name
CAS_VEH	REG_OWNER	CHAR(40)		823	Person Name Complete Name
CAS_VEH	REG_ST	CHAR(2)		2	State/Province/Country Code
CAS_VEH	REG_ZIP	CHAR(9)		4	Address Postal Code
CAS_VEH	RPT_DATE	DATE(8)		0	Unsharable
CAS_VEH	SEQ	CHAR(2)		0	Unsharable
CAS_VEH	TYPE	CHAR(1)		0	Unsharable
CAS_VEH	VEH_CO	CHAR(7)		0	Unsharable
CAS_VEH	VEH_DESC	CHAR(30)		0	Unsharable
CAS_VEH	VEH_MK	CHAR(4)		27	Vehicle Make Code
CAS_VEH	VEH_MO	CHAR(3)		28	Vehicle Model Code
CAS_VEH	VEH_ST	CHAR(2)		2	State/Province/Country Code
CAS_VEH	VEH_STAT	CHAR(1)		0	Unsharable
CAS_VEH	VEH_YR	CHAR(2)		31	Vehicle Model Year
CAS_VEH	VIN	CHAR(25)		32	Vehicle Identification Number
CAS_VIEW	AGENT	CHAR(5)		310	Parole Officer Number
CAS_VIEW	CASE	CHAR(6)		0	Unsharable
CAS_VIEW	SEQ	CHAR(2)		0	Unsharable
CAS_VIEW	TYPE	CHAR(1)		0	Unsharable
CODE	CODE	CHAR(9)		0	Unsharable
CODE	COUNT	NUM(3)		0	Unsharable
CODE	DESC	CHAR(40)		0	Unsharable
CODE	PREFIX	CHAR(2)		0	Unsharable

5040\01\northdakota(mdb) B - 12 (CAS) Version 2.0

Data Element Listing For CAS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION ID	STANDARD ELEMENT
CODE_PRE	DESC	CHAR(40)	0	Unsharable
CODE_PRE	PREFIX	CHAR(2)	0	Unsharable
CODE_VEH	CODE	CHAR(9)	0	Unsharable
CODE_VEH	COUNT	NUM(2)	0	Unsharable
CODE_VEH	DESC	CHAR(40)	0	Unsharable
CODE_VEH	PREFIX	CHAR(4)	0	Unsharable
NDX_FILE	FILE_NO	CHAR(13)	0	Unsharable
NDX_FILE	ORG_KEY	CHAR(6)	1510	Organization ID Number
NDX_FILE	PER_KEY	CHAR(6)	1689	Person Sequence Number
NDX_FILE	TYPE	CHAR(1)	0	Unsharable

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chaddr	Addr1	CHAR(35)		1697	Address Complete Street
					Address
chaddr	Addr2	CHAR(35)		1697	Address Complete Street Address
chaddr	AddrPhysicalDesc	CHAR(70)		0	Unsharable
chaddr	AddrSeqNbr	INTEGER		0	Unsharable
chaddr	City	CHAR(25)		1	City Name
chaddr	CountryID	CHAR(3)		2	State/Province/Country Code
chaddr	LastKnownAddress	LOGICAL		1697	Address Complete Street Address
chaddr	NoReleaseFlag	LOGICAL		0	Unsharable
chaddr	OccupancyDate	DATE		1522	Person Location Start Date/Time
chaddr	ParProbFlag	LOGICAL		1732	Supervision Type Code
chaddr	Phone	CHAR(10)		41	Telephone Number
chaddr	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chaddr	SIDNbr	INTEGER		35	Identified Person SID Number
chaddr	StateID	CHAR(2)		2	State/Province/Country Code
chaddr	USPSCarrierRoute	CHAR(4)		0	Unsharable
chaddr	Zip	CHAR(10)		4	Address Postal Code
chafis	Addr1	CHAR(25)		1697	Address Complete Street Address
chafis	Addr2	CHAR(25)		1697	Address Complete Street Address
chafis	AFISNbr	,DECIMAL(12,0),		0	Unsharable
chafis	AFISTN	INTEGER		0	Unsharable
chafis	ArrestDate	DATE		42	Arrest Date/Time
chafis	BirthDate	DATE		7	Person Birth Date/Time
chafis	BirthPlaceCd	CHAR(2)		1676	Person Birthplace - State/Province/Country Code
chafis	CautionCom	CHAR(256)		0	Unsharable

5040\01\northdakota(mdb) B - 1 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chafis	City	CHAR(25)		1	City Name
chafis	CorrectionsNbr	CHAR(15)		0	Unsharable
chafis	CountryID	CHAR(3)		2	State/Province/Country Code
chafis	CountyCd	CHAR(2)	4	17	County Code
chafis	CourtCaseNbr1	CHAR(12)	1	39	Court Case Identifier Number
chafis	CourtCaseNbr2	CHAR(12)	1	39	Court Case Identifier Number
chafis	CourtCaseNbr3	CHAR(12)	1	39	Court Case Identifier Number
chafis	CourtOffDesc	CHAR(40)	1	718	Offense Description
chafis	CourtTypeCd	CHAR(1)	1	37	Court Type Code
chafis	EmpAddr1	CHAR(25)	10	597	Address Complete Street Address
chafis	EmpAddr2	CHAR(25)	8	23	Person Name Complete Name
chafis	EmpCity	CHAR(25)		1	City Name
chafis	EmpName	CHAR(30)	3	56	Business Name
chafis	EmpStateID	CHAR(2)		2	State/Province/Country Code
chafis	EmpZip	CHAR(10)		4	Address Postal Code
chafis	ExternalCaseNbr	CHAR(20)		0	Unsharable
chafis	EyeCd	CHAR(3)		11	Incident Person Eye Color Code
chafis	FBINbr	CHAR(9)	·	36	Identified Person FBI Number
chafis	FirstName	CHAR(15)	3	02	Person Name First Name
chafis	HairCd	CHAR(3)		12	Incident Person Hair Color Code
chafis	HeightFeet	INTEGER		13	Incident Person Height Number
chafis	HeightInches	INTEGER		13	Incident Person Height Number
chafis	IdentificationCom	CHAR(60)		0	Unsharable
chafis	LastName	CHAR(25)	3	04	Person Name Last Name
chafis	MiddleName	CHAR(15)	3	03	Person Name Middle Name
chafis	MiscNbr	CHAR(9)	5	48	Person Misc Number
chafis	MiscNbrCd	CHAR(2)	8	02	Person Misc Number Code
chafis	NCICCd	CHAR(4)	6	05	Law NCIC Offense Code
chafis	NCICSeqNbr	INTEGER		0	Unsharable

5040\01\northdakota(mdb) B - 2 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chafis	Occupation	CHAR(50)		1511	Person Occupation Type Code
chafis	OffClassCd	CHAR(2)		0	Unsharable
chafis	OffCounts	INTEGER		238	Prosecution Charge Count
chafis	OptionalDesc	CHAR(60)		0	Unsharable
chafis	ORINbr	CHAR(9)		19	Agency ORI Number
chafis	PalmAvail	LOGICAL		0	Unsharable
chafis	PalmORINbr	CHAR(9)		19	Agency ORI Number
chafis	PCN	,DECIMAL(12,0),		0	Unsharable
chafis	PhotoAvail	LOGICAL		0	Unsharable
chafis	PhotoORINbr	CHAR(9)		19	Agency ORI Number
chafis	RaceCd	CHAR(1)		21	Person Race Code
chafis	ReceiveDate	DATE		0	Unsharable
chafis	ScarCd	CHAR(10)		525	Person SMT Code
chafis	SexCd	CHAR(1)		23	Person Sex Code
chafis	SIDNbr	INTEGER		35	Identified Person SID Number
chafis	SkinCd	CHAR(3)		24	Incident Person Skin Tone Code
chafis	Soundex	CHAR(4)		316	Person Name Soundex Code
chafis	SSN	CHAR(9)		25	Person SSN Number
chafis	StateID	CHAR(2)		2	State/Province/Country Code
chafis	TransactionNbr	CHAR(40)		0	Unsharable
chafis	Weight	INTEGER		33	Incident Person Weight Number
chafis	Zip	CHAR(10)		4	Address Postal Code
charrest	ArrestDate	DATE		42	Arrest Date/Time
charrest	ATN	INTEGER		73	Arrest Number
charrest	DefenseAtt	CHAR(30)		242	Attorney BAR Number
charrest	DemoSeqNbr	INTEGER		0	Unsharable
charrest	EntryDate	DATE		0	Unsharable
charrest	ExternalCaseNbr	CHAR(20)		0	Unsharable
charrest	FBICardSent	LOGICAL		0	Unsharable
charrest	JudgeName	CHAR(30)		682	Sentence Judge Name

5040\01\northdakota(mdb) B - 3 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
charrest	ORINbr	CHAR(9)		19	Agency ORI Number
charrest	SIDNbr	INTEGER		35	Identified Person SID Number
charrest	TotRestAmt	,DECIMAL(9,2),		259	Financial Obligation Type Code
charrloc	ArrLocType	CHAR(5)		0	Unsharable
charrloc	ORINbr	CHAR(9)		19	Agency ORI Number
charrloc	SIDNbr	INTEGER		35	Identified Person SID Number
chbci	BCIFBINbr	CHAR(10)		36	Identified Person FBI Number
chbci	BCIFireIDSale	CHAR(1)		0	Unsharable
chbci	BCIMatch	CHAR(8)		0	Unsharable
chbci	BCIPossMatch	CHAR(8)		0	Unsharable
chbci	BCIPrimaryBirthDate	DATE		7	Person Birth Date/Time
chbci	BCIRaceCd	CHAR(4)		21	Person Race Code
chbci	BCISexCd	CHAR(3)		23	Person Sex Code
chbci	BCISIDNbr	CHAR(8)		35	Identified Person SID Number
chbci	BCISingleMulti	CHAR(1)		0	Unsharable
chbciname	BCIFBINbr	CHAR(10)		36	Identified Person FBI Number
chbciname	BCIFullName	CHAR(18)		823	Person Name Complete Name
chbciname	NameSeqNbr	INTEGER		0	Unsharable
chbirth	BirthDate	DATE		7	Person Birth Date/Time
chbirth	DOBSeqNbr	INTEGER		0	Unsharable
chbirth	NoReleaseFlag	LOGICAL		0	Unsharable
chbirth	ParProbFlag	LOGICAL		1732	Supervision Type Code
chbirth	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chbirth	SIDNbr	INTEGER		35	Identified Person SID Number
chbirthp	BirthPlaceCd	CHAR(2)		1676	Person Birthplace - State/Province/Country Code
chbirthp	NoReleaseFlag	LOGICAL		0	Unsharable
chbirthp	ParProbFlag	LOGICAL		1732	Supervision Type Code
chbirthp	POBSeqNbr	INTEGER		0	Unsharable

5040\01\northdakota(mdb) B - 4 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chbirthp	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chbirthp	SIDNbr	INTEGER		35	Identified Person SID Number
chcase	ATN	INTEGER		73	Arrest Number
chcase	CourtCaseNbr	CHAR(12)		139	Court Case Identifier Number
chcase	CourtSeqNbr	INTEGER		0	Unsharable
chcase	OffSeqNbr	INTEGER		0	Unsharable
chcase	ProsSeqNbr	INTEGER		0	Unsharable
chcaucom	CautionCom	CHAR(256)		0	Unsharable
chcaucom	SIDNbr	INTEGER		35	Identified Person SID Number
chcdasmt	AssessmentLevel	CHAR(1)		0	Unsharable
chcdasmt	AssessmentLevelDesc	CHAR(20)		0	Unsharable
chcdasmt	WebAccessible	LOGICAL		0	Unsharable
chcdcond	POConditionCd	INTEGER		443	Protection Order Condition Code
chcdcond	POConditionCdDesc	CHAR(180)		443	Protection Order Condition Code
chcddel	ReasDeleteCd	CHAR(1)		0	Unsharable
chcddel	ReasDeleteDesc	CHAR(25)		0	Unsharable
chcdpob	BirthPlaceCd	CHAR(2)		1676	Person Birthplace - State/Province/Country Code
chcdpob	BirthPlaceDesc	CHAR(30)		1534	State/Province/Country Name
chcdpob	ForeignFlag	LOGICAL		0	Unsharable
chcdpurp	DefaultPrinterPath	CHAR(40)		0	Unsharable
chcdpurp	DefaultReceiptAmt	,DECIMAL(7,2),		0	Unsharable
chcdpurp	PurposeCd	CHAR(2)		0	Unsharable
chcdpurp	PurposeDesc	CHAR(40)		0	Unsharable
chcdpurp	PurposeType	CHAR(1)		0	Unsharable
chcdpurp	ReconciliationFlag	LOGICAL		0	Unsharable
chcdrele	ReleaseTypeCd	CHAR(1)		0	Unsharable
chcdrele	ReleaseTypeDesc	CHAR(40)		0	Unsharable
chcdsent	CondSentEndReq	LOGICAL		0	Unsharable

5040\01\northdakota(mdb) B - 5 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chcdsent	ProSuspDayReq	LOGICAL		0	Unsharable
chcdsent	ProSuspMonthReq	LOGICAL		0	Unsharable
chcdsent	ProSuspYearReq	LOGICAL		0	Unsharable
chcdsent	RestFlagReq	LOGICAL		0	Unsharable
chcdsent	SentCd	CHAR(3)		0	Unsharable
chcdsent	SentCdDesc	CHAR(40)		0	Unsharable
chcdsent	SentDayReq	LOGICAL		0	Unsharable
chcdsent	SentFineReq	LOGICAL		0	Unsharable
chcdsent	SentHourReq	LOGICAL		0	Unsharable
chcdsent	SentMonthDayReq	LOGICAL		0	Unsharable
chcdsent	SentMonthReq	LOGICAL		0	Unsharable
chcdsent	SentYearMonthDayReq	LOGICAL		0	Unsharable
chcdsent	SentYearReq	LOGICAL		0	Unsharable
chcdsent	SuspDayReq	LOGICAL		0	Unsharable
chcdsent	SuspFineReq	LOGICAL		0	Unsharable
chcdsent	SuspMonthReq	LOGICAL		0	Unsharable
chcdsent	SuspYearReq	LOGICAL		0	Unsharable
chcdsole	Envelope	LOGICAL		0	Unsharable
chcdsole	LetterName	CHAR(50)		0	Unsharable
chcdsole	LetterType	CHAR(8)		0	Unsharable
chcdsoof	OffenderTypeCd	CHAR(1)		0	Unsharable
chcdsoof	OffenderTypeDesc	CHAR(30)		0	Unsharable
chcdsoof	WebAccessible	LOGICAL		0	Unsharable
chcdsost	OffenderStatusCd	CHAR(1)		0	Unsharable
chcdsost	OffenderStatusDesc	CHAR(30)		0	Unsharable
chcdsost	WebAccessible	LOGICAL		0	Unsharable
chcdsove	VerifyMethodCd	CHAR(4)		0	Unsharable
chcdsove	VerifyMethodDesc	CHAR(30)		0	Unsharable
chcom	ComCategory	CHAR(8)		0	Unsharable
chcom	Comment	CHAR(60)		0	Unsharable

5040\01\northdakota(mdb) B - 6 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chcom	CommentDate	DATE		0	Unsharable
chcom	ComSeqNbr	INTEGER		0	Unsharable
chcom	ComTrackNbr	CHAR(10)		0	Unsharable
chcom	ComType	CHAR(1)		0	Unsharable
chcom	RecordType	CHAR(4)		0	Unsharable
chcom	SIDNbr	INTEGER		35	Identified Person SID Number
chcompar	BCIBirthdate	DATE		7	Person Birth Date/Time
chcompar	BCIFBINbr	CHAR(10)		36	Identified Person FBI Number
chcompar	BCIFireIDSale	CHAR(1)		0	Unsharable
chcompar	BCIFullName	CHAR(30)		823	Person Name Complete Name
chcompar	BCIRaceCd	CHAR(4)		21	Person Race Code
chcompar	BCISexCd	CHAR(3)		23	Person Sex Code
chcompar	BCISIDNbr	CHAR(8)		35	Identified Person SID Number
chcompar	BCISingleMulti	CHAR(1)		0	Unsharable
chcompar	FBIAFC	CHAR(8)		0	Unsharable
chcompar	FBIDOB	CHAR(8)		7	Person Birth Date/Time
chcompar	FBIDPE	DATE		0	Unsharable
chcompar	FBIDPR	DATE		0	Unsharable
chcompar	FBIFBN	CHAR(9)		0	Unsharable
chcompar	FBIFIF	CHAR(8)		0	Unsharable
chcompar	FBIFileName	CHAR(15)		0	Unsharable
chcompar	FBINAM	CHAR(30)		823	Person Name Complete Name
chcompar	FBIPointer	CHAR(3)		0	Unsharable
chcompar	FBIRAC	CHAR(3)		0	Unsharable
chcompar	FBIREA	LOGICAL		0	Unsharable
chcompar	FBISCI	CHAR(18)		0	Unsharable
chcompar	FBISEL	CHAR(5)		0	Unsharable
chcompar	FBISEX	CHAR(3)		23	Person Sex Code
chcompar	FBISFI	CHAR(3)		0	Unsharable
chcompar	FBISID	CHAR(8)		35	Identified Person SID Number

5040\01\northdakota(mdb) B - 7 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION ID	STANDARD ELEMENT
chcompar	FBIValidDOB	DATE	7	Person Birth Date/Time
chcompar	ReportNbr	INTEGER	0	Unsharable
chctzn	CitizenSeqNbr	INTEGER	0	Unsharable
chctzn	CountryId	CHAR(3)	2	State/Province/Country Code
chctzn	NoReleaseFlag	LOGICAL	0	Unsharable
chctzn	ParProbFlag	LOGICAL	1732	Supervision Type Code
chctzn	SexOffenderFlag	LOGICAL	44	Person Registered Sex Offender Flag
chctzn	SIDNbr	INTEGER	35	Identified Person SID Number
chcust	ArrestTrackingNbr	CHAR(12)	73	Arrest Number
chcust	CorrectionsNbr	CHAR(15)	0	Unsharable
chcust	CTN	INTEGER	0	Unsharable
chcust	CustORINbr	CHAR(9)	19	Agency ORI Number
chcust	DemoSeqNbr	INTEGER	0	Unsharable
chcust	OmitFromNCRap	LOGICAL	0	Unsharable
chcust	ReceiveDate	DATE	0	Unsharable
chcust	SIDNbr	INTEGER	35	Identified Person SID Number
chcuster	CountyCd	CHAR(2)	47	County Code
chcuster	CourtOffDesc	CHAR(60)	1718	Offense Description
chcuster	CourtTypeCd	CHAR(1)	137	Court Type Code
chcuster	CTN	INTEGER	0	Unsharable
chcuster	CustCourtSeqNbr	INTEGER	0	Unsharable
chcustcs	CourtCaseNbr	CHAR(12)	139	Court Case Identifier Number
chcustes	CTN	INTEGER	0	Unsharable
chcustcs	CustCaseSeqNbr	INTEGER	0	Unsharable
chcustes	CustCourtSeqNbr	INTEGER	0	Unsharable
chcustex	CTN	INTEGER	0	Unsharable
chcustex	CustStatSeqNbr	INTEGER	0	Unsharable
chcustex	ForOffense	CHAR(30)	56	Offense Code
chcustex	FromStateID	CHAR(2)	2	State/Province/Country Code

5040\01\northdakota(mdb) B - 8 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION ID	STANDARD ELEMENT
chcustex	ReceiveInstitute	CHAR(20)	0	Unsharable
chcustst	CTN	INTEGER	0	Unsharable
chcustst	CustStatCd	CHAR(3)	254	Supervision Status Code
chcustst	CustStatSeqNbr	INTEGER	0	Unsharable
chcustst	StatusDate	DATE	0	Unsharable
chcvdsm	Attn	CHAR(30)	0	Unsharable
chcvdsm	CvDsmSeqNbr	INTEGER	0	Unsharable
chcvdsm	DisStatus	CHAR(1)	0	Unsharable
chcvdsm	LA-Code	CHAR(1)	0	Unsharable
chcvdsm	LA-Date	DATE	0	Unsharable
chcvdsm	LA-TermId	CHAR(4)	0	Unsharable
chcvdsm	LA-Time	CHAR(4)	0	Unsharable
chcvdsm	LA-UserId	CHAR(3)	0	Unsharable
chcvdsm	MailAddr1	CHAR(30)	1697	Address Complete Street Address
chcvdsm	MailAddr2	CHAR(30)	1697	Address Complete Street Address
chcvdsm	MailCity	CHAR(15)	1	City Name
chcvdsm	MailName	CHAR(30)	823	Person Name Complete Name
chcvdsm	MailState	CHAR(2)	2	State/Province/Country Code
chcvdsm	MailZip	CHAR(9)	4	Address Postal Code
chcvdsm	NletsPPHit	LOGICAL	0	Unsharable
chcvdsm	PurposeCd	CHAR(1)	0	Unsharable
chcvdsm	ReleaseType	CHAR(1)	0	Unsharable
chevdsm	RequestingAddr1	CHAR(30)	1697	Address Complete Street Address
chcvdsm	RequestingAddr2	CHAR(30)	1697	Address Complete Street Address
chcvdsm	RequestingCity	CHAR(15)	1	City Name
chcvdsm	RequestingName	CHAR(30)	823	Person Name Complete Name

5040\01\northdakota(mdb) B - 9 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chcvdsm	RequestingORI	CHAR(9)		19	Agency ORI Number
chcvdsm	RequestingState	CHAR(2)		2	State/Province/Country Code
chcvdsm	RequestingZip	CHAR(9)		4	Address Postal Code
chcvdsm	SIDNbr	INTEGER		35	Identified Person SID Number
chcvdsm	SubjectAddr1	CHAR(30)	1	597	Address Complete Street Address
chcvdsm	SubjectAddr2	CHAR(30)	1	597	Address Complete Street Address
chcvdsm	SubjectCity	CHAR(15)		1	City Name
chcvdsm	SubjectName	CHAR(30)	8	23	Person Name Complete Name
chcvdsm	SubjectState	CHAR(2)		2	State/Province/Country Code
chcvdsm	SubjectZip	CHAR(9)		4	Address Postal Code
chewis	AliasFirstName	CHAR(15)	3	02	Person Name First Name
chewis	AliasLastName	CHAR(25)	3	04	Person Name Last Name
chewis	AliasMiddleName	CHAR(15)	3	03	Person Name Middle Name
chewis	AliasSoundex	CHAR(4)	3	16	Person Name Soundex Code
chewis	AliasSuffix	CHAR(5)	5	95	Person Name Suffix Name
chewis	BirthDate	DATE		7	Person Birth Date/Time
chewis	CautionRequired	LOGICAL	9	80	Person Caution and Medical Condition Code
chewis	CWTN	CHAR(15)		0	Unsharable
chewis	EyeCd	CHAR(3)		11	Incident Person Eye Color Code
chewis	FirstName	CHAR(15)	3	02	Person Name First Name
chewis	HairCd	CHAR(3)		12	Incident Person Hair Color Code
chewis	HeightFeet	INTEGER		13	Incident Person Height Number
chewis	HeightInches	INTEGER		13	Incident Person Height Number
chewis	LastName	CHAR(25)	3	04	Person Name Last Name
chewis	LicPlateNbr	CHAR(8)		14	Registered Vehicle License Plate Number
chewis	LicPlateStateID	CHAR(2)		2	State/Province/Country Code

5040\01\northdakota(mdb) B - 10 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chewis	LicPlateType	CHAR(2)		16	Registered Vehicle License Plate NCIC Code
chewis	LicPlateYear	INTEGER		17	Registered Vehicle License Plate Expiration Year
chewis	MiddleName	CHAR(15)		303	Person Name Middle Name
chewis	MiscInfo	CHAR(120)		0	Unsharable
chewis	Offense	CHAR(4)		56	Offense Code
chewis	OperLicNbr	CHAR(16)		8	Person Driver License Number
chewis	OperLicStateID	CHAR(2)		1438	Person Driver License State - State/Province/Country Code
chewis	OriginORINbr	CHAR(9)		19	Agency ORI Number
chewis	RaceCd	CHAR(1)		21	Person Race Code
chewis	ScarCd	CHAR(10)		525	Person SMT Code
chewis	SexCd	CHAR(1)		23	Person Sex Code
chewis	Soundex	CHAR(4)		316	Person Name Soundex Code
chewis	SSN	CHAR(9)		25	Person SSN Number
chewis	Suffix	CHAR(5)		595	Person Name Suffix Name
chewis	VehicleColor	CHAR(7)		26	Incident Vehicle Color Code
chewis	VehicleIdNbr	CHAR(20)		32	Vehicle Identification Number
chewis	VehicleMake	CHAR(4)		27	Vehicle Make Code
chewis	VehicleStyle	CHAR(2)		29	Vehicle Style Code
chewis	VehicleYear	INTEGER		31	Vehicle Model Year
chewis	WarrantDate	DATE		189	Court Order Signed Date/Time
chewis	WarrantNbr	CHAR(10)		132	Warrant Number
chewis	Weight	INTEGER		33	Incident Person Weight Number
chdelete	DemoSeqNbr	INTEGER		0	Unsharable
chdelete	ReasAddlDesc	CHAR(120)		0	Unsharable
chdelete	ReasDeleteCd	CHAR(1)		0	Unsharable
chdelete	SeqNbr1	INTEGER		0	Unsharable
chdelete	SeqNbr2	INTEGER		0	Unsharable

5040\01\northdakota(mdb) B - 11 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdelete	SeqNbrType1	CHAR(5)		0	Unsharable
chdelete	SeqNbrType2	CHAR(5)		0	Unsharable
chdelete	SIDNbr	INTEGER		35	Identified Person SID Number
chdelete	TrackingNbr	CHAR(9)		0	Unsharable
chdelete	TrackingNbrType	CHAR(5)		0	Unsharable
chdelete	XTN	INTEGER		0	Unsharable
chdemo	AddrSeqNbr	INTEGER		0	Unsharable
chdemo	CitizenSeqNbr	INTEGER		0	Unsharable
chdemo	DemoSeqNbr	INTEGER		0	Unsharable
chdemo	DemoType	CHAR(4)		0	Unsharable
chdemo	DOBSeqNbr	INTEGER		0	Unsharable
chdemo	EyeCd	CHAR(3)		11	Incident Person Eye Color Code
chdemo	HairCd	CHAR(3)		12	Incident Person Hair Color Code
chdemo	HeightFeet	INTEGER		13	Incident Person Height Number
chdemo	HeightInches	INTEGER		13	Incident Person Height Number
chdemo	NameSeqNbr	INTEGER		0	Unsharable
chdemo	OccupSeqNbr	INTEGER		0	Unsharable
chdemo	POBSeqNbr	INTEGER		0	Unsharable
chdemo	RaceCd	CHAR(1)		21	Person Race Code
chdemo	SchoolSeqNbr	INTEGER		0	Unsharable
chdemo	SexCd	CHAR(1)		23	Person Sex Code
chdemo	SIDNbr	INTEGER		35	Identified Person SID Number
chdemo	SkinCd	CHAR(3)		24	Incident Person Skin Tone Code
chdemo	SSNSeqNbr	INTEGER		0	Unsharable
chdemo	Weight	INTEGER		33	Incident Person Weight Number
chdisp	ActionDate	DATE		0	Unsharable
chdisp	ATN	INTEGER		73	Arrest Number
chdisp	ChildOffenderFlag	LOGICAL		0	Unsharable
chdisp	CondSentEnd	DATE		0	Unsharable
chdisp	DispCd	CHAR(2)		505	Court Case Disposition Code
7 040040 4 1 1 4 4 4			D 44 (00T)		

5040\01\northdakota(mdb) B - 12 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdisp	DispCounts	INTEGER		238	Prosecution Charge Count
chdisp	DispDesc	CHAR(35)		0	Unsharable
chdisp	DispSeqNbr	INTEGER		0	Unsharable
chdisp	DrugAmt	,DECIMAL(9,3),		87	Drug Estimated Quantity Count
chdisp	DrugMeasCd	CHAR(3)		88	Drug Measurement Code
chdisp	DrugTypeCd	CHAR(1)		86	Drug Type Code
chdisp	FirearmFlag	LOGICAL		0	Unsharable
chdisp	NDCCCd	CHAR(20)		0	Unsharable
chdisp	NDCCSeqNbr	INTEGER		0	Unsharable
chdisp	OffClassCd	CHAR(2)		0	Unsharable
chdisp	ProSuspDay	INTEGER		0	Unsharable
chdisp	ProSuspMonth	INTEGER		167	Supervision Obligation Probation Suspended Months
chdisp	ProSuspYear	INTEGER		0	Unsharable
chdisp	RedActionDate	DATE		0	Unsharable
chdisp	RedOffClassCd	CHAR(2)		0	Unsharable
chdisp	RestFlag	LOGICAL		0	Unsharable
chdisp	SentCd	CHAR(3)		0	Unsharable
chdisp	SentDate	DATE		162	Sentence Date/Time
chdisp	SentDay	INTEGER		0	Unsharable
chdisp	SentFine	,DECIMAL(7,2),		259	Financial Obligation Type Code
chdisp	SentHour	INTEGER		0	Unsharable
chdisp	SentMonth	INTEGER		0	Unsharable
chdisp	SentYear	INTEGER		0	Unsharable
chdisp	SuspDay	INTEGER		0	Unsharable
chdisp	SuspFine	,DECIMAL(7,2),		169	Financial Obligation Suspended Money
chdisp	SuspMonth	INTEGER		0	Unsharable
chdisp	SuspYear	INTEGER		0	Unsharable
chdisp	UnrelatedFlag	LOGICAL		0	Unsharable

5040\01\northdakota(mdb) B - 13 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdisp	xxDispositionDesc	CHAR(135)		0	Unsharable
chdplink	ATN	INTEGER		73	Arrest Number
chdplink	DispSeqNbr	INTEGER		0	Unsharable
chdplink	OffSeqNbr	INTEGER		0	Unsharable
chdplink	ProsSeqNbr	INTEGER		0	Unsharable
chdsm	ComputerName	CHAR(40)		0	Unsharable
chdsm	DsmType	CHAR(1)		0	Unsharable
chdsm	DTN	INTEGER		0	Unsharable
chdsm	InquiryType	CHAR(4)		0	Unsharable
chdsm	NetworkUserName	CHAR(20)		0	Unsharable
chdsm	PrimarySystemID	CHAR(2)		0	Unsharable
chdsm	PurposeCd	CHAR(2)		0	Unsharable
chdsm	PurposeType	CHAR(1)		0	Unsharable
chdsm	ReleaseTypeCd	CHAR(1)		0	Unsharable
chdsmcom	DsmComment	CHAR(50)		0	Unsharable
chdsmcom	DTN	INTEGER		0	Unsharable
chdsmcri	DTN	INTEGER		0	Unsharable
chdsmcri	ReqORIAddr1	CHAR(35)		1697	Address Complete Street Address
chdsmcri	ReqORIAddr2	CHAR(35)		1697	Address Complete Street Address
chdsmcri	ReqORICity	CHAR(25)		1	City Name
chdsmcri	ReqORIName	CHAR(40)		40	Agency Name
chdsmcri	ReqORINbr	CHAR(9)		19	Agency ORI Number
chdsmcri	ReqORIStateID	CHAR(2)		2	State/Province/Country Code
chdsmcri	ReqORIZip	CHAR(10)		4	Address Postal Code
chdsmcri	ReqSIDNbr	INTEGER		35	Identified Person SID Number
chdsmcri	Requester	CHAR(40)		823	Person Name Complete Name
chdsmdel	AuthorizationFlag	LOGICAL		0	Unsharable
chdsmdel	chdsm_zzDateAdd	DATE		0	Unsharable

5040\01\northdakota(mdb) B - 14 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdsmdel	chdsm_zzDateChg	DATE		0	Unsharable
chdsmdel	chdsm_zzTimeChg	CHAR(8)		0	Unsharable
chdsmdel	chdsm_zzUserAdd	CHAR(8)		0	Unsharable
chdsmdel	chdsm_zzUserChg	CHAR(8)		0	Unsharable
chdsmdel	ComputerName	CHAR(40)		0	Unsharable
chdsmdel	DateRecordChecked	DATE		0	Unsharable
chdsmdel	DsmType	CHAR(1)		0	Unsharable
chdsmdel	DTN	INTEGER		0	Unsharable
chdsmdel	DXTN	INTEGER		0	Unsharable
chdsmdel	FingerprintFlag	LOGICAL		0	Unsharable
chdsmdel	NetworkUserName	CHAR(20)		0	Unsharable
chdsmdel	noncri_zzDateAdd	DATE		0	Unsharable
chdsmdel	noncri_zzDateChg	DATE		0	Unsharable
chdsmdel	noncri_zzTimeChg	CHAR(8)		0	Unsharable
chdsmdel	noncri_zzUserAdd	CHAR(8)		0	Unsharable
chdsmdel	noncri_zzUserChg	CHAR(8)		0	Unsharable
chdsmdel	OtherAgencyNbr	CHAR(9)		19	Agency ORI Number
chdsmdel	PurposeCd	CHAR(2)		0	Unsharable
chdsmdel	PurposeType	CHAR(1)		0	Unsharable
chdsmdel	ReceiptAmt	,DECIMAL(7,2),		0	Unsharable
chdsmdel	ReceiptDate	DATE		0	Unsharable
chdsmdel	ReceiptNbr	CHAR(8)		0	Unsharable
chdsmdel	ReleaseTypeCd	CHAR(1)		0	Unsharable
chdsmdel	ReqAddr1	CHAR(35)		1697	Address Complete Street Address
chdsmdel	ReqAddr2	CHAR(35)		1697	Address Complete Street Address
chdsmdel	ReqCity	CHAR(25)		1	City Name
chdsmdel	ReqCountryID	CHAR(3)		2	State/Province/Country Code
chdsmdel	ReqDOB	DATE		7	Person Birth Date/Time

5040\01\northdakota(mdb) B - 15 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdsmdel	ReqFirstName	CHAR(15)		302	Person Name First Name
chdsmdel	ReqMiddleName	CHAR(15)		303	Person Name Middle Name
chdsmdel	ReqORINbr	CHAR(9)		19	Agency ORI Number
chdsmdel	ReqPrimaryLastName	CHAR(25)		304	Person Name Last Name
chdsmdel	ReqPrimarySoundex	CHAR(4)		316	Person Name Soundex Code
chdsmdel	ReqPriorLastName	CHAR(25)		304	Person Name Last Name
chdsmdel	ReqPriorSoundex	CHAR(4)		316	Person Name Soundex Code
chdsmdel	ReqSIDNbr	INTEGER		35	Identified Person SID Number
chdsmdel	ReqSSN	CHAR(9)		25	Person SSN Number
chdsmdel	ReqStateID	CHAR(2)		2	State/Province/Country Code
chdsmdel	ReqZip	CHAR(10)		4	Address Postal Code
chdsmdel	SentToAddr1	CHAR(35)		1697	Address Complete Street Address
chdsmdel	SentToAddr2	CHAR(35)		1697	Address Complete Street Address
chdsmdel	SentToAgencyName	CHAR(40)		40	Agency Name
chdsmdel	SentToCity	CHAR(25)		1	City Name
chdsmdel	SentToCountryID	CHAR(3)		2	State/Province/Country Code
chdsmdel	SentToName	CHAR(40)		823	Person Name Complete Name
chdsmdel	SentToStateID	CHAR(2)		2	State/Province/Country Code
chdsmdel	SentToZip	CHAR(10)		4	Address Postal Code
chdsmdel	SubmittedAgencyCourt	CHAR(40)		19	Agency ORI Number
chdsmdel	SubmittedDate	DATE		0	Unsharable
chdsmdel	SubmittedOffense	CHAR(50)		56	Offense Code
chdsmdel	SubmittedSIDNbr	INTEGER		35	Identified Person SID Number
chdsmnon	AuthorizationFlag	LOGICAL		0	Unsharable
chdsmnon	DateRecordChecked	DATE		0	Unsharable
chdsmnon	DTN	INTEGER		0	Unsharable
chdsmnon	FingerprintFlag	LOGICAL		0	Unsharable
chdsmnon	GamingCheckType	INTEGER		0	Unsharable

5040\01\northdakota(mdb) B - 16 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdsmnon	Licensee	CHAR(6)		0	Unsharable
chdsmnon	OtherAgencyNbr	CHAR(9)		19	Agency ORI Number
chdsmnon	ReceiptAmt	,DECIMAL(7,2),		0	Unsharable
chdsmnon	ReceiptDate	DATE		0	Unsharable
chdsmnon	ReceiptNbr	CHAR(8)		0	Unsharable
chdsmnon	ReqAddr1	CHAR(35)		1697	Address Complete Street Address
chdsmnon	ReqAddr2	CHAR(35)		1697	Address Complete Street Address
chdsmnon	ReqCity	CHAR(25)		1	City Name
chdsmnon	ReqCountryID	CHAR(3)		2	State/Province/Country Code
chdsmnon	ReqDOB	DATE		7	Person Birth Date/Time
chdsmnon	ReqFirstName	CHAR(15)		302	Person Name First Name
chdsmnon	ReqMiddleName	CHAR(15)		303	Person Name Middle Name
chdsmnon	ReqPrimaryLastName	CHAR(25)		304	Person Name Last Name
chdsmnon	ReqPrimarySoundex	CHAR(4)		316	Person Name Soundex Code
chdsmnon	ReqPriorLastName	CHAR(25)		304	Person Name Last Name
chdsmnon	ReqPriorSoundex	CHAR(4)		316	Person Name Soundex Code
chdsmnon	ReqSIDNbr	INTEGER		35	Identified Person SID Number
chdsmnon	ReqSSN	CHAR(9)		25	Person SSN Number
chdsmnon	ReqStateID	CHAR(2)		2	State/Province/Country Code
chdsmnon	ReqZip	CHAR(10)		4	Address Postal Code
chdsmnon	SentToAddr1	CHAR(35)		1697	Address Complete Street Address
chdsmnon	SentToAddr2	CHAR(35)		1697	Address Complete Street Address
chdsmnon	SentToAgencyName	CHAR(40)		40	Agency Name
chdsmnon	SentToCity	CHAR(25)		1	City Name
chdsmnon	SentToCountryID	CHAR(3)		2	State/Province/Country Code
chdsmnon	SentToName	CHAR(40)		823	Person Name Complete Name

5040\01\northdakota(mdb) B - 17 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chdsmnon	SentToStateID	CHAR(2)		2	State/Province/Country Code
chdsmnon	SentToZip	CHAR(10)		4	Address Postal Code
chdsmnon	SubmittedAgencyCourt	CHAR(40)		19	Agency ORI Number
chdsmnon	SubmittedDate	DATE		0	Unsharable
chdsmnon	SubmittedOffense	CHAR(50)		56	Offense Code
chdsmnon	SubmittedSIDNbr	INTEGER		35	Identified Person SID Number
chfbi	FBIAFC	CHAR(8)		0	Unsharable
chfbi	FBIDOB	CHAR(8)		7	Person Birth Date/Time
chfbi	FBIDPE	DATE		0	Unsharable
chfbi	FBIDPR	DATE		0	Unsharable
chfbi	FBIFBN	CHAR(9)		0	Unsharable
chfbi	FBIFIF	CHAR(8)		0	Unsharable
chfbi	FBIMatch	CHAR(8)		0	Unsharable
chfbi	FBINAM	CHAR(30)		823	Person Name Complete Name
chfbi	FBIPointer	CHAR(3)		0	Unsharable
chfbi	FBIPossMatch	CHAR(8)		0	Unsharable
chfbi	FBIRAC	CHAR(3)		0	Unsharable
chfbi	FBIREA	LOGICAL		0	Unsharable
chfbi	FBISCI	CHAR(18)		0	Unsharable
chfbi	FBISEL	CHAR(5)		0	Unsharable
chfbi	FBISEX	CHAR(3)		23	Person Sex Code
chfbi	FBISFI	CHAR(3)		0	Unsharable
chfbi	FBISID	CHAR(8)		35	Identified Person SID Number
chfbi	FBIValidDOB	DATE		7	Person Birth Date/Time
chfbinon	CheckNbr	INTEGER		0	Unsharable
chfbinon	DateBillRecd	DATE		0	Unsharable
chfbinon	DateCardRejected	DATE		0	Unsharable
chfbinon	DateCardResubmitted	DATE		0	Unsharable
chfbinon	DateCardSent	DATE		0	Unsharable
chfbinon	DateFBIBillPaid	DATE		0	Unsharable
			D 40 (CCTT)		

5040\01\northdakota(mdb) B - 18 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chfbinon	FBIBillingNbr	INTEGER		0	Unsharable
chfbinon	FBITN	,DECIMAL(12,0),		0	Unsharable
chfbinon	OtherAgencyNbr	CHAR(9)		19	Agency ORI Number
chfbinon	ReceiptAmt	,DECIMAL $(7,2)$,		0	Unsharable
chfbinon	ReqDOB	DATE		7	Person Birth Date/Time
chfbinon	ReqFirstName	CHAR(15)		302	Person Name First Name
chfbinon	ReqMiddleName	CHAR(15)		303	Person Name Middle Name
chfbinon	ReqPrimaryLastName	CHAR(25)		304	Person Name Last Name
chfbinon	ReqPrimarySoundex	CHAR(4)		316	Person Name Soundex Code
chfbinon	ReqPriorLastName	CHAR(25)		304	Person Name Last Name
chfbinon	ReqPriorSoundex	CHAR(4)		316	Person Name Soundex Code
chfbinon	ReqSSN	CHAR(9)		25	Person SSN Number
chhenry	HenryClassLow	CHAR(16)		0	Unsharable
chhenry	HenryClassUp	CHAR(16)		0	Unsharable
chhenry	HenryRefLow	CHAR(16)		0	Unsharable
chhenry	HenryRefUp	CHAR(16)		0	Unsharable
chhenry	SIDNbr	INTEGER		35	Identified Person SID Number
chinq	InquiryDate	DATE		0	Unsharable
chinq	InquiryTime	CHAR(8)		0	Unsharable
chinq	InquiryType	CHAR(4)		0	Unsharable
chinq	ITN	INTEGER		0	Unsharable
chinq	ReqDOB	DATE		7	Person Birth Date/Time
chinq	ReqFirstName	CHAR(15)		302	Person Name First Name
chinq	ReqLastName	CHAR(25)		304	Person Name Last Name
chinq	ReqMiddleName	CHAR(15)		303	Person Name Middle Name
chinq	ReqNumber	CHAR(25)		0	Unsharable
chinq	ReqNumberType	CHAR(9)		0	Unsharable
chinq	ReqSIDNbr	INTEGER		35	Identified Person SID Number
chinq	ReqSoundex	CHAR(4)		316	Person Name Soundex Code
chinq	ReqSSN	CHAR(9)		25	Person SSN Number
		_			

5040\01\northdakota(mdb) B - 19 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chinq	Requester	CHAR(40)		823	Person Name Complete Name
chinq	SendToCorrections	LOGICAL		0	Unsharable
chinq	SourceORINbr	CHAR(9)		19	Agency ORI Number
chinqhst	FriTotal	INTEGER		0	Unsharable
chinqhst	HistoryMonth	INTEGER		0	Unsharable
chinqhst	HistoryYear	INTEGER		0	Unsharable
chinqhst	InquiryType	CHAR(4)		0	Unsharable
chinqhst	MonTotal	INTEGER		0	Unsharable
chinqhst	SatTotal	INTEGER		0	Unsharable
chinqhst	SourceORINbr	CHAR(9)		19	Agency ORI Number
chinqhst	SunTotal	INTEGER		0	Unsharable
chinqhst	ThursTotal	INTEGER		0	Unsharable
chinqhst	TuesTotal	INTEGER		0	Unsharable
chinqhst	WedTotal	INTEGER		0	Unsharable
chlastrq	RecordType	CHAR(4)		0	Unsharable
chlastrq	TrackingNbr	,DECIMAL(12,0),		0	Unsharable
chlastrq	UsrId	CHAR(8)		0	Unsharable
chlqevnt	EventTypeCd	CHAR(3)		0	Unsharable
chlqevnt	EventTypeDesc	CHAR(40)		0	Unsharable
chlqitem	DateRecordChecked	DATE		0	Unsharable
chlqitem	Envelope	LOGICAL		0	Unsharable
chlqitem	EventTypeCd	CHAR(3)		0	Unsharable
chlqitem	ItemPrintDate	DATE		0	Unsharable
chlqitem	ItemPrintTime	CHAR(8)		0	Unsharable
chlqitem	RecordSeqNbr	INTEGER		0	Unsharable
chlqitem	RecordTrackNbr	CHAR(12)		0	Unsharable
chlqitem	RecordType	CHAR(4)		0	Unsharable
chlqitem	ToAgencyName	CHAR(40)		40	Agency Name
chlqitem	ToORINbr	CHAR(9)		19	Agency ORI Number
chlqitem	ToRequester	CHAR(30)		823	Person Name Complete Name

5040\01\northdakota(mdb) B - 20 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chlqitem	ТоТуре	CHAR(1)		0	Unsharable
chlqitem	TriggerTypeCd	CHAR(3)		1698	Weapon Trigger Type Code
chlqtrig	TriggerTypeCd	CHAR(3)		1698	Weapon Trigger Type Code
chlqtrig	TriggerTypeDesc	CHAR(40)		1698	Weapon Trigger Type Code
chmisnbr	MiscNbr	CHAR(12)		548	Person Misc Number
chmisnbr	MiscNbrCd	CHAR(2)		802	Person Misc Number Code
chmisnbr	MiscNbrSeqNbr	INTEGER		0	Unsharable
chmisnbr	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chmisnbr	SIDNbr	INTEGER		35	Identified Person SID Number
chname	FirstName	CHAR(15)		302	Person Name First Name
chname	LastName	CHAR(25)		304	Person Name Last Name
chname	MiddleName	CHAR(15)		303	Person Name Middle Name
chname	NameSeqNbr	INTEGER		0	Unsharable
chname	NoReleaseFlag	LOGICAL		0	Unsharable
chname	ParProbFlag	LOGICAL		1732	Supervision Type Code
chname	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chname	SIDNbr	INTEGER		35	Identified Person SID Number
chname	Soundex	CHAR(4)		316	Person Name Soundex Code
chname	Suffix	CHAR(5)		595	Person Name Suffix Name
chncicod	ATN	INTEGER		73	Arrest Number
chncicod	OffSeqNbr	INTEGER		0	Unsharable
chncicod	OptionalDesc	CHAR(60)		0	Unsharable
chnsf	CountyCd	CHAR(2)		47	County Code
chnsf	DemoSeqNbr	INTEGER		0	Unsharable
chnsf	FilingDate	DATE		0	Unsharable
chnsf	Fingerprint	LOGICAL		0	Unsharable
chnsf	NSFTN	INTEGER		0	Unsharable
chnsf	PleaByMail	LOGICAL		0	Unsharable

5040\01\northdakota(mdb) B - 21 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chnsf	SIDNbr	INTEGER		35	Identified Person SID Number
chnsf	TotalValue	,DECIMAL(7,2),		259	Financial Obligation Type Code
chnsfcou	CourtCaseNbr	CHAR(12)		139	Court Case Identifier Number
chnsfcou	DismissedFlag	LOGICAL		0	Unsharable
chnsfcou	NSFCourtSeqNbr	INTEGER		0	Unsharable
chnsfcou	NSFOffSeqNbr	INTEGER		0	Unsharable
chnsfcou	NSFTN	INTEGER		0	Unsharable
chnsfdsp	CostAmt	,DECIMAL(7,2),		0	Unsharable
chnsfdsp	Deferred	INTEGER		0	Unsharable
chnsfdsp	DispCd	CHAR(2)		505	Court Case Disposition Code
chnsfdsp	DispDate	DATE		241	Disposed Charge Date/Time
chnsfdsp	FeeAmt	,DECIMAL(7,2),		0	Unsharable
chnsfdsp	JailDays	INTEGER		589	Custody Obligation Minimum Days
chnsfdsp	NSFDispSeqNbr	INTEGER		0	Unsharable
chnsfdsp	NSFFine	,DECIMAL(7,2),		0	Unsharable
chnsfdsp	NSFSusp	,DECIMAL(7,2),		0	Unsharable
chnsfdsp	NSFTN	INTEGER		0	Unsharable
chnsfdsp	OffClassCd	CHAR(2)		0	Unsharable
chnsfdsp	RestFlag	LOGICAL		0	Unsharable
chnsfdsp	SentEndDate	DATE		0	Unsharable
chnsfdsp	Suspended	INTEGER		0	Unsharable
chnsfdsp	TotRestAmt	,DECIMAL(9,2),		259	Financial Obligation Type Code
chnsfod	NSFOffSeqNbr	INTEGER		0	Unsharable
chnsfod	NSFTN	INTEGER		0	Unsharable
chnsfod	OptionalDesc	CHAR(60)		0	Unsharable
chnsfoff	DismissedCounts	INTEGER		0	Unsharable
chnsfoff	NCICCd	CHAR(4)		605	Law NCIC Offense Code
chnsfoff	NCICSeqNbr	INTEGER		0	Unsharable
chnsfoff	NSFOffSeqNbr	INTEGER		0	Unsharable

5040\01\northdakota(mdb) B - 22 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chnsfoff	NSFTN	INTEGER		0	Unsharable
chnsfoff	OffClassCd	CHAR(2)		0	Unsharable
chnsfoff	OffCounts	INTEGER		238	Prosecution Charge Count
choccup	CountryID	CHAR(3)		2	State/Province/Country Code
choccup	EmpAddr1	CHAR(25)		1697	Address Complete Street Address
choccup	EmpAddr2	CHAR(25)		1697	Address Complete Street Address
choccup	EmpCity	CHAR(25)		1	City Name
choccup	EmpName	CHAR(30)		356	Business Name
choccup	EmpZip	CHAR(10)		4	Address Postal Code
choccup	LastKnownEmployer	LOGICAL		1508	Organization Name
choccup	NoReleaseFlag	LOGICAL		0	Unsharable
choccup	Occupation	CHAR(50)		1511	Person Occupation Type Code
choccup	OccupSeqNbr	INTEGER		0	Unsharable
choccup	ParProbFlag	LOGICAL		1732	Supervision Type Code
choccup	Phone	CHAR(10)		41	Telephone Number
choccup	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
choccup	SIDNbr	INTEGER		35	Identified Person SID Number
choccup	StateID	CHAR(2)		2	State/Province/Country Code
choff	ATN	INTEGER		73	Arrest Number
choff	NCICCd	CHAR(4)		605	Law NCIC Offense Code
choff	NCICSeqNbr	INTEGER		0	Unsharable
choff	OffClassCd	CHAR(2)		0	Unsharable
choff	OffCounts	INTEGER		238	Prosecution Charge Count
choff	OffSeqNbr	INTEGER		0	Unsharable
choff	xxChargeDesc	CHAR(135)		0	Unsharable
chother	AgencyAddr1	CHAR(35)		1697	Address Complete Street Address

5040\01\northdakota(mdb) B - 23 (CCH) Version 2.0

Data Element Listing For CCH

	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chother	AgencyAddr2	CHAR(35)		1697	Address Complete Street
					Address
chother	AgencyCity	CHAR(25)		1	City Name
chother	AgencyName	CHAR(40)		40	Agency Name
chother	AgencyStateID	CHAR(2)		2	State/Province/Country Code
chother	AgencyTypeCd	CHAR(2)		52	Agency Type Code
chother	AgencyZip	CHAR(10)		4	Address Postal Code
chother	OtherAgencyNbr	CHAR(9)		19	Agency ORI Number
chpo	BirthPlaceCd	CHAR(2)		1676	Person Birthplace - State/Province/Country Code
chpo	BradyIndicator	LOGICAL		0	Unsharable
chpo	CourtORINbr	CHAR(9)		19	Agency ORI Number
chpo	ExpireDate	DATE		444	Protection Order Expiration Date/Time
chpo	EyeCd	CHAR(3)		11	Incident Person Eye Color Code
chpo	FBINbr	CHAR(9)		36	Identified Person FBI Number
chpo	FullFaithCredit	LOGICAL		0	Unsharable
chpo	HairCd	CHAR(3)		12	Incident Person Hair Color Code
chpo	HeightFeet	INTEGER		13	Incident Person Height Number
chpo	HeightInches	INTEGER		13	Incident Person Height Number
chpo	ImageNICNbr	CHAR(10)		0	Unsharable
chpo	ImageType	CHAR(1)		872	Image Type Code
chpo	IssueDate	DATE		189	Court Order Signed Date/Time
chpo	MiscInfo	CHAR(250)		0	Unsharable
chpo	NCICClass	CHAR(20)		0	Unsharable
chpo	NCICNbr	CHAR(10)		36	Identified Person FBI Number
chpo	NotifyOriginAgency	LOGICAL		0	Unsharable
chpo	OriginCaseNbr	CHAR(20)		0	Unsharable
chpo	OriginORINbr	CHAR(9)		19	Agency ORI Number
chpo	POTN	CHAR(15)		499	Protection Order Number

5040\01\northdakota(mdb) B - 24 (CCH) Version 2.0

Data Element Listing For CCH

chpo RaceCd CHAR(1) 21 Person Race Code chpo SexCd CHAR(1) 23 Person Sex Code chpo SkinCd CHAR(3) 24 Incident Person Skin Tone Code chpo Validator CHAR(30) 0 Unsharable chpo Weight INTEGER 33 Incident Person Weight Number chpocme CautionMedicalCd INTEGER 33 Incident Person Weight Number chpocme CautionMedicalSeqNbr INTEGER 30 Unsharable chpocme POTN CHAR(15) 499 Protection Order Number chpocond POTN CHAR(15) 499 Protection Order Condition Code chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date Time chpodob POTN CHAR(15) 499 Protection Order Number chpolic LicPlateNbr CHAR(10) 499 Protection Order Number chpolic	SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chpo SexCd CHAR(1) 23 Person Sex Code chpo SkinCd CHAR(3) 24 Incident Person Skin Tone Code chpo Validator CHAR(30) 0 Unsharable chpo Weight INTEGER 33 Incident Person Weight Number chpocme CautionMedicalCd INTEGER 980 Person Caution and Medical Condition Code chpocme CautionMedicalSeqNbr INTEGER 0 Unsharable chpocme POTN CHAR(15) 499 Protection Order Number chpocond POConditionCd INTEGER 0 Unsharable chpocond POTN CHAR(15) 499 Protection Order Condition Code chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpolic LicPlateNbr CHAR(10) 499 Protection Order Number chpolic LicPlateStateID	chpo	ProOrderStatus	CHAR(1)		0	Unsharable
chpo SkinCd CHAR(3) 24 Incident Person Skin Tone Code chpo Validator CHAR(30) 0 Unsharable chpo Weight INTEGER 33 Incident Person Weight Number chpocme CautionMedicalCd INTEGER 980 Person Caution and Medical Condition Code Chpocme POTN CHAR(15) 499 Protection Order Number chpocond ConditionSeqNbr INTEGER 980 Protection Order Number Chpocond ConditionSeqNbr INTEGER 980 Protection Order Number Chpocond POTN CHAR(15) 499 Protection Order Number Chpodob BirthDate DATE 79 Person Birth Date/Time Chpodob DOBSeqNbr INTEGER 97 Protection Order Number Chpodob POTN CHAR(15) 499 Protection Order Number Chpodob POTN CHAR(15) 499 Protection Order Number Chpolic LicPlateShr POTN CHAR(15) 499 Protection Order Number Chpolic LicPlateSqNbr INTEGER 97 Protection Order Number Chpolic LicPlateSqNbr INTEGER 98 Plate Number Chpolic LicPlateSqubr INTEGER 98 Plate Number Chpolic LicPlateSqubr INTEGER 98 Plate Number Chpolic LicPlateSqubr INTEGER 99 Protection Order Number Plate Number Chpolic LicPlateSqubr INTEGER 99 Protection Order Number Plate Number Plate Number Chpolic POTN POTN POTN POTN POTN POTN POTN POTN	chpo	RaceCd	CHAR(1)		21	Person Race Code
chpo Validator CHAR(30) 0 Unsharable chpo Weight INTEGER 33 Incident Person Weight Number chpocme CautionMedicalCd InTEGER 980 Person Condition Code Condition Code Chpocme Caution MedicalSeqNbr INTEGER 0 Unsharable chpocme POTN CHAR(15) 499 Protection Order Number chpocond ConditionCd INTEGER 0 Unsharable chpocond POTN CHAR(15) 499 Protection Order Condition Code Chpocond POTN CHAR(15) 499 Protection Order Number Chpodob BirthDate DATE 7 Person Birth Date/Time Chpodob DOBSeqNbr INTEGER 0 Unsharable Chpodob POTN CHAR(15) 499 Protection Order Number Chpodob POTN CHAR(15) 499 Protection Order Number Chpodob POTN CHAR(16) 499 Protection Order Number Chpodob LicPlateStateD CHAR(10) 499 Protection Order Number Chpodic LicPlateSeqNbr INTEGER 0 Unsharable Chpolic LicPlateSeqNbr INTEGER 0 Unsharable Chpolic LicPlateSeqNbr INTEGER 0 Unsharable Chpolic LicPlateStateD CHAR(2) 2 State/Province/Country Code Chpolic LicPlateStateD CHAR(2) 2 State/Province/Country Code Chpolic LicPlateStateD CHAR(2) 499 Protection Order Number Chpolic Chpolic Chpolic Chapter Potential Chapter	chpo	SexCd	CHAR(1)		23	Person Sex Code
chpo Weight INTEGER 33 Incident Person Weight Number chpoeme CautionMedicalCd INTEGER 980 Person Caution and Medical Condition Code Cohpocme CautionMedicalSeqNbr INTEGER 0 Unsharable Chpocme POTN CHAR(15) 499 Protection Order Number Chpocond ConditionSeqNbr INTEGER 0 Unsharable Chpocond POCOnditionCd INTEGER 443 Protection Order Number Chpocond POTN CHAR(15) 499 Protection Order Condition Code Chpocond POTN CHAR(15) 499 Protection Order Number Chpocond POTN CHAR(15) 499 Protection Order Number Chpodob BirthDate DATE 7 Person Birth Date/Time Chpodob DOBSeqNbr INTEGER 0 Unsharable Chpodob POTN CHAR(15) 499 Protection Order Number Chpodob POTN CHAR(15) 499 Protection Order Number Chpodic LicPlateNbr CHAR(10) 14 Registered Vehicle License Plate Number Chpolic LicPlateSeqNbr INTEGER 0 Unsharable Chpolic LicPlateSeqNbr INTEGER 0 Unsharable Chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code Chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code Chpolic LicPlateStateID CHAR(2) 16 Registered Vehicle License Plate NCIC Code Chpolic LicPlateYear INTEGER 10 Unsharable Chpolic POTN CHAR(15) 499 Protection Order Number Chpol	chpo	SkinCd	CHAR(3)		24	Incident Person Skin Tone Code
chpoeme CautionMedicalCd INTEGER 980 Person Caution and Medical Condition Code chpoeme CautionMedicalSeqNbr INTEGER 0 Unsharable chpoeme POTN CHAR(15) 499 Protection Order Number chpoend ConditionSeqNbr INTEGER 0 Unsharable chpoend POC onditionCd INTEGER 0 Unsharable chpoend POTN CHAR(15) 499 Protection Order Number chpoend POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date/Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpodob POTN CHAR(15) 499 Protection Order Number chpodob POTN CHAR(15) 499 Protection Order Number chpodob POTN CHAR(15) 499 Protection Order Number chpolic LicPlateNbr CHAR(10) 14 Registered Vehicle License plate Number chpolic LicPlateSeqNbr INTEGER 0 Unsharable chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateStateID CHAR(2) 16 Registered Vehicle License chpolic LicPlateYear INTEGER chpolic LicPlateYear INTEGER 1 Registered Vehicle License chpolic LicPlateYear INTEGER 1 Registered Vehicle License chpolic LicPlateYear INTEGER 1 Registered Vehicle License chpolic DOTN CHAR(15) 499 Protection Order Number chpolic North CHAR(15) 499 Pro	chpo	Validator	CHAR(30)		0	Unsharable
chpocme CautionMedicalSeqNbr INTEGER 0 Unsharable chpocme POTN CHAR(15) 499 Protection Order Number chpocome POTN CHAR(15) 499 Protection Order Number chpocond ConditionSeqNbr INTEGER 0 Unsharable chpocond POConditionCd INTEGER 443 Protection Order Condition Code chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date/Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpodob POTN CHAR(15) 499 Protection Order Number chpolic LicPlateNbr CHAR(10) 14 Registered Vehicle License Plate Number chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateYpe CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate Expiration Year chpolic POTN CHAR(15) 499 Protection Order Number chpolics MiscNbr CHAR(9) 548 Person Misc Number Code chpomisc MiscNbr CHAR(9) 548 Person Misc Number Code chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpo	Weight	INTEGER		33	Incident Person Weight Number
chpocme POTN CHAR(15) 499 Protection Order Number chpocond ConditionSeqNbr INTEGER 0 Unsharable chpocond POConditionCd INTEGER 443 Protection Order Condition Code chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date/Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpodob POTN CHAR(15) 499 Protection Order Number chpodic LicePlateSeqNbr INTEGER 0 Unsharable chpodic LicePlateSeqNbr INTEGER 0 Unsharable chpolic LicePlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicePlateType CHAR(2) 2 State/Province/Country Code chpolic LicePlateType CHAR(2) 16 Registered Vehicle License plate NCIC Code chpolic LicePlateType INTEGER 17 Registered Vehicle License plate Expiration Year chpolic POTN CHAR(15) 499 Protection Order Number chpolic POTN CHAR(15) 499 Protection Order Number chpolic MiscNbr CHAR(9) 548 Person Misc Number Chpomisc MiscNbr CHAR(2) 548 Person Misc Number Code chpomisc MiscNbr CHAR(2) 548 Person Misc Number Code chpomisc MiscNbr CHAR(2) 548 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpocmc	CautionMedicalCd	INTEGER		980	
chpocond ConditionSeqNbr INTEGER 0 Unsharable chpocond POC onditionCd INTEGER 443 Protection Order Condition Code chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date/Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpodob POTN CHAR(15) 499 Protection Order Number chpodob POTN CHAR(15) 499 Protection Order Number chpodob POTN CHAR(15) 499 Protection Order Number chpolic LicPlateNbr CHAR(10) 14 Registered Vehicle License Plate Number chpolic LicPlateSqNbr INTEGER 0 Unsharable chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic LicPlateType INTEGER 17 Registered Vehicle License Plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate Expiration Year chpolic POTN CHAR(15) 499 Protection Order Number chpolic POTN CHAR(15) 499 Protection Order Number chpolic POTN CHAR(15) 499 Protection Order Number chpomisc MiscNbr CHAR(9) 548 Person Misc Number Code chpomisc MiscNbr CHAR(9) 548 Person Misc Number Code chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpocmc	CautionMedicalSeqNbr	INTEGER		0	Unsharable
chpocond POConditionCd INTEGER 443 Protection Order Condition Code chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date/Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpodob POTN CHAR(15) 499 Protection Order Number chpodob POTN CHAR(15) 499 Protection Order Number chpolic chpolic LicPlateSeqNbr INTEGER 0 Unsharable chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License plate NCIC Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License plate Expiration Year chpolic POTN CHAR(15) 499 Protection Order Number chpolog POLTN INTEGER 0 Unsharable chpomisc MiscNbr CHAR(9) 548 Person Misc Number Code chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable Unsharable	chpocmc	POTN	CHAR(15)		499	Protection Order Number
chpocond POTN CHAR(15) 499 Protection Order Number chpodob BirthDate DATE 7 Person Birth Date/Time chpodob DOBSeqNbr INTEGER 0 Unsharable chpodob POTN CHAR(15) 499 Protection Order Number chpodob POTN CHAR(15) 499 Protection Order Number chpolic LicPlateNbr CHAR(10) 14 Registered Vehicle License Plate Number chpolic LicPlateSeqNbr INTEGER 0 Unsharable chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate Expiration Year chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate Expiration Year chpolic POTN CHAR(15) 499 Protection Order Number chpolog POLTN INTEGER 0 Unsharable chpomisc MiscNbr CHAR(9) 548 Person Misc Number Code chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpocond	ConditionSeqNbr	INTEGER		0	Unsharable
chpodobBirthDateDATE7Person Birth Date/TimechpodobDOBSeqNbrINTEGER0UnsharablechpodobPOTNCHAR(15)499Protection Order NumberchpolicLicPlateNbrCHAR(10)14Registered Vehicle License Plate NumberchpolicLicPlateSeqNbrINTEGER0UnsharablechpolicLicPlateStateIDCHAR(2)2State/Province/Country CodechpolicLicPlateTypeCHAR(2)16Registered Vehicle License Plate NCIC CodechpolicLicPlateYearINTEGER17Registered Vehicle License Plate Expiration YearchpolicPOTNCHAR(15)499Protection Order NumberchpologPOLTNINTEGER0UnsharablechpomiscMiscNbrCHAR(9)548Person Misc NumberchpomiscMiscNbrCdCHAR(2)802Person Misc Number CodechpomiscMiscNbrSeqNbrINTEGER0Unsharable	chpocond	POConditionCd	INTEGER		443	Protection Order Condition Code
chpodobDOBSeqNbrINTEGER0UnsharablechpodobPOTNCHAR(15)499Protection Order NumberchpolicLicPlateNbrCHAR(10)14Registered Vehicle License Plate NumberchpolicLicPlateSeqNbrINTEGER0UnsharablechpolicLicPlateStateIDCHAR(2)2State/Province/Country CodechpolicLicPlateTypeCHAR(2)16Registered Vehicle License Plate NCIC CodechpolicLicPlateYearINTEGER17Registered Vehicle License Plate Expiration YearchpolicPOTNCHAR(15)499Protection Order NumberchpologPOLTNINTEGER0UnsharablechpomiscMiscNbrCHAR(9)548Person Misc NumberchpomiscMiscNbrCdCHAR(2)802Person Misc Number CodechpomiscMiscNbrSeqNbrINTEGER0Unsharable	chpocond	POTN	CHAR(15)		499	Protection Order Number
chpodob POTN CHAR(15) 499 Protection Order Number chpolic LicPlateNbr CHAR(10) 14 Registered Vehicle License Plate Number chpolic LicPlateSeqNbr INTEGER 0 Unsharable chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic Chpolic Chpolic Chpolic Character	chpodob	BirthDate	DATE		7	Person Birth Date/Time
Chpolic LicPlateNbr CHAR(10) 14 Registered Vehicle License Plate Number chpolic LicPlateSeqNbr INTEGER 0 Unsharable chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate NCIC Code chpolic POTN CHAR(15) 499 Protection Order Number chpolog POLTN INTEGER 0 Unsharable chpomisc MiscNbr CHAR(9) 548 Person Misc Number chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpodob	DOBSeqNbr	INTEGER		0	Unsharable
Plate Number chpolic LicPlateSeqNbr INTEGER chpolic LicPlateStateID CHAR(2) chpolic LicPlateType CHAR(2) chpolic LicPlateType CHAR(2) CHAR(2) CHAR(2) CHAR(2) CHAR(2) CHAR(3) CHAR(4) CHAR(5) CHAR(5) CHAR(15) CHAR	chpodob	POTN	CHAR(15)		499	Protection Order Number
chpolic LicPlateStateID CHAR(2) 2 State/Province/Country Code chpolic LicPlateType CHAR(2) 16 Registered Vehicle License Plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate Expiration Year chpolic POTN CHAR(15) 499 Protection Order Number chpolog POLTN INTEGER 0 Unsharable chpomisc MiscNbr CHAR(9) 548 Person Misc Number chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpolic	LicPlateNbr	CHAR(10)		14	_
chpolic LicPlateType CHAR(2) LicPlateYear INTEGER CHAR(15) CHAR(15) Choolic POTN CHAR(15) Choolic POLTN Choolic INTEGER Choolic POLTN Choolic INTEGER CHAR(15) CHAR(1	chpolic	LicPlateSeqNbr	INTEGER		0	Unsharable
Plate NCIC Code chpolic LicPlateYear INTEGER 17 Registered Vehicle License Plate Expiration Year chpolic POTN CHAR(15) chpolog POLTN INTEGER chpomisc MiscNbr CHAR(9) chpomisc MiscNbrCd CHAR(2) chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER	chpolic	LicPlateStateID	CHAR(2)		2	State/Province/Country Code
Plate Expiration Year Chpolic POTN CHAR(15) 499 Protection Order Number Chpolog POLTN INTEGER 0 Unsharable Chpomisc MiscNbr CHAR(9) 548 Person Misc Number Chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code Chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpolic	LicPlateType	CHAR(2)		16	
chpolog POLTN INTEGER 0 Unsharable chpomisc MiscNbr CHAR(9) 548 Person Misc Number chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpolic	LicPlateYear	INTEGER		17	<u> </u>
chpomisc MiscNbr CHAR(9) 548 Person Misc Number chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpolic	POTN	CHAR(15)		499	Protection Order Number
chpomisc MiscNbrCd CHAR(2) 802 Person Misc Number Code chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpolog	POLTN	INTEGER		0	Unsharable
chpomisc MiscNbrSeqNbr INTEGER 0 Unsharable	chpomisc	MiscNbr	CHAR(9)		548	Person Misc Number
1	chpomisc	MiscNbrCd	CHAR(2)		802	Person Misc Number Code
chpomisc POTN CHAR(15) 499 Protection Order Number	chpomisc	MiscNbrSeqNbr	INTEGER		0	Unsharable
	chpomisc	POTN	CHAR(15)		499	Protection Order Number

5040\01\northdakota(mdb) B - 25 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chponame	NameSeqNbr	INTEGER		C	Unsharable
chponame	POFirstName	CHAR(15)	30	02	Person Name First Name
chponame	POLastName	CHAR(25)	30	04	Person Name Last Name
chponame	POMiddleName	CHAR(15)	30	03	Person Name Middle Name
chponame	POSoundex	CHAR(4)	3	16	Person Name Soundex Code
chponame	POSuffix	CHAR(5)	59	95	Person Name Suffix Name
chponame	POTN	CHAR(15)	49	99	Protection Order Number
chpooper	OperLicNbr	CHAR(20)	:	8	Person Driver License Number
chpooper	OperLicSeqNbr	INTEGER		0	Unsharable
chpooper	OperLicStateID	CHAR(2)	14	38	Person Driver License State - State/Province/Country Code
chpooper	OperLicYearExpire	INTEGER	92	20	Person Driver License Expiration Year
chpooper	POTN	CHAR(15)	49	99	Protection Order Number
chpoprsn	POTN	CHAR(15)	49	99	Protection Order Number
chpoprsn	PPBirthDate	DATE	•	7	Person Birth Date/Time
chpoprsn	PPFirstName	CHAR(15)	30	02	Person Name First Name
chpoprsn	PPLastName	CHAR(25)	30	04	Person Name Last Name
chpoprsn	PPMiddleName	CHAR(15)	30	03	Person Name Middle Name
chpoprsn	PPNameSeqNbr	INTEGER		0	Unsharable
chpoprsn	PPRaceCd	CHAR(1)	2	1	Person Race Code
chpoprsn	PPSexCd	CHAR(1)	2	3	Person Sex Code
chpoprsn	PPSoundex	CHAR(4)	3	16	Person Name Soundex Code
chpoprsn	PPSuffix	CHAR(5)	59	95	Person Name Suffix Name
chposcar	POTN	CHAR(15)	49	99	Protection Order Number
chposcar	ScarCd	CHAR(10)	52	25	Person SMT Code
chposcar	ScarSeqNbr	INTEGER		0	Unsharable
chpossn	POTN	CHAR(15)	49	99	Protection Order Number
chpossn	SSN	CHAR(9)	2	.5	Person SSN Number
chpossn	SSNSeqNbr	INTEGER	•	0	Unsharable

5040\01\northdakota(mdb) B - 26 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chpovhcl	POTN	CHAR(15)		499	Protection Order Number
chpovhcl	VehicleColor	CHAR(7)		26	Incident Vehicle Color Code
chpovhcl	VehicleIdNbr	CHAR(20)		32	Vehicle Identification Number
chpovhcl	VehicleMake	CHAR(24)		27	Vehicle Make Code
chpovhcl	VehicleModel	CHAR(3)		28	Vehicle Model Code
chpovhcl	VehicleSeqNbr	INTEGER		0	Unsharable
chpovhcl	VehicleStyle	CHAR(2)		29	Vehicle Style Code
chpovhcl	VehicleYear	INTEGER		31	Vehicle Model Year
chpp	AgentEmail	CHAR(60)		1668	Email Address Description
chpp	AgentName	CHAR(50)		823	Person Name Complete Name
chpp	DemoSeqNbr	INTEGER		0	Unsharable
chpp	LastUploadDate	DATE		0	Unsharable
chpp	LoadDeleteFlag	LOGICAL		0	Unsharable
chpp	PTN	INTEGER		0	Unsharable
chpp	SIDNbr	INTEGER		35	Identified Person SID Number
chppcase	CaseNumber	INTEGER		139	Court Case Identifier Number
chppcase	LoadDeleteFlag	LOGICAL		0	Unsharable
chppcase	PTN	INTEGER		0	Unsharable
chppcase	SentenceType	CHAR(1)		528	Securities Type Code
chppcase	SupervisionStatus	CHAR(1)		824	Custody Status Code
chppoff	BeginDate	DATE		0	Unsharable
chppoff	CaseNumber	INTEGER		139	Court Case Identifier Number
chppoff	EndDate	DATE		0	Unsharable
chppoff	LoadDeleteFlag	LOGICAL		0	Unsharable
chppoff	OffenseCode	CHAR(4)		56	Offense Code
chppoff	OffenseDesc	CHAR(45)		1718	Offense Description
chppoff	ProbOffSeqNbr	INTEGER		0	Unsharable
chppoff	PTN	INTEGER		0	Unsharable
chpros	ATN	INTEGER		73	Arrest Number
chpros	CountyCd	CHAR(2)		47	County Code

5040\01\northdakota(mdb) B - 27 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chpros	CourtTypeCd	CHAR(1)		137	Court Type Code
chpros	FilingDate	DATE		0	Unsharable
chpros	NDCCCd	CHAR(20)		0	Unsharable
chpros	NDCCSeqNbr	INTEGER		0	Unsharable
chpros	OffClassCd	CHAR(2)		0	Unsharable
chpros	OffSeqNbr	INTEGER		0	Unsharable
chpros	ProsActionCd	CHAR(1)		638	Charge Action Code
chpros	ProsCounts	INTEGER		238	Prosecution Charge Count
chpros	ProsSeqNbr	INTEGER		0	Unsharable
chpsi	AgentName	CHAR(40)		823	Person Name Complete Name
chpsi	Charge	CHAR(40)		56	Offense Code
chpsi	CountyCd	CHAR(2)		47	County Code
chpsi	DemoSeqNbr	INTEGER		0	Unsharable
chpsi	LetterSent	DATE		0	Unsharable
chpsi	PSITN	INTEGER		0	Unsharable
chpsi	SIDNbr	INTEGER		35	Identified Person SID Number
chscar	ScarAddDesc	CHAR(40)		1532	Person SMT Additional Description
chscar	ScarCd	CHAR(10)		525	Person SMT Code
chscar	ScarSeqNbr	INTEGER		0	Unsharable
chscar	SIDNbr	INTEGER		35	Identified Person SID Number
chschool	NoReleaseFlag	LOGICAL		0	Unsharable
chschool	ParProbFlag	LOGICAL		1732	Supervision Type Code
chschool	Phone	CHAR(10)		41	Telephone Number
chschool	SchoolAddr1	CHAR(35)		1697	Address Complete Street Address
chschool	SchoolAddr2	CHAR(35)		1697	Address Complete Street Address
chschool	SchoolCity	CHAR(25)		1	City Name
chschool	SchoolName	CHAR(40)		393	School Name

5040\01\northdakota(mdb) B - 28 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chschool	SchoolSeqNbr	INTEGER		0	Unsharable
chschool	SchoolZip	CHAR(10)		4	Address Postal Code
chschool	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chschool	SIDNbr	INTEGER		35	Identified Person SID Number
chschool	StateID	CHAR(2)		2	State/Province/Country Code
chsid	AFISNbr	,DECIMAL(12,0),		0	Unsharable
chsid	CautionRequired	LOGICAL		980	Person Caution and Medical Condition Code
chsid	FBINbr	CHAR(9)		36	Identified Person FBI Number
chsid	FireIDSale	CHAR(1)		0	Unsharable
chsid	Immigrant	LOGICAL		0	Unsharable
chsid	JacketLoc	CHAR(20)		0	Unsharable
chsid	NCICClass	CHAR(20)		0	Unsharable
chsid	SIDNbr	INTEGER		35	Identified Person SID Number
chsid	SingleMultiState	CHAR(1)		0	Unsharable
chso	DelinquentDate	DATE		0	Unsharable
chso	DemoSeqNbr	INTEGER		0	Unsharable
chso	ExpireDate	DATE		0	Unsharable
chso	JuvenileFlag	LOGICAL		0	Unsharable
chso	LifetimeFlag	LOGICAL		0	Unsharable
chso	NCICNbr	CHAR(10)		36	Identified Person FBI Number
chso	OffenderStatusCd	CHAR(1)		0	Unsharable
chso	OffenderTypeCd	CHAR(1)		0	Unsharable
chso	RegistrationPeriod	INTEGER		0	Unsharable
chso	SentToFBI	LOGICAL		0	Unsharable
chso	SIDNbr	INTEGER		35	Identified Person SID Number
chso	SOTN	INTEGER		1279	Registered Offender Number
chso	WebInactive	LOGICAL		0	Unsharable
chsoack	AcknowledgeDate	DATE		0	Unsharable

5040\01\northdakota(mdb) B - 29 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chsoack	CountyCd	CHAR(2)		47	County Code
chsoack	Court	CHAR(30)		19	Agency ORI Number
chsoack	CourtTypeCd	CHAR(1)		137	Court Type Code
chsoack	OriginAgencyName	CHAR(40)		40	Agency Name
chsoack	OriginAgencyRep	CHAR(35)		262	Agency Representative Name
chsoack	OriginORINbr	CHAR(9)		19	Agency ORI Number
chsoack	ProsAttorney	CHAR(35)		242	Attorney BAR Number
chsoack	ReleaseDate	DATE		0	Unsharable
chsoack	SOAckSeqNbr	INTEGER		0	Unsharable
chsoack	SOTN	INTEGER		1279	Registered Offender Number
chsoack	StateID	CHAR(2)		2	State/Province/Country Code
chsoasmt	AssessmentDate	DATE		0	Unsharable
chsoasmt	AssessmentLevel	CHAR(1)		0	Unsharable
chsoasmt	Comments	CHAR(256)		0	Unsharable
chsoasmt	SOAsmtSeqNbr	INTEGER		0	Unsharable
chsoasmt	SOTN	INTEGER		1279	Registered Offender Number
chsochg	ChangeDate	DATE		0	Unsharable
chsochg	ChangeType	CHAR(8)		0	Unsharable
chsochg	NewSeqNbr	INTEGER		0	Unsharable
chsochg	OldSeqNbr	INTEGER		0	Unsharable
chsochg	SOChgSeqNbr	INTEGER		0	Unsharable
chsochg	SOTN	INTEGER		1279	Registered Offender Number
chsodel	BirthDate	DATE		7	Person Birth Date/Time
chsodel	ConvictionDate	DATE		239	Court Case Judgment Date/Time
chsodel	ExpireDate	DATE		0	Unsharable
chsodel	FirstName	CHAR(15)		302	Person Name First Name
chsodel	LastName	CHAR(25)		304	Person Name Last Name
chsodel	MiddleName	CHAR(15)		303	Person Name Middle Name
chsodel	NCICNbr	CHAR(10)		36	Identified Person FBI Number
chsodel	Offense	CHAR(60)		56	Offense Code

5040\01\northdakota(mdb) B - 30 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION ID	STANDARD ELEMENT
chsodel	ReasAddlDesc	CHAR(120)	0	Unsharable
chsodel	ReasDeleteCd	CHAR(1)	0	Unsharable
chsodel	SIDNbr	INTEGER	35	Identified Person SID Number
chsodel	Soundex	CHAR(4)	316	Person Name Soundex Code
chsodel	SOXTN	INTEGER	0	Unsharable
chsodel	SSN	CHAR(9)	25	Person SSN Number
chsofbi	MessageText	CHAR(70)	0	Unsharable
chsofbi	MessageType	CHAR(4)	0	Unsharable
chsofbi	SOFBISeqNbr	INTEGER	0	Unsharable
chsofbi	SOTN	INTEGER	1279	Registered Offender Number
chsofbi	XSFilename	INTEGER	0	Unsharable
chsolet	AgencyAddr	CHAR(40)	1697	Address Complete Street Address
chsolet	AgencyCity	CHAR(25)	1	City Name
chsolet	AgencyName	CHAR(40)	40	Agency Name
chsolet	AgencyORINbr	CHAR(9)	19	Agency ORI Number
chsolet	AgencyStateID	CHAR(2)	2	State/Province/Country Code
chsolet	AgencyZip	CHAR(10)	4	Address Postal Code
chsolet	CertifiedMailNbr	CHAR(24)	0	Unsharable
chsolet	DeathDate	CHAR(50)	328	Person Death Date/Time
chsolet	LetterDate	DATE	0	Unsharable
chsolet	LetterType	CHAR(8)	0	Unsharable
chsolet	ResolutionDate	DATE	0	Unsharable
chsolet	SOLetSeqNbr	INTEGER	0	Unsharable
chsolet	SOTN	INTEGER	1279	Registered Offender Number
chsooff	ConvictionDate	DATE	239	Court Case Judgment Date/Time
chsooff	CrimeDesc	CHAR(256)	0	Unsharable
chsooff	NCICCd	CHAR(4)	605	Law NCIC Offense Code
chsooff	OffenseCode	CHAR(20)	56	Offense Code
chsooff	OffenseDesc	CHAR(40)	1718	Offense Description

5040\01\northdakota(mdb) B - 31 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chsooff	SentencingInfo	CHAR(80)		0	Unsharable
chsooff	SOAckSeqNbr	INTEGER		0	Unsharable
chsooff	SOOffSeqNbr	INTEGER		0	Unsharable
chsooff	SOTN	INTEGER		1279	Registered Offender Number
chsooper	FirstName	CHAR(15)		302	Person Name First Name
chsooper	LastName	CHAR(25)		304	Person Name Last Name
chsooper	MiddleName	CHAR(15)		303	Person Name Middle Name
chsooper	OperLicNbr	CHAR(20)		8	Person Driver License Number
chsooper	OperLicStateID	CHAR(2)		1438	Person Driver License State - State/Province/Country Code
chsooper	OperLicYearExpire	INTEGER		920	Person Driver License Expiration Year
chsooper	SOOperSeqNbr	INTEGER		0	Unsharable
chsooper	SOTN	INTEGER		1279	Registered Offender Number
chsooper	Soundex	CHAR(4)		316	Person Name Soundex Code
chsooper	Suffix	CHAR(5)		595	Person Name Suffix Name
chsooper	Suspended	LOGICAL		0	Unsharable
chsopic	FileName	CHAR(20)		0	Unsharable
chsopic	ImageDate	DATE		873	Image Photo Date/Time
chsopic	PrimaryImage	LOGICAL		0	Unsharable
chsopic	SOPicSeqNbr	INTEGER		0	Unsharable
chsopic	SOTN	INTEGER		1279	Registered Offender Number
chsopic	WebAccessible	LOGICAL		0	Unsharable
chsoreg	Fingerprint	LOGICAL		0	Unsharable
chsoreg	Photograph	LOGICAL		0	Unsharable
chsoreg	RegisterAgencyRep	CHAR(35)		823	Person Name Complete Name
chsoreg	RegisterDate	DATE		0	Unsharable
chsoreg	RegisterORINbr	CHAR(9)		19	Agency ORI Number
chsoreg	SORegSeqNbr	INTEGER		0	Unsharable
chsoreg	SOTN	INTEGER		1279	Registered Offender Number

5040\01\northdakota(mdb) B - 32 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chsosusp	CompleteFlag	LOGICAL		0	Unsharable
chsosusp	MessageDate	DATE		0	Unsharable
chsosusp	MessageNbr	CHAR(10)		0	Unsharable
chsosusp	MessageText	CHAR(70)		0	Unsharable
chsosusp	MessageType	CHAR(10)		0	Unsharable
chsosusp	SIDNbr	INTEGER		35	Identified Person SID Number
chsosusp	SOSTN	INTEGER		1279	Registered Offender Number
chsover	AddrSeqNbr	INTEGER		0	Unsharable
chsover	SOTN	INTEGER		1279	Registered Offender Number
chsover	SOVerSeqNbr	INTEGER		0	Unsharable
chsover	VerifyDate	DATE		0	Unsharable
chsover	VerifyMethodCd	CHAR(4)		0	Unsharable
chssn	NoReleaseFlag	LOGICAL		0	Unsharable
chssn	ParProbFlag	LOGICAL		1732	Supervision Type Code
chssn	SexOffenderFlag	LOGICAL		44	Person Registered Sex Offender Flag
chssn	SIDNbr	INTEGER		35	Identified Person SID Number
chssn	SSN	CHAR(9)		25	Person SSN Number
chssn	SSNSeqNbr	INTEGER		0	Unsharable
chsusp	CompleteFlag	LOGICAL		0	Unsharable
chsusp	FBINbr	CHAR(9)		36	Identified Person FBI Number
chsusp	IIITransData	CHAR(500)		0	Unsharable
chsusp	MessageText	CHAR(50)		0	Unsharable
chsusp	SIDNbr	INTEGER		35	Identified Person SID Number
chsusp	STN	INTEGER		0	Unsharable
chsusp	TransDate	DATE		0	Unsharable
chsusp	TransType	CHAR(1)		0	Unsharable
chunconv	arrest-agency-name	CHAR(30)		40	Agency Name
chunconv	arrest-agency-ori	CHAR(9)		19	Agency ORI Number
chunconv	arrest-date	CHAR(8)		42	Arrest Date/Time

5040\01\northdakota(mdb) B - 33 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chunconv	arrest-mrd-flag	CHAR(1)		0	Unsharable
chunconv	arrest-ofns-class	CHAR(2)		0	Unsharable
chunconv	arrest-ofns-flag	CHAR(1)		0	Unsharable
chunconv	arrest-state-of-rec	CHAR(2)		1676	Person Birthplace - State/Province/Country Code
chunconv	arrest-tracking-no	CHAR(7)		73	Arrest Number
chunconv	charge-desc	CHAR(135)		1718	Offense Description
chunconv	date-of-entry	CHAR(8)		0	Unsharable
chunconv	defense-attorney	CHAR(30)		242	Attorney BAR Number
chunconv	DemoSeqNbr	INTEGER		0	Unsharable
chunconv	disp-action-date	CHAR(8)		241	Disposed Charge Date/Time
chunconv	disp-code	CHAR(1)		240	Charge Disposition Code
chunconv	disp-cond-sentc-end-dt	CHAR(8)		0	Unsharable
chunconv	disp-firearms-flg	CHAR(1)		0	Unsharable
chunconv	disp-ofns-class	CHAR(2)		0	Unsharable
chunconv	disposition-desc	CHAR(135)		0	Unsharable
chunconv	disp-reduce-ofns-flg	CHAR(1)		0	Unsharable
chunconv	fingerprint-card-flag	CHAR(1)		0	Unsharable
chunconv	judge	CHAR(30)		682	Sentence Judge Name
chunconv	la-code	CHAR(1)		0	Unsharable
chunconv	la-date	CHAR(8)		0	Unsharable
chunconv	la-termid	CHAR(4)		0	Unsharable
chunconv	la-time	CHAR(4)		0	Unsharable
chunconv	la-userid	CHAR(3)		0	Unsharable
chunconv	pros-county	CHAR(2)		47	County Code
chunconv	record-code	CHAR(1)		0	Unsharable
chunconv	SIDNbr	INTEGER		35	Identified Person SID Number
chunconv	UNTN	INTEGER		0	Unsharable
chupdate	DemoSeqNbr	INTEGER		0	Unsharable
chupdate	SIDNbr	INTEGER		35	Identified Person SID Number

5040\01\northdakota(mdb) B - 34 (CCH) Version 2.0

Data Element Listing For CCH

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
chupdate	TrackingNbr	CHAR(9)	(0	Unsharable
chupdate	TrackingNbrType	CHAR(5)	(0	Unsharable
chupdate	UpdateReason	CHAR(120)	(0	Unsharable
chupdate	UTN	INTEGER	(0	Unsharable

5040\01\northdakota(mdb) B - 35 (CCH) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PPSYS_ATCMASTER	ASSESS_DTE	Date/Time (8)		0	Unsharable
PPSYS_ATCMASTER	C_MARITAL	Double (8)		178	Incident Person Marital Status Code
PPSYS_ATCMASTER	D_DEP	Double (8)		309	Incident Person Dependents Count
PPSYS_ATCMASTER	E_LIV_ARR	Double (8)		0	Unsharable
PPSYS_ATCMASTER	F_VETERAN	Double (8)		0	Unsharable
PPSYS_ATCMASTER	G_INCOME	Double (8)		0	Unsharable
PPSYS_ATCMASTER	H_EMPLOY	Double (8)		0	Unsharable
PPSYS_ATCMASTER	I_JOB_CL	Double (8)		1511	Person Occupation Type Code
PPSYS_ATCMASTER	J_LAST_GR	Double (8)		308	Incident Person Grade Code
PPSYS_ATCMASTER	K_PUB_ASST	Double (8)		0	Unsharable
PPSYS_ATCMASTER	L_PR_MISD	Double (8)		0	Unsharable
PPSYS_ATCMASTER	M_PR_FEL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	N_PR_PROB	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NA_SKILLS	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NB_EMPLOY	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NC_FINANCE	Double (8)		0	Unsharable
PPSYS_ATCMASTER	ND_MARITAL	Double (8)		178	Incident Person Marital Status Code
PPSYS_ATCMASTER	NE_COMP	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NF_EMOTION	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NG_ALCOHOL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NH_OTH_DR	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NI_MENTAL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NJ_HEALTH	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NK_SEXUAL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	NL_AG_IMPR	Double (8)		0	Unsharable
PPSYS_ATCMASTER	O_PR_PAROL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	P_PR_INCAR	Double (8)		0	Unsharable

5040\01\northdakota(mdb) B - 1 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PPSYS_ATCMASTER	RA_ADDRCHG	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RACE	Double (8)		21	Person Race Code
PPSYS_ATCMASTER	RB_PCT_EMP	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RC_ALCOHOL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RD_OTH_DR	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RE_ATTITUD	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RF_FIRST	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RG_PR_PAR	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RH_PR_REV	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RI_PR_FEL	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RJ_JV_ADJ	Double (8)		0	Unsharable
PPSYS_ATCMASTER	RK_ASSAULT	Double (8)		0	Unsharable
PPSYS_ATCMASTER	SEX	Double (8)		23	Person Sex Code
PPSYS_ATCMASTER	SID	Long Integer (4)		35	Identified Person SID Number
PPSYS_CASE	A_OTHER	Text (50)		0	Unsharable
PPSYS_CASE	CASE_NUMBER	Long Integer (4)		139	Court Case Identifier Number
PPSYS_CASE	DISPOS	Text (150)		0	Unsharable
PPSYS_CASE	JUDGE	Text (35)		682	Sentence Judge Name
PPSYS_CASE	L_OTHER	Text (50)		0	Unsharable
PPSYS_CASE	LAST_UPDATE	Text (50)		0	Unsharable
PPSYS_CASE	NEW_OFF	Text (4)		56	Offense Code
PPSYS_CASE	NEW_OFF2	Text (4)		56	Offense Code
PPSYS_CASE	NEW_OFF3	Text (4)		56	Offense Code
PPSYS_CASE	PAROLE_FR	Date/Time (8)		0	Unsharable
PPSYS_CASE	PAROLE_TO	Date/Time (8)		0	Unsharable
PPSYS_CASE	PE_CHEM	Text (1)		0	Unsharable
PPSYS_CASE	PE_CHEM_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	PE_EMOTION	Text (1)		0	Unsharable
PPSYS_CASE	PE_EMOTION_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	PE_SEX	Text (1)		0	Unsharable
#040\04\ 4.1.1 / H			· · · · · · · · · ·		

5040\01\northdakota(mdb) B - 2 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PPSYS_CASE	PE_SEX_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	PSI_AGENT	Text (2)		0	Unsharable
PPSYS_CASE	PSI_DATE	Date/Time (8)		0	Unsharable
PPSYS_CASE	REC_DATE	Date/Time (8)		0	Unsharable
PPSYS_CASE	REV_ABSC	Text (1)		0	Unsharable
PPSYS_CASE	REV_ABSC_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	REV_DATE	Date/Time (8)		0	Unsharable
PPSYS_CASE	REV_N_OFF	Text (1)		0	Unsharable
PPSYS_CASE	REV_NOFF_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	REV_TECH	Text (1)		0	Unsharable
PPSYS_CASE	REV_TECH_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	SC_NO_ALC	Text (1)		0	Unsharable
PPSYS_CASE	SC_NOALCH_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	SC_SEARCH	Text (1)		0	Unsharable
PPSYS_CASE	SC_SEARCH_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	SC_URIN	Text (1)		0	Unsharable
PPSYS_CASE	SC_URIN_YN	Yes/No (1)		0	Unsharable
PPSYS_CASE	SENT_MM	Double (8)		162	Sentence Date/Time
PPSYS_CASE	SENT_TYPE	Text (1)		0	Unsharable
PPSYS_CASE	SENT_YY	Double (8)		162	Sentence Date/Time
PPSYS_CASE	SID	Long Integer (4)		35	Identified Person SID Number
PPSYS_CASE	SUP_STATE	Text (3)		2	State/Province/Country Code
PPSYS_CASE	SUP_STATUS	Text (1)		0	Unsharable
PPSYS_CASE	SUSPREDUCE	Text (1)		0	Unsharable
PPSYS_CASE	TA_TYPE	Double (8)		0	Unsharable
PPSYS_CASE	TB_CTY	Text (3)		1	City Name
PPSYS_CASE	TD_PUB_AST	Double (8)		0	Unsharable
PPSYS_CASE	TE_EMPLOY	Double (8)		0	Unsharable
PPSYS_CASE	TERM_DATE	Date/Time (8)		0	Unsharable
PPSYS_CASE	TERMINATING_OFFICER	Text (25)		324	Probation Officer Number
5040\01\northdeleate(md	lb)		D 2 (DOCCTAD)		¥7

5040\01\northdakota(mdb) B - 3 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PPSYS_CASE	TF_RESPNSE	Double (8)		0	Unsharable
PPSYS_CASE	TG_COMMRES	Double (8)		0	Unsharable
PPSYS_CASE	TH_MARITAL	Double (8)		178	Incident Person Marital Status Code
PPSYS_CASE	TI_EMPLOY	Double (8)		0	Unsharable
PPSYS_CASE	TJ_INCOME	Double (8)		0	Unsharable
PPSYS_CASE	TK_LAST_GR	Double (8)		308	Incident Person Grade Code
PPSYS_CASE	TL_LIV_ARR	Double (8)		0	Unsharable
PPSYS_CASE	TQ_MOD_CND	Text (1)		0	Unsharable
PPSYS_CASE	TR_HEARING	Text (1)		0	Unsharable
PPSYS_COMPACT	CASE_ENDDATE	Date/Time (8)		0	Unsharable
PPSYS_COMPACT	COMPACT_KEY	Long Integer (4)		0	Unsharable
PPSYS_COMPACT	DOB	Date/Time (8)		7	Person Birth Date/Time
PPSYS_COMPACT	FINANCE_YN	Yes/No (1)		0	Unsharable
PPSYS_COMPACT	FIRST	Text (15)		302	Person Name First Name
PPSYS_COMPACT	IN_OUT	Text (1)		0	Unsharable
PPSYS_COMPACT	JUV_ADULT	Text (1)		0	Unsharable
PPSYS_COMPACT	LAST_NAME	Text (20)		304	Person Name Last Name
PPSYS_COMPACT	LAST_UPDATE	Text (50)		0	Unsharable
PPSYS_COMPACT	MIDDLE	Text (1)		303	Person Name Middle Name
PPSYS_COMPACT	OFFICER	Text (3)		25	Person SSN Number
PPSYS_COMPACT	PAROLE_YN	Yes/No (1)		1732	Supervision Type Code
PPSYS_COMPACT	PROBATION_YN	Yes/No (1)		0	Unsharable
PPSYS_COMPACT	RACE	Integer (2)		21	Person Race Code
PPSYS_COMPACT	REF_NO	Text (15)		0	Unsharable
PPSYS_COMPACT	RSTATUS	Text (15)		0	Unsharable
PPSYS_COMPACT	SEX	Integer (2)		23	Person Sex Code
PPSYS_COMPACT	SID	Double (8)		35	Identified Person SID Number
PPSYS_COMPACT	STATE	Text (3)		2	State/Province/Country Code

5040\01\northdakota(mdb) B - 4 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION ID	STANDARD ELEMENT
PPSYS_DEMOGRAPHI CS_MASTER	ADDRESS	Text (150)	1697	Address Complete Street Address
PPSYS_DEMOGRAPHI CS_MASTER	AGENT	Text (3)	310	Parole Officer Number
PPSYS_DEMOGRAPHI CS_MASTER	ALIASFLAG	Yes/No (1)	0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	BIRTH_STA	Text (2)	1676	Person Birthplace - State/Province/Country Code
PPSYS_DEMOGRAPHI CS_MASTER	CITY	Text (25)	1	City Name
PPSYS_DEMOGRAPHI CS_MASTER	COMPLETION_IND	Text (3)	751	Probation Completion Status
PPSYS_DEMOGRAPHI CS_MASTER	COST	Currency (8)	259	Financial Obligation Type Code
PPSYS_DEMOGRAPHI CS_MASTER	DL_STATE	Text (3)	1438	Person Driver License State - State/Province/Country Code
PPSYS_DEMOGRAPHI CS_MASTER	DL_STATUS	Text (1)	221	Person Driver License Non- CDL Status Code
PPSYS_DEMOGRAPHI CS_MASTER	DOB	Date/Time (8)	7	Person Birth Date/Time
PPSYS_DEMOGRAPHI CS_MASTER	EYE_COLOR	Text (3)	11	Incident Person Eye Color Code
PPSYS_DEMOGRAPHI CS_MASTER	FEES	Currency (8)	259	Financial Obligation Type Code
PPSYS_DEMOGRAPHI CS_MASTER	FINES	Currency (8)	259	Financial Obligation Type Code
PPSYS_DEMOGRAPHI CS_MASTER	FIRST	Text (15)	302	Person Name First Name
PPSYS_DEMOGRAPHI CS_MASTER	HAIR_COLOR	Text (3)	12	Incident Person Hair Color Code
PPSYS_DEMOGRAPHI CS_MASTER	HEIGHT	Text (3)	13	Incident Person Height Number

5040\01\northdakota(mdb) B - 5 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PPSYS_DEMOGRAPHI CS_MASTER	LAST_NAME	Text (20)		304	Person Name Last Name
PPSYS_DEMOGRAPHI CS_MASTER	LAST_UPDATE	Text (50)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	MIDDLE	Text (1)		303	Person Name Middle Name
PPSYS_DEMOGRAPHI CS_MASTER	PHONE	Text (14)		41	Telephone Number
PPSYS_DEMOGRAPHI CS_MASTER	PLANVERSION	Yes/No (1)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	PREVIOUS_AGENT	Text (5)		310	Parole Officer Number
PPSYS_DEMOGRAPHI CS_MASTER	RECORD_STATUS	Text (1)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	RESTITUTE	Currency (8)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	SID	Long Integer (4)		35	Identified Person SID Number
PPSYS_DEMOGRAPHI CS_MASTER	SSN	Text (12)		25	Person SSN Number
PPSYS_DEMOGRAPHI CS_MASTER	STATE	Text (2)		2	State/Province/Country Code
PPSYS_DEMOGRAPHI CS_MASTER	SUP_FEE	Double (8)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	SUP_LVL	Integer (2)		750	Probation Level Code
PPSYS_DEMOGRAPHI CS_MASTER	SUPER_OVERRIDE	Text (2)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	SUPERFEES_BALANCE	Double (8)		0	Unsharable
PPSYS_DEMOGRAPHI CS_MASTER	WEIGHT	Integer (2)		33	Incident Person Weight Number

5040\01\northdakota(mdb) B - 6 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PPSYS_DEMOGRAPHI CS_MASTER	ZIP	Text (12)		4	Address Postal Code
PPSYS_OFFENSE	CASE_NUMBER	Long Integer (4)		139	Court Case Identifier Number
PPSYS_OFFENSE	CODE	Text (4)		0	Unsharable
PPSYS_OFFENSE	COST_YN	Yes/No (1)		0	Unsharable
PPSYS_OFFENSE	COSTS	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	COUNTY	Text (3)		47	County Code
PPSYS_OFFENSE	COURT_NUMBER	Text (50)		19	Agency ORI Number
PPSYS_OFFENSE	FEES	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	FEES_YN	Yes/No (1)		0	Unsharable
PPSYS_OFFENSE	FINES	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	FINES_YN	Yes/No (1)		0	Unsharable
PPSYS_OFFENSE	LAST_UPDATE	Text (50)		0	Unsharable
PPSYS_OFFENSE	LEVEL	Text (1)		750	Probation Level Code
PPSYS_OFFENSE	PAROLE_FR	Date/Time (8)		0	Unsharable
PPSYS_OFFENSE	PAROLE_TO	Date/Time (8)		0	Unsharable
PPSYS_OFFENSE	REST_YN	Yes/No (1)		0	Unsharable
PPSYS_OFFENSE	RESTITUTION	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	SENT_TYPE	Text (1)		0	Unsharable
PPSYS_OFFENSE	SID	Long Integer (4)		35	Identified Person SID Number
PPSYS_OFFENSE	TCOST	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	TFEES	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	TFINES	Currency (8)		259	Financial Obligation Type Code
PPSYS_OFFENSE	TREST	Currency (8)		259	Financial Obligation Type Code
PPSYS_PSI	AGENT	Text (3)		310	Parole Officer Number
PPSYS_PSI	CO_1	Text (3)		0	Unsharable
PPSYS_PSI	CO_2	Text (3)		0	Unsharable
PPSYS_PSI	CON_PROB	Yes/No (1)		0	Unsharable
PPSYS_PSI	DATE_COM	Date/Time (8)		0	Unsharable
PPSYS_PSI	DATE_DUE	Date/Time (8)		402	Court Case PSI Due Date/Time

5040\01\northdakota(mdb) B - 7 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

PPSYS_PSI DATE_ORD Date/Time (8) 403 Court Case PSI Ord PPSYS_PSI DISPOSITION Text (255) 0 Unsharable PPSYS_PSI DOB Date/Time (8) 7 Person Birth Date/Time (8) PPSYS_PSI JUDGE Text (30) 682 Sentence Judge National Court Case PSI Ord PPSYS_PSI DISPOSITION Text (255) 0 Unsharable PPSYS_PSI DOB Date/Time (8) 7 Person Birth Date/Time (8) 682 Sentence Judge National Court Case PSI Ord PPSYS_PSI DISPOSITION Text (255) 0 Unsharable	Time me
PPSYS_PSI DOB Date/Time (8) 7 Person Birth Date/7	me
	me
PPSYS_PSI JUDGE Text (30) 682 Sentence Judge Nat	
10.0 (00) Sentence stage 1 tal.	plete Name
PPSYS_PSI LAST_UPDATE Text (50) 0 Unsharable	plete Name
PPSYS_PSI NAME Text (50) 823 Person Name Comp	
PPSYS_PSI OFF_1 Text (4) 56 Offense Code	
PPSYS_PSI OFF_2 Text (4) 56 Offense Code	
PPSYS_PSI OFF_3 Text (4) 56 Offense Code	
PPSYS_PSI OFF_4 Text (4) 56 Offense Code	
PPSYS_PSI OFF_5 Text (4) 56 Offense Code	
PPSYS_PSI REC_PROV Yes/No (1) 0 Unsharable	
PPSYS_PSI S_REPORT_PATH Text (50) 0 Unsharable	
PPSYS_PSI SID Long Integer (4) 35 Identified Person SI	ID Number
PPSYS_PSI VIC_IMPA Yes/No (1) 0 Unsharable	
TBL_LSI_MASTER ACCESSDATE Date/Time (8) 0 Unsharable	
TBL_LSI_MASTER DOMAIN1 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN10 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN2 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN3 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN4 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN5 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN6 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN7 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN8 Integer (2) 0 Unsharable	
TBL_LSI_MASTER DOMAIN9 Integer (2) 0 Unsharable	
TBL_LSI_MASTER LASTUPDATE Text (50) 0 Unsharable	
TBL_LSI_MASTER LSICHARGE Currency (8) 0 Unsharable	
TBL_LSI_MASTER LSITOTAL Integer (2) 0 Unsharable	
TBL_LSI_MASTER Q1 Byte (1) 0 Unsharable	

5040\01\northdakota(mdb) B - 8 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
TBL_LSI_MASTER	Q10	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q11	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q12	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q13	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q14	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q15	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q16	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q17	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q18	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q19	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q2	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q20	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q21	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q22	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q23	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q24	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q25	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q26	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q27	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q28	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q29	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q3	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q30	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q31	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q32	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q33	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q34	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q35	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q36	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q37	Byte (1)		0	Unsharable
5040\01\northdelsete(me	1h)	ъ	0 (DOCCTAD)		V 2.0

5040\01\northdakota(mdb) B - 9 (DOCSTAR) Version 2.0

Data Element Listing For DOCSTAR

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
TBL_LSI_MASTER	Q38	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q39	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q4	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q40	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q41	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q42	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q43	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q44	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q45	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q46	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q47	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q48	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q49	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q5	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q50	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q51	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q52	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q53	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q54	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q6	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q7	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q8	Byte (1)		0	Unsharable
TBL_LSI_MASTER	Q9	Byte (1)		0	Unsharable
TBL_LSI_MASTER	SID	Long Integer (4)		35	Identified Person SID Number

5040\01\northdakota(mdb) B - 10 (DOCSTAR) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Accounting Class Type2	ACCNT_CLASS_DESCRIPTI ON2	VARCHAR2(20)	Accounting Classification description	0	Unsharable
Accounting Class Type2	ACCNT_CLASS_TYPE2	VARCHAR2(10)	Accounting Classification Identifier	0	Unsharable
Accounting Classification Type	ACCNT_CLASS_DESCRIPTI ON	VARCHAR2(20)	Accounting Classification description	0	Unsharable
Accounting Classification Type	ACCNT_CLASS_TYPE	VARCHAR2(10)	Accounting Classification Identifier	0	Unsharable
Accounts Receivable	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Accounts Receivable	PREVIOUS_BALANCE	NUMBER(9,2)	Amount that was previously owed to the Highway Patrol	0	Unsharable
Activity Type	ACTIVITY_TYPE	NUMBER(3)	A code that is assigned to a specific activity	0	Unsharable
Activity Type	DESCRIPTION_35	VARCHAR2(35)	Description of Item (35 characters long)	0	Unsharable
Activity Type	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Agency	AGENCY_CODE	VARCHAR2(3)	Unique code assigned to each law enforcement agency	19	Agency ORI Number
Agency	DESCRIPTION_20	VARCHAR2(20)	Description of Item (20 characters long)	40	Agency Name
Area Type	CODE	CHAR(1)	Unique identifier type of area	0	Unsharable
Area Type	DESCRIPTION	VARCHAR2(15	Description for a type of area	0	Unsharable
Area Type	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Arrest Type	ARREST_CODE	VARCHAR2(3)	Unique code identifying the type of arrest	99	Arrest Type Code
Arrest Type	DESCRIPTION_35	VARCHAR2(35)	Description of Item (35 characters long)	99	Arrest Type Code
Axle Group	AXLE_GROUP_NO	NUMBER(2)	Unique identifier for a set of axles	0	Unsharable
Axle Group	AXLE_SET	VARCHAR2(5)	A set of one or more consecutive axles	0	Unsharable
Axle Group	MAXIMUM_WEIGHT	NUMBER(6)	Maximum weight allowed for a set of axles	0	Unsharable
Axle Group	NO_OF_TIRES	NUMBER(2)	Number of tires for a set of axles	0	Unsharable
Axle Group	PERMIT_NO	NUMBER(10)	Sequence number of permit for a specific year	0	Unsharable
Axle Group	TIRE_SIZE	VARCHAR2(8)	Indicates tire size for a set of axles	0	Unsharable
Axle Group	WEIGHT_LEGAL	CHAR(1)	Specifies if the weight is legal for a set of axles	0	Unsharable
Bank Account	ACCOUNT_NO	NUMBER(12)	Unique number assigned to each bank account	0	Unsharable

5040\01\northdakota(mdb) B - 1 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Bank Account	ADDRESS_1	VARCHAR2(40)	Address line 1	1697	Address Complete Street Address
Bank Account	ADDRESS_2	VARCHAR2(40)	Address line 2	1697	Address Complete Street Address
Bank Account	BANK_ACCOUNT_ID	NUMBER(4)	Unique id assigned to each bank account	0	Unsharable
Bank Account	BANK_NAME	VARCHAR2(25)	Name of bank	1508	Organization Name
Bank Account	CITY	VARCHAR2(20)	City or town in which the person or company is located	1	City Name
Bank Account	STATE	VARCHAR2(2)	The abbreviation for a state or province	2	State/Province/Country Code
Bank Account	ZIP_CODE	VARCHAR2(9)	Postal Zip Code of the person or company	4	Address Postal Code
Bank Adjustment	ADJUSTMENT_AMOUNT	NUMBER(9,2)	Specifies the amount of a particular adjustment	0	Unsharable
Bank Adjustment	ADJUSTMENT_DATE_TIME	DATE	Date/time for a particular adjustment	0	Unsharable
Bank Adjustment	ADJUSTMENT_TYPE	CHAR(1)	Specifies the type of a particular adjustment	0	Unsharable
Bank Adjustment	BANK_ACCOUNT_ID	NUMBER(4)	Unique id assigned to each bank account	0	Unsharable
Bank Adjustment	DESCRIPTION_250	VARCHAR2(250)	Description of item - (250 characters)	0	Unsharable
Booklet	BEGIN_RECEIPT_NO	NUMBER(10)	Beginning receipt number in a booklet.	0	Unsharable
Booklet	DATE_COMPLETED	DATE	Date that all receipts in a certain receipt booklet have been issued.	0	Unsharable
Booklet	DATE_REGISTERED	DATE	Date that a receipt booklet was registered.	0	Unsharable
Booklet	DATE_STARTED	DATE	Date that the first receipt was issued from a receipt booklet.	0	Unsharable
Booklet	END_RECEIPT_NO	NUMBER(10)	Ending receipt number in a booklet.	0	Unsharable
Booklet Receipt	BEGIN_RECEIPT_NO	NUMBER(10)	Beginning receipt number in a booklet.	0	Unsharable
Booklet Receipt	DATE_DISTRIBUTED	DATE	The date that the item was given out for use	0	Unsharable
Booklet Receipt	DISTRICT_NO	NUMBER(2)	Unique number assigned to the Highway Patrol district	112	Agency District Code
Booklet Receipt	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Booklet Receipt	END_RECEIPT_NO	NUMBER(10)	Ending receipt number in a booklet.	0	Unsharable
Booklet Receipt	MAIN_DISTRICT_NO	NUMBER(1)	Number assigned to the district	0	Unsharable
Booklet Receipt	RECEIPT_NO	NUMBER(10)	A receipt within a certain receipt booklet.	0	Unsharable
Business Role	BUSN_ROLE_CODE	VARCHAR2(4)	Business Role unique identifier	0	Unsharable
5040(04) 4.1.1 . ()	" >		- A (TTD)		

5040\01\northdakota(mdb) B - 2 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Business Role	BUSN_ROLE_DESC	VARCHAR2(10)	Business Role Description	0	Unsharable
Business Role	BUSN_ROLE_TYPE	VARCHAR2(2)	Business Role Type identifier	0	Unsharable
Business Role Type	BUSN_ROLE_TYPE	VARCHAR2(2)	Business Role Type identifier	0	Unsharable
Business Role Type	BUSN_ROLE_TYPE_DESCRI PTION	VARCHAR2(20)	Business Role Type Description	0	Unsharable
Business Role Type2	BUSN_ROLE_TYPE2	VARCHAR2(2)	Business Role Type identifier	0	Unsharable
Business Role Type3	BUSN_ROLE_TYPE_DESCRI PTION2	VARCHAR2(20)	Business Role Type Description	0	Unsharable
Busn Role Empl	BUSN_ROLE_CODE	VARCHAR2(4)	Business Role unique identifier	0	Unsharable
Busn Role Empl	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Case	CASE_DATE_TIME	DATE	Starting Date/Time of the case	0	Unsharable
Case	CASE_STATUS	CHAR(1)	Status of the case, examples - open, closed, suspended	0	Unsharable
Case	COUNTY_NO	NUMBER(2)	Number given to county	47	County Code
Case	COUNTY_ROAD	NUMBER(4)	County Road Number	0	Unsharable
Case	DATE_TIME_STAMP	DATE	Date and Time the document was originally added.	0	Unsharable
Case	DISTRICT_NO	NUMBER(2)	Unique number assigned to the Highway Patrol district	112	Agency District Code
Case	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Case	DRUG_TYPE	CHAR(1)	Drug type involved in the incident	86	Drug Type Code
Case	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Case	HIGHWAY	NUMBER(4)	Highway number on which the incident/violation occurred or for a permit	430	Street Name
Case	HWY_SUFFIX	CHAR(1)	Suffix for this highway	0	Unsharable
Case	NODE	NUMBER(5)	The node at which the incident occurred	0	Unsharable
Case	OTHER_LOCATION	VARCHAR2(30)	Description of location	465	Location Sequence Number
Case	PRIORITY	CHAR(1)	Indicates if the case has been assigned to an officer	0	Unsharable
Case	PROGRAM_CODE	NUMBER(2)	Indicates the special program for which a citation was issued	0	Unsharable

5040\01\northdakota(mdb) B - 3 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Case	RANGE	NUMBER(3)	Range Number where the incident occurred	0	Unsharable
Case	REF_POINT	NUMBER(6,3)	The reference point at which the incident/violation occurred	0	Unsharable
Case	STATUS_DATE	DATE	The date that the item's status became current	0	Unsharable
Case	TOWNSHIP	NUMBER(3)	Township number at which the incident occurred	1	City Name
Case	USER_ID	VARCHAR2(8)	User Id of the employee that originally added the document.	0	Unsharable
Case Additional Officers	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Case Additional Officers	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Case Additional Officers	NARRATIVE	LONG	Narrative of Events	0	Unsharable
Case Category	CATEGORY_CODE	NUMBER(4)	Category Code identifying the type of activity	572	Incident Activity Code
Case Category	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Case Involvement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Case Involvement	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Case Involvement	INVOLVEMENT_CODE	NUMBER(3)	This code describes what type of involvement the person has in an Incident/Case	74	Incident Person Type Code
Case Sub Category	CATEGORY_CODE	NUMBER(4)	Category Code identifying the type of activity	572	Incident Activity Code
Case Sub Category	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Case Sub Category	SUB_CATEGORY_CODE	NUMBER(4)	Sub Category code identifying type of activity	0	Unsharable
Case Violations	CENTURY_CODE	VARCHAR2(10)	ND State Century Code identifying violation	56	Offense Code
Case Violations	CITATION_NO	NUMBER(8)	Unique number assigned to the Citation	134	Citation Number
Case Violations	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Case Violations	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Case Violations	RECEIPT_NO	NUMBER(10)	Unique number assigned to the Receipt	0	Unsharable
Category	CATEGORY_CODE	NUMBER(4)	Category Code identifying the type of activity	572	Incident Activity Code
Category	DESCRIPTION_35	VARCHAR2(35)	Description of Item (35 characters long)	0	Unsharable
Category	NDCC_REQ	CHAR(1)		0	Unsharable
Category	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Century Code	BOND_STATUTORY_FEE	NUMBER(7)	Standardized fee for NDCC code	0	Unsharable
5040\01\northdakota(mdb)		B - 4 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Century Code	CATEGORY_CODE	NUMBER(4)	Category Code identifying the type of activity	572	Incident Activity Code
Century Code	CENTURY_CODE	VARCHAR2(10)	ND State Century Code identifying violation	56	Offense Code
Century Code	CENTURY_CODE_TYPE	CHAR(1)	Specifies type of century code	1762	Law Reference Code
Century Code	DESCRIPTION_50	VARCHAR2(50)	Description of Item (50 characters long)	0	Unsharable
Century Code	DESCRIPTION_500	VARCHAR2(500)	Description of this item	0	Unsharable
Century Code	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Century Code	SUB_CATEGORY_CODE	NUMBER(4)	Sub Category code identifying type of activity	0	Unsharable
Century Code	UCIS_XREF_CODE	NUMBER(5)	Code used for a cross reference between citations and UCIS	0	Unsharable
Chain of Custody	CHECK_OUT_DATE	DATE	Date the evidence was checked out be an officer	1749	Incident Property Location Stop Date/Time
Chain of Custody	CHECK_OUT_TIME	DATE	Time the evidence was checked out by an officer	0	Unsharable
Chain of Custody	CNTL_OFFICER_EMPL_NO	NUMBER(8)	Unique number assigned to each employee	510	Law Enforcement Officer Number
Chain of Custody	EVIDENCE_NO	NUMBER(8)	Unique number identifying the item of evidence	0	Unsharable
Chain of Custody	LOCATION	VARCHAR2(20)	Location of where the item is being taken	465	Location Sequence Number
Chain of Custody	REL_TO_EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Circumstance	CIRCUMSTANCE_CODE	NUMBER(2)	Unique code assigned to each circumstance	0	Unsharable
Circumstance	DESCRIPTION_20	VARCHAR2(20)	Description of Item (20 characters long)	0	Unsharable
Citation	ACTUAL_SPEED	NUMBER(3)	The speed at which the officer clocked the vehicle	392	Citation Actual Speed Number
Citation	ADDRESS_1	VARCHAR2(40)	Address line 1	1697	Address Complete Street Address
Citation	ADDRESS_2	VARCHAR2(40)	Address line 2	1697	Address Complete Street Address
Citation	AREA_TYPE_CODE	CHAR(1)	Unique identifier type of area	0	Unsharable
Citation	BUILD_CODE	CHAR(1)	Unique identifier for a build of person	0	Unsharable
Citation	CENTURY_CODE_CONV	VARCHAR2(10)	ND State Century Code identifying violation	56	Offense Code

5040\01\northdakota(mdb) B - 5 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Citation	CENTURY_CODE_VIOL	VARCHAR2(10)	ND State Century Code identifying violation	56	Offense Code
Citation	CFR_CODE_1 CFR	VARCHAR2(9)	Code 1	0	Unsharable
Citation	CFR_CODE_2	VARCHAR2(9)	CFR Code 2	0	Unsharable
Citation	CITATION_NO	NUMBER(8)	Unique number assigned to the Citation	134	Citation Number
Citation	CITATION_STATUS	CHAR(1)	Specifies if a citation is active, non active, or void	0	Unsharable
Citation	CITY	VARCHAR2(20)	City or town in which the person or company is located	1	City Name
Citation	COMMERCIAL_VEH_TYPE	NUMBER(1)	This code describes what type of commercial vehicle the operator is driving	0	Unsharable
Citation	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Citation	CONVICTION_DATE	DATE	The date that the court decided the vehicle operator was guilty	639	Charge Action Date/Time
Citation	COUNTY_NO	NUMBER(2)	Number given to county	47	County Code
Citation	COURT_DATE_TIME	DATE	The date and time that operator is assigned to appear in court	187	Accident Date/Time
Citation	COURT_TYPE	CHAR(1)	Indicates type of court in which the operator will have to appear	137	Court Type Code
Citation	CRASH_TYPE_CODE	CHAR(1)	Unique identifier for type of crash	0	Unsharable
Citation	DATE_OF_BIRTH	DATE	Date of Birth	7	Person Birth Date/Time
Citation	DATE_TIME_STAMP	DATE	Date and Time the document was originally added.	0	Unsharable
Citation	DESC_OF_AREA	VARCHAR2(30)	Description of area where violation occurred	0	Unsharable
Citation	DRUG_TEST_TYPE	CHAR(1)	Identifies which type of drug test was performed	0	Unsharable
Citation	DUI	CHAR(1)	Specifies if driver was convicted of DUI	0	Unsharable
Citation	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Citation	ENTERED_BY	VARCHAR2(16)		35	Identified Person SID Number
Citation	EVIDENCE	CHAR(1)	Specifies whether or not evidence was collected when citation was issued	0	Unsharable
Citation	EYE_COLOR_CODE	VARCHAR2(3)	Unique code given to a specific eye color	11	Incident Person Eye Color Code

5040\01\northdakota(mdb) B - 6 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Citation	FINE	NUMBER(7)	The amount of money that the Officer writes as the fine on the citation	259	Financial Obligation Type Code
Citation	FIRST_NAME	VARCHAR2(14)	The given name of a specific person	302	Person Name First Name
Citation	HAIR_COLOR_CODE	VARCHAR2(3)	Unique code given to a specific hair color	12	Incident Person Hair Color Code
Citation	HAND_WRITTEN	CHAR(1)	Specifies if the citation was hand written.	0	Unsharable
Citation	HEIGHT_FEET	NUMBER(1)	This column plus Height Inches indicates how tall the person is	13	Incident Person Height Number
Citation	HEIGHT_INCHES	NUMBER(2)	This column plus Height Feet indicates how tall the person is	13	Incident Person Height Number
Citation	HIGHWAY	NUMBER(4)	Highway number on which the incident/violation occurred or for a permit	430	Street Name
Citation	HIGHWAY_TYPE_CODE	CHAR(1)	Unique identifier for highway type	433	Street Type Code
Citation	HOME_PHONE_NO	VARCHAR2(10)	Home phone number of the individual or company	41	Telephone Number
Citation	HWY_SUFFIX	CHAR(1)	Suffix for this highway	0	Unsharable
Citation	ISSUANCE_DATE_TIME	DATE	Time date and time when citation was issued	135	Citation Date/Time
Citation	JAIL_DAYS	NUMBER(6)	Jail sentence for violator	589	Custody Obligation Minimum Days
Citation	JUDGE_TITLE	VARCHAR2(40)	Title of judge that will rule on the citation	0	Unsharable
Citation	LAST_COMPANY_NAME	VARCHAR2(50)	Operators last name or name of company for which the operator works	1508	Organization Name
Citation	LICENSE_CLASS	VARCHAR2(3)	Class of vehicle the operator is authorized to drive	0	Unsharable
Citation	LICENSE_STATE	VARCHAR2(2)	The abbreviation for a state or province	1438	Person Driver License State - State/Province/Country Code
Citation	LOWER_FIRST_NAME	VARCHAR2(14)	Lower case index for searching on first_name	302	Person Name First Name
Citation	LOWER_LAST_COMPANY_ NAME	VARCHAR2(50)	Lower case index for searching on last_company_name	304	Person Name Last Name
Citation	MIDDLE_NAME	VARCHAR2(14)	The given middle name of a specific person	303	Person Name Middle Name
Citation	MISDEMEANOR_TEXT	VARCHAR2(15)	Text entered in the bond/statutory fee section when no fee is entered.	0	Unsharable

5040\01\northdakota(mdb) B - 7 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Citation	OFFENSE_CONTRIB_TO_CR ASH	CHAR(1)	Indicates if the violation contributed to a crash	0	Unsharable
Citation	OFFICER_NOTES	VARCHAR2(2000)	Officer's notes about the citation	0	Unsharable
Citation	OLN_SSN_ID_NO	VARCHAR2(25)	Operator license no, SSN, or other no identifying individual issued the citation	25	Person SSN Number
Citation	OTHER_IDENT_CHAR_1	CHAR(1)	Unique identifier for other characteristic of person	0	Unsharable
Citation	OTHER_IDENT_CHAR_2	CHAR(1)	Unique identifier for other characteristic of person	0	Unsharable
Citation	OTHER_IDENT_CHAR_3	CHAR(1)	Unique identifier for other characteristic of person	0	Unsharable
Citation	OTHER_TRAFFIC_CODE	CHAR(1)	Unique identifier for other traffic description	0	Unsharable
Citation	PROGRAM_CODE	NUMBER(2)	Indicates the special program for which a citation was issued	0	Unsharable
Citation	RACE_CODE	CHAR(1)	Unique code given to a specific race	21	Person Race Code
Citation	REF_POINT	NUMBER(6,3)	The reference point at which the incident/violation occurred	0	Unsharable
Citation	RESULT_PCT	NUMBER(2,2)	Result % from a drug test	1556	Accident Person Blood Alcohol Percent
Citation	SEX	CHAR(1)	Indicates a person's gender	23	Person Sex Code
Citation	SLIPPERY_SURFACE_CODE	CHAR(1)	Unique identifier for type of slippery surface	454	Accident Surface Condition Code
Citation	SPEED_MEASURE_METHOD	CHAR(1)	Indicates the method in which a violator's speed was measured	0	Unsharable
Citation	SPEED_ZONE	NUMBER(2)	The miles per hour of the speed zone in which the violation occurred	0	Unsharable
Citation	STATE	VARCHAR2(2)	The abbreviation for a state or province	2	State/Province/Country Code
Citation	STATIONARY	CHAR(1)	Indicates if HP vehicle was stationary when speed was measured	0	Unsharable
Citation	STATUTORY_FEE	NUMBER(7)	The amount that the court fines the vehicle operator	0	Unsharable

5040\01\northdakota(mdb) B - 8 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Citation	STREET_CNTY_RD_LOCATI ON	VARCHAR2(25)	Location where violation occurred when not on State or Federal highway	465	Location Sequence Number
Citation	TRAVEL_DIR	CHAR(1)	Direction of travel	349	Incident Vehicle Direction Code
Citation	VEHICLE_COLOR	VARCHAR2(15)	Color of vehicle	26	Incident Vehicle Color Code
Citation	VEHICLE_DOT_NO	NUMBER(6)	US DOT no of vehicle	0	Unsharable
Citation	VEHICLE_LICENSE_NO	VARCHAR2(8)	License no of vehicle that violator was operating	14	Registered Vehicle License Plate Number
Citation	VEHICLE_MAKE_CODE	NUMBER(5)	Unique code identifying the make of a vehicle	27	Vehicle Make Code
Citation	VEHICLE_MODEL	VARCHAR2(20)	Model of vehicle	28	Vehicle Model Code
Citation	VEHICLE_STATE	VARCHAR2(2)	The abbreviation for a state or province	2	State/Province/Country Code
Citation	VEHICLE_YEAR	NUMBER(4)	Year of vehicle	31	Vehicle Model Year
Citation	VEHICLE_YEAR_REGISTER ED	NUMBER(4)	Year that the vehicle was registered	0	Unsharable
Citation	VIOLATION_DATE_TIME	DATE	The date and time the violation occurred	135	Citation Date/Time
Citation	VIOLATION_DESC	VARCHAR2(50)	Additional narrative specifying a violation	1706	Citation Narrative Description
Citation	VIOLATOR_TYPE	CHAR(1)	Specifies if the violator was an operator, passenger, pedestrian or other.	0	Unsharable
Citation	VISIBILITY_CODE	CHAR(1)	Unique identifier for visibility description	1705	Citation Light Code
Citation	VOID_DATE_TIME	DATE	Void Date & Time	0	Unsharable
Citation	WEIGHT	NUMBER(3)	Weight of person or item	33	Incident Person Weight Number
Citation	WORK_CODE	NUMBER(3)	General type of work performed	0	Unsharable
Citation	WORK_PHONE_NO	VARCHAR2(10)	Work phone number of the individual or company	41	Telephone Number
Citation	ZIP_CODE	VARCHAR2(9)	Postal Zip Code of the person or company	4	Address Postal Code
Column Name	COLUMN_NAME	VARCHAR2(30)	Name of a column for a receipt.	0	Unsharable
Column Name	DW_CLASS_NAME	VARCHAR2(30)	Datawindow control where the column is located.	0	Unsharable
Complaint	ACTION_TAKEN	VARCHAR2(1000)	Any action taken as a result of the complaint	0	Unsharable
Complaint	COMPLAINT_DATE_TIME	DATE	Date/Time that the complaint was received	0	Unsharable
Complaint	COMPLAINT_DESCRIPTION	VARCHAR2(1000)	Description of the complaint	0	Unsharable

5040\01\northdakota(mdb) B - 9 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Complaint	COMPLAINT_FINDING_COD E	CHAR(1)	Unique code identifying each finding	0	Unsharable
Complaint	COMPLAINT_METHOD_CO DE	CHAR(1)	Unique code identifying the method that the complaint was received	0	Unsharable
Complaint	COMPLAINT_NO	NUMBER(8)	Unique number assigned to each complaint	0	Unsharable
Complaint	COMPLAINT_TYPE	CHAR(1)	Identifies who or what the complaint is against	0	Unsharable
Complaint	DISCIPLINARY_CODE	CHAR(1)	Unique code identifying each disciplinary code	0	Unsharable
Complaint	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Complaint	EMPL_AGAINST	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Complaint	EMPL_ASSIGNED	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Complaint	EMPL_ASSIGNED_BY	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Complaint	EMPL_RECEIVED_BY	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Complaint	INCIDENT_DATE_TIME	DATE	Date/Time that the incident occurred	38	Incident Begin Date/Time
Complaint	INCIDENT_LOCATION	VARCHAR2(50)	Location of the incident referred to in the complaint	465	Location Sequence Number
Complaint	POLICY	VARCHAR2(20)	The policy referred to in the complaint	0	Unsharable
Complaint	PRIORITY	CHAR(1)	Identifies the priority of the complaint	0	Unsharable
Complaint Finding	COMPLAINT_FINDING_COD E	CHAR(1)	Unique code identifying each finding	0	Unsharable
Complaint Finding	DESCRIPTION_20	VARCHAR2(20)	Description of Item (20 characters long)	0	Unsharable
Complaint Involvement	COMPLAINT_NO	NUMBER(8)	Unique number assigned to each complaint	0	Unsharable
Complaint Involvement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Complaint Involvement	INVOLVEMENT_CODE	NUMBER(3)	This code describes what type of involvement the person has in an Incident/Case	74	Incident Person Type Code
Complaint Method	COMPLAINT_METHOD_CO DE	CHAR(1)	Unique code identifying the method that the complaint was received	0	Unsharable
Complaint Method	DESCRIPTION_20	VARCHAR2(20)	Description of Item (20 characters long)	0	Unsharable
Complaint Reason	COMPLAINT_NO	NUMBER(8)	Unique number assigned to each complaint	0	Unsharable
Complaint Reason	COMPLAINT_REASON_COD E	NUMBER(2)	Unique code identifying each complaint reason	0	Unsharable

 $5040\01\northdakota(mdb)$ B - 10 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Complaint Reason Code	COMPLAINT_REASON_COD E	NUMBER(2)	Unique code identifying each complaint reason	0	Unsharable
Complaint Reason Code	DESCRIPTION_30	VARCHAR2(30)	Description of item (30 characters long)	0	Unsharable
Complaint Reason Code	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Contact	ADDRESS_1	VARCHAR2(40)		1697	Address Complete Street Address
Contact	ADDRESS_2	VARCHAR2(40)		1697	Address Complete Street Address
Contact	ADDRESS_UPDATE_DATE	DATE	The date that the address was last updated	0	Unsharable
Contact	CELL_PHONE_NO	VARCHAR2(10)		41	Telephone Number
Contact	CITY	VARCHAR2(20)		1	City Name
Contact	CONTACT_ID	VARCHAR2(25)	Driver's License Number, Social Security Number or other contact id	25	Person SSN Number
Contact	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Contact	DATE_OF_BIRTH	DATE		7	Person Birth Date/Time
Contact	E_MAIL_ADDRESS	VARCHAR2(75)	Electronic Mail Address of the individual or company	1668	Email Address Description
Contact	EYE_COLOR_CODE	VARCHAR2(3)		11	Incident Person Eye Color Code
Contact	FAX_NO	VARCHAR2(10)		41	Telephone Number
Contact	FIRST_NAME	VARCHAR2(14)		302	Person Name First Name
Contact	HAIR_COLOR_CODE	VARCHAR2(3		12	Incident Person Hair Color Code
Contact	HEIGHT_FEET	NUMBER(1)		13	Incident Person Height Number
Contact	HEIGHT_INCHES	NUMBER(2)		13	Incident Person Height Number
Contact	HOME_PHONE_NO	VARCHAR2(10)		41	Telephone Number
Contact	LAST_COMPANY_NAME	VARCHAR2(50)	Operators last name or name of company for which the operator works	1508	Organization Name
Contact	LOWER_CITY	VARCHAR2(20)	Lower case index for searching on city	1	City Name
Contact	LOWER_FIRST_NAME	VARCHAR2(14)	Lower case index for searching on first_name	302	Person Name First Name
Contact	LOWER_LAST_COMPANY_ NAME	VARCHAR2(50)	Lower case index for searching on last_company_name	304	Person Name Last Name

5040\01\northdakota(mdb) B - 11 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Contact	MIDDLE_NAME	VARCHAR2(14)		303	Person Name Middle Name
Contact	OLN_STATE	VARCHAR2(2)	The abbreviation for a state or province	2	State/Province/Country Code
Contact	OTHER_INFO	VARCHAR2(200)		0	Unsharable
Contact	RACE_CODE	CHAR(1		21	Person Race Code
Contact	SEX	CHAR(1)		23	Person Sex Code
Contact	STATE	VARCHAR2(2)		2	State/Province/Country Code
Contact	WEIGHT	NUMBER(3)		33	Incident Person Weight Number
Contact	WORK_PHONE_NO	VARCHAR2(10)		41	Telephone Number
Contact	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
Contributing Circumstance	CIRCUMSTANCE_CODE	NUMBER(2)	Unique code assigned to each circumstance	0	Unsharable
Contributing Circumstance	CIRCUMSTANCE_SEQ_NO	NUMBER(2)	Sequence number to indicate the order of importance of each circumstance	0	Unsharable
Contributing Circumstance	CRASH_NO	NUMBER(8)	Unique number assigned to each fatal crash	476	Accident Number
Cost Center Code	COST_CENTER_CD	NUMBER(5)	Cost Center Identifier	0	Unsharable
Cost Center Code	DESCRIPTION_30	VARCHAR2(30)		0	Unsharable
County	APA	NUMBER(2)	Autonomous Patrol Area	47	County Code
County	COUNTY_NAME	VARCHAR2(13)		485	County Name
County	COUNTY_NO	NUMBER(2)		47	County Code
County	COURT_ADDRESS	VARCHAR2(40)	Address of county court	1697	Address Complete Street Address
County	COURT_CITY	VARCHAR2(20)	City where county court is located	1	City Name
County	FIPS_COUNTY_NO	NUMBER(3)	Federal County Number	1388	County FIPS Code
County	REGION	NUMBER(1)	Highway Patrol region in which the county belongs	0	Unsharable
Course	COURSE_NO	VARCHAR2(6)	Unique number identifying a specific course	0	Unsharable
Course	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
Course	HOURS	NUMBER(3)	Number of hours the course takes to complete	0	Unsharable
Course	MAXIMUM_CLASS_SIZE	NUMBER(2)	Maximum number of students that can register for a class	0	Unsharable

5040\01\northdakota(mdb) B - 12 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Course	MINIMUM_CLASS_SIZE	NUMBER(2)	Minimum number of students that can register and the class still be held	0	Unsharable
Course	POST_APPROVED	CHAR(1)	Indicates if the training course is POST approved	0	Unsharable
Course	TITLE	VARCHAR2(25)	Official name of course or a specific person's job title	0	Unsharable
Course Fee	AMOUNT	NUMBER(9,2)	The amount paid for the item	0	Unsharable
Course Fee	COURSE_NO	VARCHAR2(6)		0	Unsharable
Course Fee	FEE_DESCRIPTION	VARCHAR2(30)	Describes what the fee is for, an example would be books or tuition	0	Unsharable
Course Instructor	COURSE_NO	VARCHAR2(6)		0	Unsharable
Course Instructor	INSTRUCTOR_SSN	NUMBER(9)		25	Person SSN Number
Crash Involvement	ALCOHOL_USED	CHAR(1)	Indicates whether the person involved in the crash was using alcohol	1551	Accident Alcohol Indicator
Crash Involvement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Crash Involvement	CRASH_NO	NUMBER(8)	Unique number assigned to each fatal crash	476	Accident Number
Crash Involvement	CRASH_VEHICLE_NO	NUMBER(2)	A sequential number to each vehicle involved in the crash	0	Unsharable
Crash Involvement	FATALITY_NO	NUMBER(8)	Unique number assigned to each fatality	0	Unsharable
Crash Involvement	INJURY_TYPE	CHAR(1)	Identifies if the person was injured or killed in the incident	93	Incident Victim Injury Code
Crash Involvement	INVOLVEMENT_CODE	NUMBER(3)	This code describes what type of involvement the person has in an Incident/Case	74	Incident Person Type Code
Crash Involvement	SAFETY_RESTRAINT_CODE	VARCHAR2(2)	Unique code assigned to each type of safety restraint	365	Accident Person Restraint Code
Crash Type	CODE	CHAR(1)	Unique identifier for type of crash	0	Unsharable
Crash Type	DESCRIPTION	VARCHAR2(15)	Description of crash type	0	Unsharable
Crash Type	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Crash Type 2	CRASH_TYPE_CODE	NUMBER(2)	Unique code assigned to each crash type	0	Unsharable
Crash Type 3	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable
Crash Vehicle	CRASH_NO	NUMBER(8)	Unique number assigned to each fatal crash	476	Accident Number
5040\01\northdakota(mo	lb)		B - 13 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Crash Vehicle	CRASH_VEHICLE_NO	NUMBER(2)	A sequential number to each vehicle involved in the crash	0	Unsharable
Crash Vehicle	VEHICLE_ATTACH_CODE	NUMBER(2)	Unique code assigned to each type of vehicle attachment	0	Unsharable
Crash Vehicle	VEHICLE_TYPE_CODE	VARCHAR2(2)	Unique code assigned to each vehicle type	30	Vehicle Type Code
Daily Activity	AUTHORIZED_BY_EMPL	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Daily Activity	AUTHORIZED_DATE	DATE		0	Unsharable
Daily Activity	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Daily Activity	LEAVE_PROCESSED_FLAG	CHAR(1)	Indicates if daily activity leave time has been processed by OMB	0	Unsharable
Daily Activity	PAYROLL_PROCESSED_FLA G	CHAR(1)	Indicates if daily activity record has been processed by payroll	0	Unsharable
Daily Activity	SCHEDULE_DATE	DATE	Date of scheduled shift	0	Unsharable
Daily Activity	UPDATED_BY_EMPL	NUMBER(8)	Unique number assigned to each employee	0	Unsharable
Daily Activity	UPDATED_DATE	DATE		0	Unsharable
Daily Citation	CITATION_END	NUMBER(9)	The last citation issued for this range	0	Unsharable
Daily Citation	CITATION_START	NUMBER(9)	The first citation issued for this range	0	Unsharable
Daily Citation	CITATIONS_ISSUED	NUMBER(3)	The number of citations issued by an officer for the citation range	0	Unsharable
Daily Citation	CITATIONS_VOIDED	NUMBER(3)	Number of citations voided by officer for the citation range	0	Unsharable
Daily Citation	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Daily Citation	SCHEDULE_DATE	DATE		0	Unsharable
Daily Receipt	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Daily Receipt	RECEIPT_END	NUMBER(7)	The last receipt issued for this range	0	Unsharable
Daily Receipt	RECEIPT_START	NUMBER(7)	The first receipt issued for this range	0	Unsharable
Daily Receipt	RECEIPTS_ISSUED	NUMBER(3)	The number of receipts issued for the receipt range	0	Unsharable
Daily Receipt	RECEIPTS_VALUE	NUMBER(9,2)	The total value of receipts issued for the receipt range	0	Unsharable
Daily Receipt	RECEIPTS_VOIDED	NUMBER(3)	Number of receipts voided for the receipt range	0	Unsharable

5040\01\northdakota(mdb) B - 14 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Daily Receipt	SCHEDULE_DATE	DATE	Date of scheduled shift	0	Unsharable
Daily Shift	ACTIVITY_DATE	DATE	The actual date of the activity not the date of the shift	0	Unsharable
Daily Shift	COMMENTS	VARCHAR2(1024)		0	Unsharable
Daily Shift	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Daily Shift	NO_OF_HOURS	NUMBER(3,1)	Number of hours spent doing activity	0	Unsharable
Daily Shift	PROGRAM_CODE	NUMBER(2)	Indicates the special program for which a citation was issued	0	Unsharable
Daily Shift	SCHEDULE_DATE	DATE	Date of scheduled shift	0	Unsharable
Daily Shift	TIME_END	NUMBER(4)	The end time (military time) of activity performed by an officer	0	Unsharable
Daily Shift	TIME_START	NUMBER(4)	The start time (military time) of activity performed by an officer	0	Unsharable
Daily Shift	WORK_CODE	NUMBER(3)	General type of work performed	0	Unsharable
Daily Shift	WORK_HOUR	NUMBER(3)	Specific type of work performed	0	Unsharable
Daily Shift Activities	ACTIVITY_QUANTITY	NUMBER(5)	The quantity of the Activity	0	Unsharable
Daily Shift Activities	ACTIVITY_TYPE	NUMBER(3)		0	Unsharable
Daily Shift Activities	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Daily Shift Activities	SCHEDULE_DATE	DATE	Date of scheduled shift	0	Unsharable
Daily Shift Activities	STOLEN_PROPERTY_VALU E	NUMBER(9,2)	The total value of stolen property recovered by an officer for the activity date	67	Incident Property Value Money
Daily Shift Activities	TIME_END	NUMBER(4)	The end time (military time) of activity performed by an officer	0	Unsharable
Daily Vehicle	AUTO_ID_NO	NUMBER(5)	The Auto ID Number of vehicle used	0	Unsharable
Daily Vehicle	COUNTY_ROAD_HOURS	NUMBER(3,1)	Number of hours spent driving county roads	0	Unsharable
Daily Vehicle	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Daily Vehicle	INTERSTATE_HOURS	NUMBER(3,1)	Number of hours spent driving interstate highways	0	Unsharable
Daily Vehicle	MILEAGE_PROCESSED_FLA G	CHAR(1)	Mileage has been transfered to DOT	0	Unsharable

5040\01\northdakota(mdb) B - 15 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Daily Vehicle	ODOMETER_END	NUMBER(7,1)	Number of miles on odometer at the end of shift	0	Unsharable
Daily Vehicle	ODOMETER_START	NUMBER(7,1)	Number of miles on odometer at the beginning of shift	0	Unsharable
Daily Vehicle	PROGRAM_CODE	NUMBER(2)	Indicates the special program for which a citation was issued	0	Unsharable
Daily Vehicle	SCHEDULE_DATE	DATE	Date of scheduled shift	0	Unsharable
Daily Vehicle	STATE_FEDERAL_HOURS	NUMBER(3,1)	Number of hours spent driving state and federal highways	0	Unsharable
Department	ADDRESS	VARCHAR2(40)	Street address of the person or company	1697	Address Complete Street Address
Department	BILLING_CONTACT	VARCHAR2(30)	Person to contact	0	Unsharable
Department	CITY	VARCHAR2(20)		1	City Name
Department	COUNTY_NO	NUMBER(2)		47	County Code
Department	DEPARTMENT	VARCHAR2(20)	Name of the department	382	Agency Department Name
Department	DEPARTMENT_HEAD	VARCHAR2(30)	The person in charge of the department	823	Person Name Complete Name
Department	E_MAIL_ADDRESS	VARCHAR2(75)		1668	Email Address Description
Department	FAX_NO	VARCHAR2(10)		41	Telephone Number
Department	LAW_ENFORCEMENT_AGE NCY	CHAR(1)	Indicates if the department is a law enforcement agency	19	Agency ORI Number
Department	LOCALE	CHAR(1)	Indicates what type of govt. or non-govt. the department pertains to	0	Unsharable
Department	PHONE_NO	VARCHAR2(10)		41	Telephone Number
Department	STATE	VARCHAR2(2)		2	State/Province/Country Code
Department	TITLE	VARCHAR2(25)	Official name of course or a specific person's job title	0	Unsharable
Department	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
Disciplinary Action	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable
Disciplinary Action	DISCIPLINARY_CODE	CHAR(1)		0	Unsharable
Dist Busn Role Districts	BUSN_ROLE_CODE	VARCHAR2(4)	Business Role unique identifier	0	Unsharable
Dist Busn Role Districts	DISTRICT_ACCESS_NO	NUMBER(2)		0	Unsharable

5040\01\northdakota(mdb) B - 16 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Dist Busn Role Districts	DISTRICT_NO	NUMBER(2)	Unique number assigned to the Highway Patrol district	112	Agency District Code
District	ADDRESS_1	VARCHAR2(40)		1697	Address Complete Street Address
District	ADDRESS_2	VARCHAR2(40)		1697	Address Complete Street Address
District	CITY	VARCHAR2(20)		1	City Name
District	DISTRICT_LOGON_ID	VARCHAR2(16)		0	Unsharable
District	DISTRICT_NAME	VARCHAR2(20)		112	Agency District Code
District	DISTRICT_NO	NUMBER(2)	Unique number assigned to the Highway Patrol district	112	Agency District Code
District	DISTRICT_TYPE	CHAR(1)	Indicates whether the district # represents a district or field office, or scale	0	Unsharable
District	FAX_NO	VARCHAR2(10)		41	Telephone Number
District	MAIN_DISTRICT_NO	NUMBER(1)	Number assigned to the district	112	Agency District Code
District	PHONE_NO	VARCHAR2(10)		41	Telephone Number
District	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
District Business Role	BUSN_ROLE_CODE	VARCHAR2(4)	Business Role unique identifier	0	Unsharable
District Business Role	DISTRICT_NO	NUMBER(2)	Unique number assigned to the Highway Patrol district	112	Agency District Code
District County Usage	COUNTY_NO	NUMBER(2)		47	County Code
District County Usage	MAIN_DISTRICT_NO	NUMBER(1)	Number assigned to the district	112	Agency District Code
District Type	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable
District Type	DISTRICT_TYPE	CHAR(1)	Indicates whether the district # represents a district or field office, or scale	0	Unsharable
District Weekly Schedule	DISTRICT_NO	NUMBER(2)		112	Agency District Code
District Weekly Schedule	SPECIAL_INSTRUCTIONS	VARCHAR2(1024)	Listing of the special instructions for the given weekly schedule	0	Unsharable
District Weekly Schedule	WEEK_BEGIN_DATE	DATE	The effective date for the weekly district instructions	0	Unsharable
District Weekly Schedule	WEEK_END_DATE	DATE	The ending date for the weekly district instructions	0	Unsharable
5040\01\northdakota(mdb)		B - 17 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Dorm Room	ROOM_NO	NUMBER(3)	Number assigned to dorm room	0	Unsharable
Dorm Room Schedule	COURSE_NO	VARCHAR2(6)		0	Unsharable
Dorm Room Schedule	NON_TRAINING_USAGE	VARCHAR2(50)	If the room/ location is not used for training, describes what it was used for	0	Unsharable
Dorm Room Schedule	ROOM_NO	NUMBER(3)		0	Unsharable
Dorm Room Schedule	ROOM_SCHEDULE_END	DATE	The end date and time the dorm room is schedule for use	0	Unsharable
Dorm Room Schedule	ROOM_SCHEDULE_START	DATE	The start date and time the dorm room is schedule for use	0	Unsharable
Dorm Room Schedule	SCHEDULED_START	DATE		0	Unsharable
Drug Test	DESCRIPTION	VARCHAR2(6)	Description of drug test	0	Unsharable
Drug Test	DRUG_TEST_TYPE	CHAR(1)	Identifies which type of drug test was performed	0	Unsharable
Drug Test	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
Drug Type	DESCRIPTION	VARCHAR2(15)		86	Drug Type Code
Drug Type	DRUG_TYPE	CHAR(1)		86	Drug Type Code
Drug Type	OBSOLETE	CHAR(1)		0	Unsharable
Employee	ADDRESS_1	VARCHAR2(40)		1697	Address Complete Street Address
Employee	ADDRESS_2	VARCHAR2(40)		1697	Address Complete Street Address
Employee	CELL_PHONE_NO	VARCHAR2(10)		41	Telephone Number
Employee	CITY	VARCHAR2(20)		1	City Name
Employee	E_MAIL_ADDRESS	VARCHAR2(75)		1668	Email Address Description
Employee	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Employee	EMPLOYEE_LOGON_ID	VARCHAR2(16)		0	Unsharable
Employee	FIRST_NAME	VARCHAR2(14)		302	Person Name First Name
Employee	HOME_PHONE_NO	VARCHAR2(10)		41	Telephone Number
Employee	LAST_NAME	VARCHAR2(25)		304	Person Name Last Name
Employee	MIDDLE_INITIAL	CHAR(1)		303	Person Name Middle Name

5040\01\northdakota(mdb) B - 18 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Employee	SPOUSE	VARCHAR2(14)	Given name of employee's spouse	302	Person Name First Name
Employee	SSN	NUMBER(9)		25	Person SSN Number
Employee	STATE	VARCHAR2(2)		2	State/Province/Country Code
Employee	WORK_PHONE_NO	VARCHAR2(10)		41	Telephone Number
Employee	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
Employee History	ACCNT_CLASS_TYPE	VARCHAR2(10)	Accounting Classification Identifier	0	Unsharable
Employee History	BADGE_NO	NUMBER(3)	The badge number of the officer that is writing the citation	510	Law Enforcement Officer Number
Employee History	COST_CENTER_CD	NUMBER(5)	Cost Center Identifier	0	Unsharable
Employee History	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Employee History	EFFECTIVE_FROM_DATE	DATE	This date specifies the start date for which the record is effective	1515	Person Employer Start Date/Time
Employee History	EFFECTIVE_TO_DATE	DATE	This date specifies the end date for which the record is effective	1516	Person Employer Stop Date/Time
Employee History	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Employee History	PAY_RATE_CODE	CHAR(1)	Employees payment method (Hourly or Salaried Monthly)	0	Unsharable
Employee History	REPORT_SEQUENCE_NO	NUMBER(3)	Indicates what order the officers should be printed on the Monthly Schedule	0	Unsharable
Employee Schedule	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Employee Schedule	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Employee Schedule	ONCALL	CHAR(1)	Indicates if the person is on night call for the scheduled shift	0	Unsharable
Employee Schedule	SCHED_STATUS_CODE	VARCHAR2(2)		0	Unsharable
Employee Schedule	SCHEDULE_ACTIVITY	VARCHAR2(2000)	Detail description of what officer is to do during the scheduled shift	0	Unsharable
Employee Schedule	SCHEDULE_DATE	DATE	Date of scheduled shift	0	Unsharable
Employee Schedule	SHIFT_CODE	VARCHAR2(4)	Describes what shift the officer is assigned to or specific assignments	0	Unsharable
Employee Schedule	SPECIAL_DAILY_NOTE	VARCHAR2(2000)	Special Instructions for the given days schedule	0	Unsharable

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Employee Schedule	SUPV_ONCALL	CHAR(1)	Indicates if this person is the supervisor on- call for the scheduled shift	0	Unsharable
Employee Schedule	TIME_START	NUMBER(4)	Starting Shift Time	0	Unsharable
Employee Secured Group Access	EMPL_NO	NUMBER(8)	Unique number assigned to each employee	35	Identified Person SID Number
Employee Secured Group Access	GROUP_CODE	VARCHAR2(25)	Identifier for the secured group	0	Unsharable
Equipment Approval Certificate	AXLE_SPACING	VARCHAR2(60)	Space between each axle	0	Unsharable
Equipment Approval Certificate	AXLES	VARCHAR2(60)	A description of the axle configuration for the vehicle	0	Unsharable
Equipment Approval Certificate	CERTIFICATE_NO	NUMBER(6)	Unique Identifier for a certificate	0	Unsharable
Equipment Approval Certificate	CLASS_1	VARCHAR2(60)	Indicates how many pounds can be carried by specific axle groupings	0	Unsharable
Equipment Approval Certificate	CLASS_2	VARCHAR2(60)	Indicates how many pounds can be carried by specific axle groupings	0	Unsharable
Equipment Approval Certificate	CLASS_3	VARCHAR2(60)	Indicates how many pounds can be carried by specific axle groupings	0	Unsharable
Equipment Approval Certificate	CLASS_4	VARCHAR2(60)	Indicates how many pounds can be carried by specific axle groupings	0	Unsharable
Equipment Approval Certificate	CLASS_AXLE	VARCHAR2(60)	Describes Axles for each class	0	Unsharable
Equipment Approval Certificate	EXPIRATION_DATE	DATE	Date that the permit expires	0	Unsharable
Equipment Approval Certificate	MGW_CLASS_1	VARCHAR2(60)	The maximum gross vehicle weight for a specific axle class	0	Unsharable
Equipment Approval Certificate	MGW_CLASS_2	VARCHAR2(60)	The maximum gross vehicle weight for a specific axle class	0	Unsharable
Equipment Approval Certificate	MGW_CLASS_3	VARCHAR2(60)	The maximum gross vehicle weight for a specific axle class	0	Unsharable
Equipment Approval Certificate	MGW_CLASS_4	VARCHAR2(60)	The maximum gross vehicle weight for a specific axle class	0	Unsharable
5040\01\northdakota(mdb)		B - 20 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Equipment Approval Certificate	PERMIT_NO	NUMBER(10)		0	Unsharable
Equipment Approval Certificate	PRINT_FLAG	CHAR(1)	Indicates if the certificate needs to be printed	0	Unsharable
Equipment Approval Certificate	STATE	VARCHAR2(2)		2	State/Province/Country Code
Equipment Approval Certificate	TRAILER_LICENSE_NO	VARCHAR2(9)	License number of the trailer	0	Unsharable
Equipment Approval Certificate	TRAILER_MAKE	VARCHAR2(12)	Make of the trailer	0	Unsharable
Equipment Approval Certificate	TRAILER_UNIT	CHAR(8)	Unit identifier assigned by owner	0	Unsharable
Equipment Approval Certificate	TRAILER_VIN	VARCHAR2(17)	Serial number of the trailer	0	Unsharable
Equipment Approval Certificate	TRAILER_YEAR	NUMBER(4)	Year the trailer was made	0	Unsharable
Equipment Approval Certificate	TYPE_OF_VEHICLE_APPRO VED	CHAR(1)	Specifies type of vehicle approved	0	Unsharable
Equipment Approval Certificate	UNIT_NO	VARCHAR2(8)	This is an identification number assigned by the owner	0	Unsharable
Equipment Approval Certificate	VEHICLE_NO	NUMBER(10)	Unique number assigned to each vehicle	0	Unsharable
Equipment Approval Certificate	VEHICLE_NO_OF_TIRES	VARCHAR2(60)	Number of tires for a specific axle groups	0	Unsharable
Equipment Approval Certificate	VEHICLE_TIRE_SIZE	VARCHAR2(60)	Indicates tire size by specific axle groupings	0	Unsharable
Evidence	CNTL_OFFICER_EMPL_NO	NUMBER(8)	Unique number assigned to each employee	510	Law Enforcement Officer Number
Evidence	COLL_OFFICER_EMPL_NO	NUMBER(8)	Unique number assigned to each employee	510	Law Enforcement Officer Number
Evidence	DATE_TIME_IN	DATE	Date/Time the evidence was collected	0	Unsharable
Evidence	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
Evidence	DISPOSITION_DATE	DATE	Date that the case was settled	0	Unsharable
5040\01\northdakota(md	lb)		B - 21 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Evidence	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Evidence	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Evidence	EVIDENCE_NO	NUMBER(8)	Unique number identifying the item of evidence	0	Unsharable
Evidence	FIELD_CONTACT_NO	NUMBER(10)	Unique number assigned to the field contact	41	Telephone Number
Evidence	FIRST_NAME	VARCHAR2(14)		302	Person Name First Name
Evidence	LAST_NAME	VARCHAR2(25)		304	Person Name Last Name
Evidence	LOCATION	VARCHAR2(50)	Location that the item was taken from	465	Location Sequence Number
Evidence	MIDDLE_INITIAL	CHAR(1)		303	Person Name Middle Name
Evidence	RELEASE_DATE	DATE	Date that the item was released	0	Unsharable
Evidence	STORAGE_LOCATION_COD E	NUMBER(2)	Unique code identifying each storage location	465	Location Sequence Number
Evidence Storage	DESCRIPTION_30	VARCHAR2(30)		0	Unsharable
Evidence Storage	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Evidence Storage	STORAGE_LOCATION_COD E	NUMBER(2)		465	Location Sequence Number
Eye Color	DESCRIPTION_10	VARCHAR2(10)		11	Incident Person Eye Color Code
Eye Color	EYE_COLOR_CODE	VARCHAR2(3)		11	Incident Person Eye Color Code
Faculty	ADDRESS	VARCHAR2(40)		1697	Address Complete Street Address
Faculty	CAPACITY	CHAR(1)	Indicates whether the person is a teacher, supervisor, or both	0	Unsharable
Faculty	CITY	VARCHAR2(20)		1	City Name
Faculty	E_MAIL_ADDRESS	VARCHAR2(75)		1668	Email Address Description
Faculty	FAC_INSTRUCTOR_SSN	NUMBER(9)		25	Person SSN Number
Faculty	FAX_NO	VARCHAR2(10)		41	Telephone Number
Faculty	FIRST_NAME	VARCHAR2(14)		302	Person Name First Name
Faculty	INSTRUCTOR_SSN	NUMBER(9)		25	Person SSN Number
Faculty	JOB_TITLE	VARCHAR2(20)		0	Unsharable
Faculty	LAST_NAME	VARCHAR2(25)		304	Person Name Last Name
Faculty	MIDDLE_INITIAL	CHAR(1)		303	Person Name Middle Name
5040\01\- a th dala ta (11-7		D 22 (HD)		T7 . A.O.

5040\01\northdakota(mdb) B - 22 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Faculty	PHONE_NO	VARCHAR2(10)		41	Telephone Number
Faculty	STA_STATE	VARCHAR2(2)		2	State/Province/Country Code
Faculty	STATE	VARCHAR2(2)		2	State/Province/Country Code
Faculty	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
Fatal Crash	AGENCY_CODE	VARCHAR2(3)		19	Agency ORI Number
Fatal Crash	AP_DATE_TIME	DATE	Date/Time the fatality information was released to the associated press	0	Unsharable
Fatal Crash	AP_RELEASED_BY	VARCHAR2(30)	Identity of the person that released the information to the associated press	0	Unsharable
Fatal Crash	CRASH_DATE_TIME	DATE	Date/Time of the crash that caused the fatality	187	Accident Date/Time
Fatal Crash	CRASH_LOCATION	VARCHAR2(50)		465	Location Sequence Number
Fatal Crash	CRASH_NO	NUMBER(8)	Unique number assigned to each fatal crash	476	Accident Number
Fatal Crash	CRASH_TYPE_CODE	NUMBER(2)		0	Unsharable
Fatal Crash	DATE_TIME	DATE	Date/time that the fatality report was entered into the system	0	Unsharable
Fatal Crash	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Fatal Crash	HIT_AND_RUN	CHAR(1)	Indicates if the fatality was caused by a hit and run	413	Accident Hit Run Indicator
Fatal Crash	INVESTIGATING_OFFICER	VARCHAR2(30)	Name of the officer that investigated the fatality	540	Incident Theft Type Code
Fatal Crash	NARRATIVE	VARCHAR2(2000)	Narrative of events	0	Unsharable
Fatal Crash	ROADWAY_TYPE_CODE	VARCHAR2(3)		454	Accident Surface Condition Code
Fatal Crash	TRAFFIC_FATALITY	CHAR(1)	Indicates whether the fatality was caused by a traffic or non-traffic incident	1552	Accident Fatality Indicator
Fatality	CLASS_CODE	CHAR(1)	Unique code assigned to each drivers license class	0	Unsharable
Fatality	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Fatality	CRASH_NO	NUMBER(8)		476	Accident Number
Fatality	DEATH_DATE_TIME	DATE	Date/Time that the fatality occurred	328	Person Death Date/Time
Fatality	DEATH_LOCATION	VARCHAR2(20)	Location of the fatality	465	Location Sequence Number

5040\01\northdakota(mdb) B - 23 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Fatality	FATALITY_NO	NUMBER(8)		0	Unsharable
Fatality	LICENSE_STATUS_CODE	VARCHAR2(2)	Unique code assigned to each license status	221	Person Driver License Non- CDL Status Code
Fatality	OPERATOR_LICENSE_NO	NUMBER(10)	License number of the victim	8	Person Driver License Number
Fatality	STATE	VARCHAR2(2)		2	State/Province/Country Code
Fee Category	CATEGORY_CODE	NUMBER(2)	The category for which the fee is paid	572	Incident Activity Code
Fee Category	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Fee Category	OBSOLETE	CHAR(1)		0	Unsharable
Fee Subcategory	BASE_FEE	NUMBER(9,2)	The base fee for this receipt subcategory.	0	Unsharable
Fee Subcategory	CATEGORY_CODE	NUMBER(2)	The category for which the fee is paid	572	Incident Activity Code
Fee Subcategory	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Fee Subcategory	STATE_AGENCY ND	VARCHAR2(30)	State agency which receives the revenue for this receipt type.	0	Unsharable
Fee Subcategory	SUBCATEGORY	CHAR(1)	A code indicating how the fee category is broken down	0	Unsharable
Fee Subcategory	SUBCATEGORY_TYPE	CHAR(1)	Specifies the type of this subcategory	0	Unsharable
Field Contact	CATEGORY_CODE	NUMBER(4)	Category Code identifying the type of activity	572	Incident Activity Code
Field Contact	CITATION_NO	NUMBER(8)		134	Citation Number
Field Contact	COUNTY_NO	NUMBER(2)		47	County Code
Field Contact	COUNTY_ROAD	NUMBER(4)	County Road Number	0	Unsharable
Field Contact	DATE_TIME_STAMP	DATE	Date and Time the document was originally added.	0	Unsharable
Field Contact	DEPT_NOTES	VARCHAR2(2000)		0	Unsharable
Field Contact	DESCRIPTION	VARCHAR2(1000)	Description of Item	0	Unsharable
Field Contact	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Field Contact	DOCUMENT_NO	NUMBER(10)	Unique number assigned to each case	1701	Law Enforcement Case Number
Field Contact	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Field Contact	FIELD_CONTACT_NO	NUMBER(10)	Unique number assigned to the field contact	41	Telephone Number
Field Contact	HIGHWAY	NUMBER(4)	Highway number on which the incident/violation occurred or for a permit	430	Street Name
Field Contact	HWY_SUFFIX	CHAR(1)	Suffix for this highway	0	Unsharable
5040\01\northdakota(mc	lb)		B - 24 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Field Contact	OTHER_LOCATION	VARCHAR2(30)	Description of location	465	Location Sequence Number
Field Contact	PROGRAM_CODE	NUMBER(2)	Indicates the special program for which a citation was issued	0	Unsharable
Field Contact	REF_POINT	NUMBER(6,3)	The reference point at which the incident/violation occurred	0	Unsharable
Field Contact	STATUS_CODE	VARCHAR2(5)		0	Unsharable
Field Contact	STATUS_EXPIRATION_DAT E	DATE		0	Unsharable
Field Contact	SUB_CATEGORY_CODE	NUMBER(4)	Sub Category code identifying type of activity	0	Unsharable
Field Contact	USER_ID	VARCHAR2(8)	User Id of the employee that originally added the document.	0	Unsharable
Field Contact	VEHICLE_NO	NUMBER(10)	Unique number assigned to each vehicle	0	Unsharable
Field Contact	VIOLATION_END_DATE_TI ME	DATE	Date/Time that the violation ended	135	Citation Date/Time
Field Contact	VIOLATION_START_DATE_ TIME	DATE	Date/Time that the violation occurred	135	Citation Date/Time
Field Contact Involvement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Field Contact Involvement	FIELD_CONTACT_NO	NUMBER(10)		41	Telephone Number
Field Contact Involvement	INVOLVEMENT_CODE	NUMBER(3)	This code describes what type of involvement the person has in an Incident/Case	74	Incident Person Type Code
Field Contact Status	DESCRIPTION	VARCHAR2(32)		0	Unsharable
Field Contact Status	FIELD_CONTACT_NO	NUMBER(10)		41	Telephone Number
Field Contact Status	STATUS_CODE	VARCHAR2(5)		0	Unsharable
Field Contact Violations	CENTURY_CODE ND	VARCHAR2(10)	State Century Code identifying violation	56	Offense Code
Field Contact Violations	FIELD_CONTACT_NO	NUMBER(10)		41	Telephone Number
Hair Color	DESCRIPTION_10	VARCHAR2(10)		12	Incident Person Hair Color Code
Hair Color	HAIR_COLOR_CODE	VARCHAR2(3)		12	Incident Person Hair Color Code
Highway	HIGHWAY		NUMBER(4)	430	Street Name
Highway	HWY_SUFFIX	CHAR(1)		0	Unsharable

5040\01\northdakota(mdb) B - 25 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Highway Type	CODE	CHAR(1)	Unique identifier for highway type	0	Unsharable
Highway Type	DESCRIPTION	VARCHAR2(15)	Description of highway type	0	Unsharable
Highway Type	OBSOLETE	CHAR(1)	Indicates if code is no longer valid for new entries	0	Unsharable
HP Vehicle	AUTO_ID_NO	NUMBER(5)	The Auto ID Number of vehicle used	0	Unsharable
HP Vehicle	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
HP Vehicle	IN_SERVICE	CHAR(1)	Specifies whether or not the vehicle is in service.	0	Unsharable
HP Vehicle	RADAR_UNIT_CD	VARCHAR2(10)		0	Unsharable
HP Vehicle	VEHICLE_CLASS_TYPE	VARCHAR2(10)		0	Unsharable
HP Vehicle	VEHICLE_MAKE_CODE	NUMBER(5)		27	Vehicle Make Code
HP Vehicle	VEHICLE_MODEL	VARCHAR2(20)		28	Vehicle Model Code
HP Vehicle	VEHICLE_YEAR	NUMBER(4)		31	Vehicle Model Year
ICC No	ICC_DOCKET_NO	NUMBER(6)	Interstate Commerce Commission identification number.	0	Unsharable
ICC No	USDOT_NO	NUMBER(7)	US Department of Transportation census record number	0	Unsharable
Identification Supplement	AXLES	VARCHAR2(60)		0	Unsharable
Identification Supplement	CLASS_1	VARCHAR2(60)	Indicates how many pounds can be carried by specific axle	0	Unsharable
Identification Supplement	CLASS_2	VARCHAR2(60)		0	Unsharable
Identification Supplement	CLASS_3	VARCHAR2(60)		0	Unsharable
Identification Supplement	CLASS_4	VARCHAR2(60)		0	Unsharable
Identification Supplement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Identification Supplement	HEIGHT	VARCHAR2(6)	The height of the vehicle at its highest point	13	Incident Person Height Number
Identification Supplement	ID_SUPPLEMENT_NO	CHAR(7)		0	Unsharable
Identification Supplement	LAST_UPDATE_USERID	VARCHAR2(8)		0	Unsharable
Identification Supplement	LENGTH	VARCHAR2(6)	Total length of vehicle	0	Unsharable
Identification Supplement	MGW_CLASS_1	VARCHAR2(60)	The maximum gross vehicle weight for a specific axle class	0	Unsharable
Identification Supplement	MGW_CLASS_2	VARCHAR2(60)		0	Unsharable
5040\01\northdakota(mdb))		B - 26 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Identification Supplement	MGW_CLASS_3	VARCHAR2(60)		0	Unsharable
Identification Supplement	MGW_CLASS_4	VARCHAR2(60)		0	Unsharable
Identification Supplement	MISC	VARCHAR2(150)	This is an free form text area for keeping notes on an ID supplement	0	Unsharable
Identification Supplement	OVERHANG_FRONT_FEET	NUMBER(2)	Indicates how far the vehicle extends in front of the first axle	0	Unsharable
Identification Supplement	OVERHANG_FRONT_INCHE S	NUMBER(2)		0	Unsharable
Identification Supplement	OVERHANG_REAR_FEET	NUMBER(2)		0	Unsharable
Identification Supplement	OVERHANG_REAR_INCHES	NUMBER(2)		0	Unsharable
Identification Supplement	PERMIT_NO	NUMBER(10)	Sequence number of permit for a specific year	0	Unsharable
Identification Supplement	PROCESS_DATE	DATE	Date that item was entered into the system	0	Unsharable
Identification Supplement	SME_TRUCK_CANE	VARCHAR2(30)	Describes what kind of Special Mobile Equipment truck or crane is used	0	Unsharable
Identification Supplement	SME_TYPE_UNIT	VARCHAR2(30)	Describes what kind of Special Mobile Equipment is used	0	Unsharable
Identification Supplement	TOWED_VEHICLE_DESCRIP TION	VARCHAR2(60)		0	Unsharable
Identification Supplement	TOWED_VEHICLE_LOAD	VARCHAR2(45)	Describe what kind of load was being carried in towed vehicle	0	Unsharable
Identification Supplement	TOWING_VEHICLE_VIN	VARCHAR2(17)	Serial number of the towing vehicle	32	Vehicle Identification Number
Identification Supplement	VEHICLE_NO_OF_TIRES	VARCHAR2(60)		0	Unsharable
Identification Supplement	VEHICLE_TIRE_SIZE	VARCHAR2(60)		0	Unsharable
Identification Supplement	WIDTH	VARCHAR2(6)	The width of the vehicle at its widest point	0	Unsharable
Initiating Event	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Initiating Event	INITIATING_EVENT_CODE	VARCHAR2(5)	Unique code identifying each initiating event	0	Unsharable
Insurance Company	INSURANCE_COMPANY	VARCHAR2(40)	Name of Insurance Company.	1508	Organization Name
Inventory	DESCRIPTION_CODE	VARCHAR2(10)	Code uniquely identifying an inventory item	0	Unsharable
Inventory	DONATION_PERCENT	NUMBER(3,2)	The percentage of the price of the item that was paid with Donated money	0	Unsharable
Inventory	EMP_EMPL_NO	NUMBER(8)		35	Identified Person SID Number

 $5040\01\northdakota(mdb)$ B - 27 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Inventory	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Inventory	FEDERAL_FUND_PERCENT	NUMBER(3,2)	The percentage of the price of the item that was paid with Federal Fund money	0	Unsharable
Inventory	GENERAL_FUND_PERCENT	NUMBER(3,2)	The percentage of the price of the item that was paid with General Fund money	0	Unsharable
Inventory	ISSUE_DATE	DATE	Date that the item was issued to the current holder of the item	0	Unsharable
Inventory	PASSTHRU_PERCENT	NUMBER(3,2)	The percentage of the price of the item that was paid with Passthru money	0	Unsharable
Inventory	PO_ISSUED_DATE	DATE		0	Unsharable
Inventory	PO_NO	VARCHAR2(8)	The number from the purchase order used to buy the item	0	Unsharable
Inventory	PREVIOUS_ISSUED_DATE	DATE	Date that the item was issued to the previous holder of the item	0	Unsharable
Inventory	PRICE	NUMBER(9,2)		0	Unsharable
Inventory	PROPERTY_NO	VARCHAR2(6)		0	Unsharable
Inventory	SERIAL_NO_1	VARCHAR2(20)	Serial number for the item	314	Other Property Serial Number
Inventory	SERIAL_NO_2	VARCHAR2(20)		314	Other Property Serial Number
Inventory	SERIAL_NO_3	VARCHAR2(20)		314	Other Property Serial Number
Inventory	SPECIAL_FUND_PERCENT	NUMBER(3,2)	The percentage of the price of the item that was paid with Special Fund money	0	Unsharable
Inventory	STATUS_CODE	VARCHAR2(5)	Current status of item	0	Unsharable
Inventory	STATUS_DATE	DATE	The date that the item's status became current	0	Unsharable
Inventory	VENDOR_CODE	VARCHAR2(6)		0	Unsharable
Inventory Description	DESCRIPTION_150	VARCHAR2(150)		0	Unsharable
Inventory Description	DESCRIPTION_CODE	VARCHAR2(10)	Code uniquely identifying an inventory item	0	Unsharable
Invoice	CURRENT_AMT	NUMBER(9,2)	Amount due for the current billing.	0	Unsharable
Invoice	INVOICE_DATE	DATE		0	Unsharable
Invoice	INVOICE_NO	NUMBER(10)	Sequence number of invoice for a specific year.	0	Unsharable
Invoice	PREVIOUS_AMT	NUMBER(9,2)	Amount due from the previous billing.	0	Unsharable
Involvement	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable

5040\01\northdakota(mdb) B - 28 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Involvement	INVOLVEMENT_CODE	NUMBER(3)	This code describes what type of involvement the person has in an Incident/Case	74	Incident Person Type Code
Involvement	OBSOLETE	CHAR(1)		0	Unsharable
License Class	CLASS_CODE	CHAR(1)	Unique code assigned to each drivers license class	0	Unsharable
License Class	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable
License Status	DESCRIPTION_20	VARCHAR2(20)		221	Person Driver License Non- CDL Status Code
License Status	LICENSE_STATUS_CODE	VARCHAR2(2)		221	Person Driver License Non- CDL Status Code
Location Schedule	COURSE_NO	VARCHAR2(6)		0	Unsharable
Location Schedule	LOCATION_CODE	VARCHAR2(10)		465	Location Sequence Number
Location Schedule	LOCATION_SCHEDULE_EN D	DATE		0	Unsharable
Location Schedule	LOCATION_SCHEDULE_ST ART	DATE		0	Unsharable
Location Schedule	NON_TRAINING_USAGE	VARCHAR2(50)	If the room/ location is not used for training, describes what it was used for	0	Unsharable
Location Schedule	SCHEDULED_START	DATE		0	Unsharable
Main District	MAIN_DISTRICT_DESC	VARCHAR2(20)	Name of the district	112	Agency District Code
Main District	MAIN_DISTRICT_NO	NUMBER(1)		112	Agency District Code
MCMIS ICC No	MCMIS_ICC_NO	CHAR(10)	ICC number from MCMIS	0	Unsharable
MCMIS ICC No	MCMIS_USDOT_NO	NUMBER(7)	US Department of Transportation census record number	0	Unsharable
MESSAGES	MSGBUTTON	VARCHAR2(12)		0	Unsharable
MESSAGES	MSGDEFAULTBUTTON	NUMBER(5)		0	Unsharable
MESSAGES	MSGICON	VARCHAR2(17)		0	Unsharable
MESSAGES	MSGID	VARCHAR2(40)		0	Unsharable
MESSAGES	MSGPRINT	CHAR(1)		0	Unsharable
MESSAGES	MSGSEVERITY	NUMBER(5)		0	Unsharable
MESSAGES	MSGTEXT	VARCHAR2(255)		0	Unsharable

5040\01\northdakota(mdb) B - 29 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
MESSAGES	MSGTITLE	VARCHAR2(255)		0	Unsharable
MESSAGES	MSGUSERINPUT	CHAR(1)		0	Unsharable
Mobile Home Supplement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Mobile Home Supplement	EXPIRATION_DATE	DATE	Date that the permit expires	0	Unsharable
Mobile Home Supplement	HEIGHT	VARCHAR2(6)		13	Incident Person Height Number
Mobile Home Supplement	INSURANCE_COMPANY_NA ME	VARCHAR2(25)		1508	Organization Name
Mobile Home Supplement	INSURANCE_POLICY_NO	VARCHAR2(17)		342	Person Insurance Policy Number
Mobile Home Supplement	LAST_UPDATE_USERID	VARCHAR2(8)		0	Unsharable
Mobile Home Supplement	LENGTH	VARCHAR2(6)		0	Unsharable
Mobile Home Supplement	MOBILE_HOME_NO	VARCHAR2(7)	Unique number assigned to the Mobile Home movement permit	0	Unsharable
Mobile Home Supplement	PERMIT_NO	NUMBER(10)	Sequence number of permit for a specific year	0	Unsharable
Mobile Home Supplement	PROCESS_DATE	DATE		0	Unsharable
Mobile Home Supplement	TOWING_VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Mobile Home Supplement	WIDTH	VARCHAR2(6)		0	Unsharable
Motor Carrier	ALTERNATE_NAME	VARCHAR2(55)	Any name identifying the company other than the legal name.	0	Unsharable
Motor Carrier	LEGAL_NAME	VARCHAR2(55)	Legal Name for the carrier	1508	Organization Name
Motor Carrier	MAILING_ADDRESS_CITY	VARCHAR2(25)		1	City Name
Motor Carrier	MAILING_ADDRESS_STATE	CHAR(2)		2	State/Province/Country Code
Motor Carrier	MAILING_ADDRESS_STREE T	VARCHAR2(30)		430	Street Name
Motor Carrier	MAILING_ADDRESS_ZIPCO DE	VARCHAR2(9)		4	Address Postal Code
Motor Carrier	MCMIS_USDOT_NO	NUMBER(7)	US Department of Transportation census record number	0	Unsharable
Motor Carrier	PHYSICAL_ADDRESS_CITY	VARCHAR2(25)		1	City Name
Motor Carrier	PHYSICAL_ADDRESS_STAT E	CHAR(2)		2	State/Province/Country Code

5040\01\northdakota(mdb) B - 30 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Motor Carrier	PHYSICAL_ADDRESS_STRE ET	VARCHAR2(30)		430	Street Name
Motor Carrier	PHYSICAL_ADDRESS_ZIPC ODE	VARCHAR2(9)		4	Address Postal Code
Ordered Item	DESCRIPTION_CODE	VARCHAR2(10)	Code uniquely identifying an inventory item	0	Unsharable
Ordered Item	DONATION_PERCENT	NUMBER(3,2)		0	Unsharable
Ordered Item	FEDERAL_FUND_PERCENT	NUMBER(3,2)		0	Unsharable
Ordered Item	GENERAL_FUND_PERCENT	NUMBER(3,2)		0	Unsharable
Ordered Item	PASSTHRU_PERCENT	NUMBER(3,2)		0	Unsharable
Ordered Item	PRICE	NUMBER(9,2)		0	Unsharable
Ordered Item	PURCHASE_ORDER_NO	VARCHAR2(8)		0	Unsharable
Ordered Item	SEQUENCE_NO	NUMBER(3)	Used to identify what order the items appear on purchase order	0	Unsharable
Ordered Item	SPECIAL_FUND_PERCENT	NUMBER(3,2)		0	Unsharable
Other Characteristic	CHARACTERISTIC_CODE	CHAR(1)	Unique identifier for other characteristic of person	0	Unsharable
Other Characteristic	DESCRIPTION	VARCHAR2(10)		0	Unsharable
Other Characteristic	OBSOLETE	CHAR(1)		0	Unsharable
Other Traffic	CODE	CHAR(1)	Unique identifier for other traffic description	0	Unsharable
Other Traffic	DESCRIPTION	VARCHAR2(15)	Description of other traffic	0	Unsharable
Other Traffic	OBSOLETE	CHAR(1)		0	Unsharable
Owner Towing Vehicle	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Owner Towing Vehicle	LISCENSED_GROSS_WEIGH T	VARCHAR2(24)		0	Unsharable
Owner Towing Vehicle	STATE	VARCHAR2(2)		2	State/Province/Country Code
Owner Towing Vehicle	TOWING_VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Owner Towing Vehicle	UNIT_NO	VARCHAR2(8)	This is an identification number assigned by the owner	0	Unsharable
Owner Towing Vehicle	VEHICLE_NO	NUMBER(10)		0	Unsharable
Owner Towing Vehicle	VEHICLE_TYPE	VARCHAR2(13)		30	Vehicle Type Code
Payment Index	AMOUNT_PAID	NUMBER(9,2)		0	Unsharable
5040\01\northdakota(mdb	b)		B - 31 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Payment Index	DATE_PAID	DATE	The date that the bill was paid	0	Unsharable
Payment Index	FISCAL_YEAR	NUMBER(4)	Indicates in which fiscal year the payment took place	0	Unsharable
Payment Index	INDEX_SEQUENCE_NO	NUMBER(4)	Sequence number assigned to the documents based on the fiscal year	0	Unsharable
Payment Index	PAYEE	VARCHAR2(50)		823	Person Name Complete Name
Payment Method	AMOUNT	NUMBER(9,2)		0	Unsharable
Payment Method	BANK_ACCOUNT_ID	NUMBER(4)		0	Unsharable
Payment Method	CATEGORY_CODE	NUMBER(2)		572	Incident Activity Code
Payment Method	CHECK_NO	VARCHAR2(10)		0	Unsharable
Payment Method	DEPOSIT_DATE	DATE		0	Unsharable
Payment Method	DEPOSIT_NO	NUMBER(2)		0	Unsharable
Payment Method	DISTRIBUTION_DATE	DATE		0	Unsharable
Payment Method	PAYMENT_METHOD	CHAR(1)		0	Unsharable
Payment Method	PAYMENT_NO	NUMBER(1)		0	Unsharable
Payment Method	RECEIPT_NO	NUMBER(10)		0	Unsharable
Payment Method	REVENUE_DATE	DATE		0	Unsharable
Payment Method	SUBCATEGORY	CHAR(1)		0	Unsharable
Permit	BEGIN_TIME	DATE		0	Unsharable
Permit	BRIDGE_LENGTH_FEET	NUMBER(3)		0	Unsharable
Permit	BRIDGE_LENGTH_INCHES	NUMBER(2)		0	Unsharable
Permit	COMPANY_NO	NUMBER(2)		1510	Organization ID Number
Permit	CONTESTED_FLAG	CHAR(1)		0	Unsharable
Permit	COUNTY_NO	NUMBER(2)		47	County Code
Permit	COVERAGE	VARCHAR2(30)		0	Unsharable
Permit	DESCRIPTION_OF_LOAD	VARCHAR2(50)		0	Unsharable
Permit	END_TIME	DATE		0	Unsharable
Permit	ESCORT_HOURS	NUMBER(2)		0	Unsharable
Permit	ESCORT_MILES	NUMBER(3)		0	Unsharable
Permit	EXPIRATION_DATE	DATE		0	Unsharable

5040\01\northdakota(mdb) B - 32 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Permit	EXPIRATION_TEXT	VARCHAR2(20)		0	Unsharable
Permit	FAX_ACCT_NO	VARCHAR2(20)		0	Unsharable
Permit	FAX_LOCATION	VARCHAR2(50)		0	Unsharable
Permit	FAX_NO	VARCHAR2(10)		41	Telephone Number
Permit	GROSS_VEHICLE_WEIGHT	NUMBER(6)		0	Unsharable
Permit	HEIGHT_FEET_LOAD	NUMBER(2)		0	Unsharable
Permit	HEIGHT_INCHES_LOAD		NUMBER(2)	0	Unsharable
Permit	HEIGHT_LEGAL		CHAR(1)	0	Unsharable
Permit	HIGHWAY	NUMBER(4)		430	Street Name
Permit	HWY_SUFFIX	CHAR(1)		0	Unsharable
Permit	INSURED_BY	VARCHAR2(40)		1508	Organization Name
Permit	LENGTH_FEET	NUMBER(2)		0	Unsharable
Permit	LENGTH_INCHES	NUMBER(2)		0	Unsharable
Permit	LENGTH_LEGAL	CHAR(1)		0	Unsharable
Permit	MILEPOINT	NUMBER(5,2)	Milepoint of the Highway where they were overloaded	0	Unsharable
Permit	MINIMUM_CHECK	CHAR(1)		0	Unsharable
Permit	MOVEMENT_FROM	VARCHAR2(50)		0	Unsharable
Permit	MOVEMENT_TO	VARCHAR2(50)		0	Unsharable
Permit	ORIGINAL_OVERLOAD_AM OUNT	NUMBER(8,2)		0	Unsharable
Permit	OVER_WEIGHT	CHAR(1)		0	Unsharable
Permit	OVERHANG_FRONT_FEET	NUMBER(2)		0	Unsharable
Permit	OVERHANG_FRONT_INCHE S	NUMBER(2)		0	Unsharable
Permit	OVERHANG_REAR_FEET	NUMBER(2)		0	Unsharable
Permit	OVERHANG_REAR_INCHES	NUMBER(2)		0	Unsharable
Permit	OVERLIMIT	VARCHAR2(2)		0	Unsharable
Permit	OVERLOAD_NARRATIVE	VARCHAR2(360)		0	Unsharable
Permit	OWNER_OF_LOAD	VARCHAR2(40)		0	Unsharable

5040\01\northdakota(mdb) B - 33 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Permit	PERMIT_NO	NUMBER(10)		0	Unsharable
Permit	POUNDS_OVER	NUMBER(6)		0	Unsharable
Permit	RECEIPT_NO	NUMBER(10)		0	Unsharable
Permit	ROAD_TYPE HP	CHAR(1)		454	Accident Surface Condition Code
Permit	SEASONAL_TYPE	NUMBER(2)		0	Unsharable
Permit	TEMPORARY_LICENSE_NO	VARCHAR2(15)		0	Unsharable
Permit	TOTAL_NO_OF_AXLES	NUMBER(2)		0	Unsharable
Permit	TRAILER_LICENSE_NO	VARCHAR2(9)		0	Unsharable
Permit	TRAILER_MAKE	VARCHAR2(12)		0	Unsharable
Permit	TRAILER_STATE	VARCHAR2(2)		0	Unsharable
Permit	TRAILER_VIN	VARCHAR2(17)		0	Unsharable
Permit	TRAILER_YEAR	NUMBER(4)		0	Unsharable
Permit	VALIDATION_NO	VARCHAR2(10)	Validation Number if a permit needs to change.	0	Unsharable
Permit	VEHICLE_NO	NUMBER(10)		0	Unsharable
Permit	WIDTH_FEET	NUMBER(2)		0	Unsharable
Permit	WIDTH_INCHES	NUMBER(2)		0	Unsharable
Permit	WIDTH_LEGAL	CHAR(1)		0	Unsharable
Permit Movement	AM_ONLY	CHAR(1)		0	Unsharable
Permit Movement	MOVEMENT_DATE	DATE		0	Unsharable
Permit Movement	PERMIT_NO	NUMBER(10)		0	Unsharable
Permit Requirement	AXLE_WEIGHT	NUMBER(6)		0	Unsharable
Permit Requirement	FRONT_PILOT_CAR	CHAR(1)	Indicator to specify whether or not a front pilot car is required.	0	Unsharable
Permit Requirement	PERMIT_NO	NUMBER(10)		0	Unsharable
Permit Requirement	REAR_PILOT_CAR	CHAR(1)		0	Unsharable
Permit Requirement	REQUIREMENT_ID	NUMBER(2)	Requirement for the permit.	0	Unsharable
Permit Requirement	SPEED	VARCHAR2(50)		0	Unsharable
Permit Requirement Type	FRONT_REAR_REQUIRED	CHAR(1)		0	Unsharable

5040\01\northdakota(mdb) B - 34 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Permit Requirement Type	REQUIREMENT_DESC	VARCHAR2(70)		0	Unsharable
Permit Requirement Type	REQUIREMENT_ID	NUMBER(2)		0	Unsharable
Permit Requirement Type	SPEED_REQUIRED	CHAR(1)		0	Unsharable
Permit Requirement Type	WEIGHT_REQUIRED	CHAR(1)		0	Unsharable
Permit Service Company	COMPANY_NAME	VARCHAR2(30)		1508	Organization Name
Permit Service Company	COMPANY_NO	NUMBER(2)		1510	Organization ID Number
Person Build	BUILD_CODE	CHAR(1)		0	Unsharable
Person Build	DESCRIPTION	VARCHAR2(10)		0	Unsharable
Person Build	OBSOLETE	CHAR(1)		0	Unsharable
Police Unit Type	DESCRIPTION_30	VARCHAR2(30)		0	Unsharable
Police Unit Type	POLICE_UNIT_CODE	VARCHAR2(2)		0	Unsharable
Preprinted Citation	CITATION_NO	NUMBER(8)		134	Citation Number
Preprinted Citation	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Preprinted Citation	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Purchase Order	AMOUNT_PAID	NUMBER(9,2)	Total amount actually paid for the bill	0	Unsharable
Purchase Order	DATE_PAID	DATE		0	Unsharable
Purchase Order	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Purchase Order	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Purchase Order	INVOICE_NO	VARCHAR2(15)		0	Unsharable
Purchase Order	PO_ISSUED_AMOUNT	NUMBER(9,2)		0	Unsharable
Purchase Order	PO_ISSUED_DATE	DATE		0	Unsharable
Purchase Order	PURCHASE_ORDER_NO	VARCHAR2(8)		0	Unsharable
Purchase Order	VENDOR_CODE	VARCHAR2(6)		0	Unsharable
Pursuit	AGENCY_CODE	VARCHAR2(3)		19	Agency ORI Number
Pursuit	ARREST_NARR	VARCHAR2(50)		0	Unsharable
Pursuit	DISTANCE	NUMBER(3)	Total number of miles involved in the pursuit	0	Unsharable
Pursuit	DOCUMENT_NO	NUMBER(10)	_	1701	Law Enforcement Case Number
Pursuit	DURATION	NUMBER(2)	Length of the pursuit in minutes	0	Unsharable
Pursuit	ENDING_LOCATION	VARCHAR2(30)		465	Location Sequence Number
Pursuit	INITIATING_EVENT_NARR	VARCHAR2(50)		0	Unsharable
5040\01\northdakota(mdb)		B - 35 (HP)		Version 2.0

5040\01\northdakota(mdb) B - 35 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Pursuit	NO_PASSENGERS	NUMBER(2)	Number of passengers in the suspect vehicle	0	Unsharable
Pursuit	OFFICER_INJURY	CHAR(1)	Indicates the extent of any injury to the officer	0	Unsharable
Pursuit	OTHER_DAMAGE	NUMBER(9,2)	Amount of damage to the other property	0	Unsharable
Pursuit	OTHER_INJURY	CHAR(1)		0	Unsharable
Pursuit	OTHER_MOTORIST_INVOL VED	CHAR(1)		0	Unsharable
Pursuit	PASSENGER_INJURY	CHAR(1)		93	Incident Victim Injury Code
Pursuit	PATROL_UNIT_INVOLVED	CHAR(1)	Indicates whether a patrol unit was involved in a crash	0	Unsharable
Pursuit	PEDESTRIAN_INJURY	CHAR(1)		680	Incident Victim Injury Number
Pursuit	PEDESTRIAN_INVOLVED	CHAR(1)		0	Unsharable
Pursuit	POLICE_SPEED	NUMBER(3)	Maximum speed attained by the police vehicle	0	Unsharable
Pursuit	PURSUIT_DATE_TIME	DATE		0	Unsharable
Pursuit	PURSUIT_NO	NUMBER(8)	Unique number assigned to each pursuit	37	Incident Number
Pursuit	PURSUIT_VEH_DAMAGE	(9,2)	Amount of damage to the pursuit vehicle	0	Unsharable
Pursuit	STARTING_LOCATION	VARCHAR2(30)	Location where the pursuit was initiated	465	Location Sequence Number
Pursuit	SUPERVISOR_COMMENTS	VARCHAR2(100)		0	Unsharable
Pursuit	SUPERVISOR_INVOLVEME NT	CHAR(1)	Indicates the level of involvement the officer had in the pursuit	0	Unsharable
Pursuit	SUSPECT_SPEED	NUMBER(3)	Maximum speed attained by the suspect vehicle	392	Citation Actual Speed Number
Pursuit	SUSPECT_VEH_DAMAGE	(9,2)	Amount of damage to the suspect vehicle	0	Unsharable
Pursuit	SUSPECT_VEHICLE_INVOL VED	CHAR(1)	Indicates whether the suspect vehicle was involved in a crash	0	Unsharable
Pursuit	TERMINATING_EVENT_NA RR	VARCHAR2(50)		0	Unsharable
Pursuit	VEHICLE_NO	NUMBER(10)		0	Unsharable
Pursuit	VEHICLE_TYPE_CODE	VARCHAR2(2)		30	Vehicle Type Code
Pursuit	VIOLATOR_ID	CHAR(1)	Indicates if the identity of the violator is know at the time of the pursuit	0	Unsharable
Pursuit	VIOLATOR_INJURY	CHAR(1)		0	Unsharable

5040\01\northdakota(mdb) B - 36 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Pursuit Arrest	ARREST_CODE	VARCHAR2(3)		99	Arrest Type Code
Pursuit Arrest	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Initiation	INITIATING_EVENT_CODE	VARCHAR2(5)		0	Unsharable
Pursuit Initiation	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Involvement	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Pursuit Involvement	INVOLVEMENT_CODE	NUMBER(3)		74	Incident Person Type Code
Pursuit Involvement	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Officer	AGENCY_CODE	VARCHAR2(3)		19	Agency ORI Number
Pursuit Officer	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Pursuit Officer	LEVEL_OF_INV	CHAR(1)		0	Unsharable
Pursuit Officer	POLICE_UNIT_CODE	VARCHAR2(2)	Unique code identifying each type of police unit	0	Unsharable
Pursuit Officer	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Officer	PURSUIT_OFFICER_NO	NUMBER(2)		510	Law Enforcement Officer Number
Pursuit Road Type	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Road Type	ROAD_TYPE_CODE	VARCHAR2(3)		454	Accident Surface Condition Code
Pursuit Termination	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Termination	TERM_EVENT_CODE	VARCHAR2(5)		0	Unsharable
Pursuit Traffic Condition	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Traffic Condition	TRAFFIC_COND_CODE	VARCHAR2(3)		1726	Citation Traffic Code
Pursuit Weather Condition	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pursuit Weather Condition	WEATHER_COND_CODE	VARCHAR2(3)		449	Accident Weather Condition Code
Pusuit Road Condition	PURSUIT_NO	NUMBER(8)		37	Incident Number
Pusuit Road Condition	ROAD_COND_CODE	VARCHAR2(3)		454	Accident Surface Condition Code
Race	DESCRIPTION_10	VARCHAR2(10)		21	Person Race Code
Race	RACE_CODE	CHAR(1)	Unique code given to a specific race	21	Person Race Code
5040\01\northdakota(mdb)		B - 37 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Radar Certification	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Radar Certification	RADAR_UNIT_CD	VARCHAR2(10)		0	Unsharable
Radar Certification	SCHEDULE_DATE	DATE		0	Unsharable
Radar Certification	TUNING_FORK_35MPH_NO	NUMBER(5)		0	Unsharable
Radar Certification	TUNING_FORK_65MPH_NO	NUMBER(5)		0	Unsharable
Radar Unit	RADAR_UNIT_CD	VARCHAR2(10)		0	Unsharable
Radar Unit	TUNING_FORK_A	NUMBER(5)		0	Unsharable
Radar Unit	TUNING_FORK_B	NUMBER(5)		0	Unsharable
Radar_Calibration	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Radar_Calibration	RADAR_UNIT_CD	VARCHAR2(10)		0	Unsharable
Radar_Calibration	SCHEDULE_DATE	DATE		0	Unsharable
Radar_Calibration	TIME_CALIBRATED	NUMBER(4)		0	Unsharable
Receipt	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Receipt	DATA_ENTRY_RECEIPT	CHAR(1)	Indicates whether or not this was a data entry receipt	0	Unsharable
Receipt	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Receipt	INVOICE_NO	NUMBER(10)		0	Unsharable
Receipt	PERMIT_NO	NUMBER(10)		0	Unsharable
Receipt	POA_RECEIPT_NO	NUMBER(10)		0	Unsharable
Receipt	PROCESS_DATE	DATE		0	Unsharable
Receipt	RECEIPT_DATE_TIME	DATE		0	Unsharable
Receipt	RECEIPT_NO	NUMBER(10)		0	Unsharable
Receipt	RECEIPT_STATUS	CHAR(1)		0	Unsharable
Receipt	REMARKS	VARCHAR2(360)		0	Unsharable
Receipt Fee	CATEGORY_CODE	NUMBER(2)		572	Incident Activity Code
Receipt Fee	QUANTITY	NUMBER(5)		0	Unsharable
Receipt Fee	RECEIPT_NO	NUMBER(10)		0	Unsharable
Receipt Fee	SUBCATEGORY A	CHAR(1)		0	Unsharable
Recovered Property	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
Recovered Property	DOCUMENT_NO	NUMBER(10)		1701	Law Enforcement Case Number

5040\01\northdakota(mdb) B - 38 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Recovered Property	EMPL_NO	NUMBER(8)		35	Identified Person SID Number
Recovered Property	FIRST_NAME	VARCHAR2(14)		302	Person Name First Name
Recovered Property	LAST_NAME	VARCHAR2(25)		304	Person Name Last Name
Recovered Property	LOCATION	VARCHAR2(50)	Location that the item was taken from	465	Location Sequence Number
Recovered Property	MIDDLE_INITIAL	CHAR(1)		303	Person Name Middle Name
Recovered Property	PROPERTY_DATE_TIME_IN	DATE		85	Incident Property Recovery Date/Time
Recovered Property	REC_PROPERTY_NO	NUMBER(8)	Unique number identifying each item of property that is collected	0	Unsharable
Recovered Property	RELEASE_DATE	DATE		0	Unsharable
Recovered Property	STORAGE_LOCATION	VARCHAR2(30)		465	Location Sequence Number
Recovered Property	VEHICLE_NO	NUMBER(10)		0	Unsharable
Reference Point	HIGHWAY	NUMBER(4)	Highway number on which the incident/violation occurred or for a permit	430	Street Name
Reference Point	HWY_SUFFIX	CHAR(1)		0	Unsharable
Reference Point	REF_POINT	NUMBER(6,3)		0	Unsharable
Registrant	BILL_PAID	DATE		0	Unsharable
Registrant	BILL_SENT	DATE		0	Unsharable
Registrant	CHECKED_IN	CHAR(1)		0	Unsharable
Registrant	CONFIRMATION_SENT	DATE		0	Unsharable
Registrant	CONFIRMED	DATE		0	Unsharable
Registrant	COURSE_NO	VARCHAR2(6)		0	Unsharable
Registrant	DATE_APP_RECEIVED	DATE		0	Unsharable
Registrant	DEPARTMENT	VARCHAR2(20)		382	Agency Department Name
Registrant	GENDER	CHAR(1)		23	Person Sex Code
Registrant	REQUESTED_ACCOMMODA TIONS	VARCHAR2(50)	Any special room arrangements needed such as specific room mate	0	Unsharable
Registrant	ROOM_NEEDED	CHAR(1)	Indicates if student needs a dorm room	0	Unsharable
Registrant	SCHEDULED_START	DATE		0	Unsharable
Registrant	SEAT_NO	NUMBER(3)		0	Unsharable

5040\01\northdakota(mdb) B - 39 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Registrant	STUDENT_SSN	NUMBER(9)		25	Person SSN Number
Relation_10500	COURSE_NO	VARCHAR2(6)		0	Unsharable
Relation_10501	SCHEDULED_START	DATE		0	Unsharable
Relation_10502	SCHEDULE_FEE_DESCRIPTI ON	VARCHAR2(30)		0	Unsharable
Relation_10503	REG_COURSE_NO	VARCHAR2(6)		0	Unsharable
Relation_10504	REG_SCHEDULED_START	DATE		0	Unsharable
Relation_10505	SEAT_NO	NUMBER(3)		0	Unsharable
Relation_8505	INSTRUCTOR_SSN	NUMBER(9)		25	Person SSN Number
Relation_8506	COURSE_NO	VARCHAR2(6)		0	Unsharable
Relation_8507	TRA_COURSE_NO	VARCHAR2(6)		0	Unsharable
Relation_8508	SCHEDULED_START	DATE		0	Unsharable
Relation_9839	COURSE_NO	VARCHAR2(6)		0	Unsharable
Relation_9840	SCHEDULED_START	DATE		0	Unsharable
Relation_9841	SEAT_NO	NUMBER(3)		0	Unsharable
Relation_9842	ROOM_NO	NUMBER(3)		0	Unsharable
Relation_9843	ROOM_SCHEDULE_START	DATE		0	Unsharable
Revenue Distribution	AMOUNT	NUMBER(9,2)		0	Unsharable
Revenue Distribution	CATEGORY_CODE	NUMBER(2)		572	Incident Activity Code
Revenue Distribution	CHECK_NO	VARCHAR2(10)		0	Unsharable
Revenue Distribution	DESCRIPTION_250	VARCHAR2(250)		0	Unsharable
Revenue Distribution	DISTRIBUTION_DATE_TIME	DATE		0	Unsharable
Revenue Distribution	DISTRIBUTION_TYPE	CHAR(1)		0	Unsharable
Revenue Distribution	RECEIPT_NO	NUMBER(10)		0	Unsharable
Revenue Distribution	SUBCATEGORY A	CHAR(1)		0	Unsharable
Road Condition	DESCRIPTION_20	VARCHAR2(20)		454	Accident Surface Condition Code
Road Condition	ROAD_COND_CODE	VARCHAR2(3)		454	Accident Surface Condition Code
Road Type	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable

 $5040\01\northdakota(mdb)$ B - 40 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Road Type	ROAD_TYPE_CODE	VARCHAR2(3)		454	Accident Surface Condition Code
Roadway Type	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable
Roadway Type	ROADWAY_TYPE_CODE	VARCHAR2(3)		454	Accident Surface Condition Code
Safety Restraint	DESCRIPTION_20	VARCHAR2(20)		365	Accident Person Restraint Code
Safety Restraint	SAFETY_RESTRAINT_CODE	VARCHAR2(2)		365	Accident Person Restraint Code
Schedule Course Fee	AMOUNT	NUMBER(9,2)		0	Unsharable
Schedule Course Fee	COURSE_NO	VARCHAR2(6)		0	Unsharable
Schedule Course Fee	SCHEDULE_FEE_DESCRIPTI ON	VARCHAR2(30)		0	Unsharable
Schedule Course Fee	SCHEDULED_START	DATE		0	Unsharable
Schedule Status	SCHED_STATUS_CODE	VARCHAR2(2)		0	Unsharable
Schedule Status	SCHED_STATUS_DESC	VARCHAR2(35)		0	Unsharable
Schedule Status	SCHED_STATUS_SYSTEM_I ND	CHAR(1)		0	Unsharable
School	ABBREVIATION	VARCHAR2(5)		0	Unsharable
School	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
School	SCHOOL_CODE	VARCHAR2(2)		0	Unsharable
Seasonal Load	SEASONAL_LOAD_TYPE	VARCHAR2(25)		0	Unsharable
Seasonal Permit	AXLE_WEIGHTS	VARCHAR2(60)		0	Unsharable
Seasonal Permit	AXLES	VARCHAR2(60)		0	Unsharable
Seasonal Permit	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
Seasonal Permit	EXPIRATION_DATE	DATE		0	Unsharable
Seasonal Permit	HEIGHT	VARCHAR2(6)		13	Incident Person Height Number
Seasonal Permit	INSURANCE_COMPANY_NA ME	VARCHAR2(25)		1508	Organization Name
Seasonal Permit	INSURANCE_POLICY_NO	VARCHAR2(17)		342	Person Insurance Policy Number
Seasonal Permit	LAST_UPDATE_USERID	VARCHAR2(8)		0	Unsharable
Seasonal Permit	LENGTH	VARCHAR2(6)		0	Unsharable
Seasonal Permit	OVERHANG_FRONT_FEET	NUMBER(2)		0	Unsharable
5040\01\northdakota(md	lh)		R - 41 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Seasonal Permit	OVERHANG_FRONT_INCHE S	NUMBER(2)		0	Unsharable
Seasonal Permit	OVERHANG_REAR_FEET	NUMBER(2)		0	Unsharable
Seasonal Permit	OVERHANG_REAR_INCHES	NUMBER(2)		0	Unsharable
Seasonal Permit	PERMIT_NO	NUMBER(10)		0	Unsharable
Seasonal Permit	PROCESS_DATE	DATE		0	Unsharable
Seasonal Permit	SEASONAL_LOAD_TYPE	VARCHAR2(25)		0	Unsharable
Seasonal Permit	SEASONAL_PERMIT_NO	VARCHAR2(7)		0	Unsharable
Seasonal Permit	SPECIAL_PROVISIONS	VARCHAR2(210)		0	Unsharable
Seasonal Permit	TOTAL_WEIGHT	VARCHAR2(25)		0	Unsharable
Seasonal Permit	TOWED_VEHICLE_MAKE	VARCHAR2(25)		27	Vehicle Make Code
Seasonal Permit	TOWING_VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Seasonal Permit	TRAILER_VIN	VARCHAR2(17)		0	Unsharable
Seasonal Permit	VEHICLE_NO_OF_TIRES	VARCHAR2(60)		0	Unsharable
Seasonal Permit	VEHICLE_TIRE_SIZE	VARCHAR2(60)		0	Unsharable
Seasonal Permit	WIDTH	VARCHAR2(6)		0	Unsharable
Seasonal Type	DESCRIPTION	VARCHAR2(50)		0	Unsharable
Seasonal Type	OBSOLETE	CHAR(1)		0	Unsharable
Seasonal Type	SEASONAL_TYPE	NUMBER(2)		0	Unsharable
Secure Inventory	AVERAGE_PRICE	NUMBER(9,2)		0	Unsharable
Secure Inventory	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
Secure Inventory	INVENTORY_CODE	VARCHAR2(20)		0	Unsharable
Secure Inventory	QUANTITY_ON_HAND	NUMBER(5)		0	Unsharable
Secure Inventory	REORDER_QUANTITY	NUMBER(3)		0	Unsharable
Secure Inventory	WORTH	NUMBER(9,2)		0	Unsharable
Secure Inventory Transaction	DISTRICT_NO	NUMBER(2)		112	Agency District Code
Secure Inventory Transaction	EMPL_NO	NUMBER(8)		0	Unsharable

5040\01\northdakota(mdb) B - 42 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Secure Inventory Transaction	INVENTORY_CODE	VARCHAR2(20)		0	Unsharable
Secure Inventory Transaction	PURCHASE_PRICE	NUMBER(9,2)		0	Unsharable
Secure Inventory Transaction	PURCHASE_QUANTITY	NUMBER(5)		0	Unsharable
Secure Inventory Transaction	PURCHASE_WORTH	NUMBER(9,2)		0	Unsharable
Secure Inventory Transaction	QUANTITY	NUMBER(5)		0	Unsharable
Secure Inventory Transaction	SOURCE	VARCHAR2(10)		0	Unsharable
Secure Inventory Transaction	TRANSACTION_DATE_TIM E	DATE		0	Unsharable
Secure Inventory Transaction	WORTH	NUMBER(9,2)		0	Unsharable
Secured Admin Group	ADMIN_GROUP_CODE	VARCHAR2(25)		0	Unsharable
Secured Admin Group	ADMIN_GROUP_DESCRIPTI ON	VARCHAR2(80)		0	Unsharable
Secured Group	GROUP_CODE	VARCHAR2(25)		0	Unsharable
Secured Group	GROUP_CODE_PARENT	VARCHAR2(25)		0	Unsharable
Secured Group	GROUP_DESCRIPTION_80	VARCHAR2(80)		0	Unsharable
Secured Group Employees	EMPL_NO	NUMBER(8)		0	Unsharable
Secured Group Employees	GROUP_CODE	VARCHAR2(25)		0	Unsharable
Security Groupings	GROUP_NAME	VARCHAR2(16)		0	Unsharable
Security Groupings	USER_NAME	VARCHAR2(16)		0	Unsharable
Security User Admin Group	ADMIN_GROUP_CODE	VARCHAR2(25)		0	Unsharable
Security User Admin Group	NAME	VARCHAR2(16)		0	Unsharable

5040\01\northdakota(mdb) B - 43 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Security User Secured Group	GROUP_CODE	VARCHAR2(25)		0	Unsharable
Security User Secured Group	NAME	VARCHAR2(16)		0	Unsharable
Security_Apps	APPLICATION	VARCHAR2(32)		0	Unsharable
Security_Apps	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Security_Info	APPLICATION	VARCHAR2(32)		0	Unsharable
Security_Info	CONTROL	VARCHAR2(64)		0	Unsharable
Security_Info	NAME	VARCHAR2(16)		0	Unsharable
Security_Info	STATUS	CHAR(1)		0	Unsharable
Security_Info	WINDOW	VARCHAR2(64)		0	Unsharable
SECURITY_MENU_INF O	APPLICATION	VARCHAR2(32)		0	Unsharable
SECURITY_MENU_INF O	MENU_BAR_TEXT	VARCHAR2(64)		0	Unsharable
SECURITY_MENU_INF O	MENU_ITEM_TEXT	VARCHAR2(64)		0	Unsharable
SECURITY_MENU_INF O	NAME	VARCHAR2(16)		0	Unsharable
SECURITY_MENU_INF O	STATUS	CHAR(1)		0	Unsharable
SECURITY_MENU_TM PL	APPLICATION	VARCHAR2(32)		0	Unsharable
SECURITY_MENU_TM PL	MENU_BAR_TEXT	VARCHAR2(64)		0	Unsharable
SECURITY_MENU_TM PL	MENU_ITEM_TEXT	VARCHAR2(64)		0	Unsharable
SECURITY_TEMPLATE	APPLICATION	VARCHAR2(32)		0	Unsharable
SECURITY_TEMPLATE	CONTROL	VARCHAR2(64)		0	Unsharable
SECURITY_TEMPLATE	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
SECURITY_TEMPLATE	OBJECT_TYPE	VARCHAR2(24)		0	Unsharable
SECURITY_TEMPLATE		VARCHAR2(64)		0	Unsharable
5040\01\northdakota(mdb))		B - 44 (HP)		Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
SECURITY_USERS	DESCRIPTION	VARCHAR2(32)		0	Unsharable
SECURITY_USERS	NAME	VARCHAR2(16)		0	Unsharable
SECURITY_USERS	PASSWORD_LAST_CHANGE D	DATE		0	Unsharable
SECURITY_USERS	PRIORITY	NUMBER(5)		0	Unsharable
SECURITY_USERS	SEQUENCE_NUMBER	NUMBER(10)		0	Unsharable
SECURITY_USERS	TABLE_NAME	VARCHAR2(40)		0	Unsharable
SECURITY_USERS	USER_TYPE	NUMBER(5)		0	Unsharable
Shift Code	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Shift Code	SHIFT_CODE	VARCHAR2(4)		0	Unsharable
Single Trip Movement 927	PERMIT_NO_927	NUMBER(6)		0	Unsharable
Single Trip Movement 927A	CATEGORY_927A	NUMBER(1)		0	Unsharable
Single Trip Movement 927A	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	0	Unsharable
Single Trip Movement 927A	DATE_DISTRIBUTED	DATE		0	Unsharable
Single Trip Movement 927A	DIVISIBLE_LOAD	CHAR(1)		0	Unsharable
Single Trip Movement 927A	PERMIT_NO_927A	NUMBER(6)		0	Unsharable
Single Trip Movement 927A	PROCESS_DATE	DATE		0	Unsharable
Single Trip Movement 927B	CATEGORY_927B	NUMBER(1)	A category used to report what type of permit was issued	0	Unsharable
Single Trip Movement 927B	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	0	Unsharable
Single Trip Movement 927B	DATE_DISTRIBUTED	DATE		0	Unsharable
Single Trip Movement 927B	DIVISIBLE_LOAD	CHAR(1)		0	Unsharable

5040\01\northdakota(mdb) B - 45 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Single Trip Movement 927B	GROSS_VEHICLE_WEIGHT	NUMBER(6)		0	Unsharable
Single Trip Movement 927B	ID_SUPPLEMENT_NO	CHAR(7)		0	Unsharable
Single Trip Movement 927B	IDE_CONTACT_NO	NUMBER(10)		0	Unsharable
Single Trip Movement 927B	PERMIT_NO_927B	NUMBER(6)		0	Unsharable
Single Trip Movement 927B	PROCESS_DATE	DATE		0	Unsharable
Single Trip Movement 927B	TOWING_VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Single Trip Movement 928	TOWING_VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Single Trip Movement 929	ID_SUPPLEMENT_NO	CHAR(7)		0	Unsharable
Single Trip Movement 930	DATE_DISTRIBUTED	DATE		0	Unsharable
Single Trip Movement 931	PROCESS_DATE	DATE		0	Unsharable
Single Trip Movement 932	CATEGORY_927	NUMBER(1)	A category used to report what type of permit was issued	0	Unsharable
Single Trip Movement 933	GROSS_VEHICLE_WEIGHT	NUMBER(6)		0	Unsharable
Single Trip Movement 934	LCV	CHAR(1)	Longer Combination Vehicle	0	Unsharable
Single Trip Movement 935	DIVISIBLE_LOAD	CHAR(1)		0	Unsharable
Single Trip Movement 936	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	0	Unsharable
Single Trip Movement 937	IDE_CONTACT_NO	NUMBER(10)		0	Unsharable

5040\01\northdakota(mdb) B - 46 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Single Trip Movement 940	PERMIT_NO_940	NUMBER(6)		0	Unsharable
Single Trip Movement 941	TOWING_VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Single Trip Movement 942	MOBILE_HOME_NO	VARCHAR2(7)		0	Unsharable
Single Trip Movement 943	DATE_DISTRIBUTED	DATE		0	Unsharable
Single Trip Movement 944	PROCESS_DATE	DATE		0	Unsharable
Single Trip Movement 945	CATEGORY_940	NUMBER(1)		0	Unsharable
Single Trip Movement 946	DIVISIBLE_LOAD	CHAR(1)		0	Unsharable
Single Trip Movement 947	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	0	Unsharable
Single Trip Movement 948	MOB_CONTACT_NO	NUMBER(10)		0	Unsharable
Single Trip Movement 949	CODE	CHAR(1)		0	Unsharable
Single Trip Movement 950	DESCRIPTION	VARCHAR2(5)		0	Unsharable
Single Trip Movement 951	OBSOLETE	CHAR(1)		0	Unsharable
Single Trip Movement 952	SME_TYPE_UNIT	VARCHAR2(30)	Describes what kind of Special Mobile Equipment is used	0	Unsharable
Single Trip Movement 953	PROGRAM_CODE	NUMBER(2)	Indicates the special program for which a citation was issued	0	Unsharable
Single Trip Movement 954	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Single Trip Movement 955	OBSOLETE	CHAR(1)		0	Unsharable

 $5040\01\northdakota(mdb)$ B - 47 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Single Trip Movement 956	COST_CENTER_CD	NUMBER(5)		0	Unsharable
Single Trip Movement 957	PROJECT_NO	NUMBER(7)		0	Unsharable
Single Trip Movement 958	START_ZONE	NUMBER(2)		0	Unsharable
Single Trip Movement 959	END_ZONE	NUMBER(2)		0	Unsharable
Single Trip Movement 960	START_SPEED	NUMBER(2)		0	Unsharable
Single Trip Movement 961	END_SPEED	NUMBER(3)		0	Unsharable
Single Trip Movement 962	BASE_FEE	NUMBER(2)		0	Unsharable
Single Trip Movement 963	EXTRA_FEE	NUMBER(3)		0	Unsharable
State	STATE	VARCHAR2(2)		2	State/Province/Country Code
State	STATE_NAME	VARCHAR2(15)		2	State/Province/Country Code
Student	ADDRESS	VARCHAR2(40)		1697	Address Complete Street Address
Student	CITY	VARCHAR2(20)		1	City Name
Student	DATE_OF_BIRTH	DATE		7	Person Birth Date/Time
Student	DEPARTMENT	VARCHAR2(20)		382	Agency Department Name
Student	EMERGENCY_CONTACT_N AME	VARCHAR2(30)		823	Person Name Complete Name
Student	EMERGENCY_CONTACT_P HONE	VARCHAR2(10)		41	Telephone Number
Student	FAX_NO	VARCHAR2(10)		41	Telephone Number
Student	FIRST_NAME	VARCHAR2(14)		302	Person Name First Name
Student	GENDER	CHAR(1)		23	Person Sex Code
Student	LAST_NAME	VARCHAR2(25)		304	Person Name Last Name
Student	MIDDLE_INITIAL	CHAR(1)		303	Person Name Middle Name

5040\01\northdakota(mdb) B - 48 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Student	PHONE_NO	VARCHAR2(10)		41	Telephone Number
Student	RANK	VARCHAR2(20)		0	Unsharable
Student	STATE	VARCHAR2(2)		2	State/Province/Country Code
Student	STUDENT_SSN	NUMBER(9)		25	Person SSN Number
Student	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
Sub Category	CATEGORY_CODE	NUMBER(4)		572	Incident Activity Code
Sub Category	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Sub Category	OBSOLETE	CHAR(1)		0	Unsharable
Sub Category	SUB_CATEGORY_CODE	NUMBER(4)		0	Unsharable
Subcategory Requirement	CATEGORY_CODE	NUMBER(2)		572	Incident Activity Code
Subcategory Requirement	COLUMN_NAME	VARCHAR2(30)		0	Unsharable
Subcategory Requirement	COLUMN_REQUIREMENT	CHAR(1)		0	Unsharable
Subcategory Requirement	DW_CLASS_NAME	VARCHAR2(30)	Datawindow control where the column is located.	0	Unsharable
Subcategory Requirement	SUBCATEGORY	CHAR(1)		0	Unsharable
Subject Matter	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
Subject Matter	SUBJECT_MATTER_CODE	VARCHAR2(3)		0	Unsharable
Terminating Event	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Terminating Event	TERM_EVENT_CODE	VARCHAR2(5)		0	Unsharable
Test Score	COURSE_NO	VARCHAR2(6)		0	Unsharable
Test Score	GRADE	NUMBER(3,2)		0	Unsharable
Test Score	STUDENT_SSN	NUMBER(9)		25	Person SSN Number
Test Score	TRAINING_DATE	DATE		0	Unsharable
Test Score	WEEK	NUMBER(1)		0	Unsharable
Towing Vehicle Type	VEHICLE_TYPE	VARCHAR2(13)		30	Vehicle Type Code
Traffic Condition	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable
Traffic Condition	TRAFFIC_COND_CODE	VARCHAR2(3)		1726	Citation Traffic Code
Training Category	ABBREVIATION	VARCHAR2(5)		0	Unsharable
Training Category	DESCRIPTION_20	VARCHAR2(20)		0	Unsharable

5040\01\northdakota(mdb) B - 49 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Training Category	TRAINING_CATEGORY_CO DE	CHAR(1)		0	Unsharable
Training Location	DESCRIPTION_50	VARCHAR2(50)		0	Unsharable
Training Location	LOCATION_CODE	VARCHAR2(10)		465	Location Sequence Number
Training Record	COURSE_NO	VARCHAR2(6)		0	Unsharable
Training Record	GRADE	NUMBER(3,2)		0	Unsharable
Training Record	PASS_FAIL	CHAR(1)		0	Unsharable
Training Record	STUDENT_SSN	NUMBER(9)		25	Person SSN Number
Training Record	TRAINING_DATE	DATE		0	Unsharable
Training Schedule	ACTUAL_CLASS_SIZE	NUMBER(2)		0	Unsharable
Training Schedule	CHECK_IN_BY	DATE		0	Unsharable
Training Schedule	COURSE_NO	VARCHAR2(6)		0	Unsharable
Training Schedule	EQUIPMENT_NEEDED	VARCHAR2(100)		0	Unsharable
Training Schedule	HOURS	NUMBER(3)		0	Unsharable
Training Schedule	MAXIMUM_CLASS_SIZE	NUMBER(2)		0	Unsharable
Training Schedule	MINIMUM_CLASS_SIZE	NUMBER(2)		0	Unsharable
Training Schedule	REGISTER_BY_DATE	DATE		0	Unsharable
Training Schedule	SCHEDULED_END	DATE		0	Unsharable
Training Schedule	SCHEDULED_START	DATE		0	Unsharable
Training Schedule	TRA_COURSE_NO	VARCHAR2(6)		0	Unsharable
Training Schedule	TRA_SCHEDULED_START	DATE		0	Unsharable
Training Schedule	TUITION	NUMBER(9,2)		0	Unsharable
USDOT NO	CONTACT_NO	NUMBER(10)	Unique number assigned to each contact	41	Telephone Number
USDOT NO	USDOT_NO	NUMBER(7)	US Department of Transportation census record number	0	Unsharable
Vehicle	REGISTER_GROSS_WEIGHT	NUMBER(6)		0	Unsharable
Vehicle	STATE	VARCHAR2(2)		2	State/Province/Country Code
Vehicle	VEHICLE_COLOR	VARCHAR2(15)		26	Incident Vehicle Color Code
Vehicle	VEHICLE_HISTORY_DATE	DATE		0	Unsharable

 $5040\01\northdakota(mdb)$ B - 50 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Vehicle	VEHICLE_LICENSE_NO	VARCHAR2(8)		14	Registered Vehicle License Plate Number
Vehicle	VEHICLE_MAKE_CODE	NUMBER(5)		27	Vehicle Make Code
Vehicle	VEHICLE_MODEL	VARCHAR2(20)		28	Vehicle Model Code
Vehicle	VEHICLE_NO	NUMBER(10)		0	Unsharable
Vehicle	VEHICLE_VIN	VARCHAR2(17)		32	Vehicle Identification Number
Vehicle	VEHICLE_YEAR	NUMBER(4)		31	Vehicle Model Year
Vehicle Attachment	DESCRIPTION_30	VARCHAR2(30)		0	Unsharable
Vehicle Attachment	VEHICLE_ATTACH_CODE	NUMBER(2)		0	Unsharable
Vehicle Class	VEHICLE_CLASS_DESC	VARCHAR2(30)		0	Unsharable
Vehicle Class	VEHICLE_CLASS_TYPE	VARCHAR2(10)		0	Unsharable
Vehicle Color	VEHICLE_COLOR	VARCHAR2(15)		26	Incident Vehicle Color Code
Vehicle Make	DESCRIPTION_30	VARCHAR2(30)		27	Vehicle Make Code
Vehicle Make	VEHICLE_MAKE_CODE	NUMBER(5)		27	Vehicle Make Code
Vehicle Model	VEHICLE_MODEL	VARCHAR2(20)		28	Vehicle Model Code
Vehicle Type	DESCRIPTION_30	VARCHAR2(30)		30	Vehicle Type Code
Vehicle Type	VEHICLE_TYPE_CODE	VARCHAR2(2)		30	Vehicle Type Code
Vendor	ADDRESS	VARCHAR2(40)		1697	Address Complete Street Address
Vendor	CITY	VARCHAR2(20)		1	City Name
Vendor	CONTACT	VARCHAR2(30)		0	Unsharable
Vendor	E_MAIL_ADDRESS	VARCHAR2(75)		1668	Email Address Description
Vendor	FAX_NO	VARCHAR2(10)		41	Telephone Number
Vendor	PHONE_NO	VARCHAR2(10)		41	Telephone Number
Vendor	STATE	VARCHAR2(2)		2	State/Province/Country Code
Vendor	VENDOR_CODE	VARCHAR2(6)		0	Unsharable
Vendor	VENDOR_NAME	VARCHAR2(30)		0	Unsharable
Vendor	ZIP_CODE	VARCHAR2(9)		4	Address Postal Code
Via Highway	HIGHWAY	NUMBER(4)		430	Street Name
Via Highway	HWY_SEQUENCE_NO	NUMBER(2)		0	Unsharable

 $5040\01\northdakota(mdb)$ B - 51 (HP) Version 2.0

Data Element Listing For HP

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Via Highway	HWY_SUFFIX	CHAR(1)		0	Unsharable
Via Highway	PERMIT_NO	NUMBER(10)		0	Unsharable
Visibility Description	CODE	CHAR(1)	Unique identifier for visibility description	0	Unsharable
Visibility Description	DESCRIPTION	VARCHAR2(5)		0	Unsharable
Visibility Description	OBSOLETE	CHAR(1)		0	Unsharable
Weather Condition	DESCRIPTION_20	VARCHAR2(20)		449	Accident Weather Condition Code
Weather Condition	WEATHER_COND_CODE	VARCHAR2(3)		449	Accident Weather Condition Code
Work Category Type	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Work Category Type	WORK_CATEGORY_CODE	VARCHAR2(10)		0	Unsharable
Work Code	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Work Code	OBSOLETE	CHAR(1)		0	Unsharable
Work Code	WORK_CATEGORY_CODE	VARCHAR2(10)		0	Unsharable
Work Code	WORK_CODE	NUMBER(3)		0	Unsharable
Work code Work Hour	WORK_CODE	NUMBER(3)		0	Unsharable
Work code Work Hour	WORK_HOUR	NUMBER(3)		0	Unsharable
Work Hour Activity Type	ACTIVITY_TYPE	NUMBER(3)		0	Unsharable
Work Hour Activity Type	WORK_HOUR	NUMBER(3)		0	Unsharable
Work Hour Type	DESCRIPTION_35	VARCHAR2(35)		0	Unsharable
Work Hour Type	OBSOLETE	CHAR(1)		0	Unsharable
Work Hour Type	WORK_HOUR	NUMBER(3)		0	Unsharable

5040\01\northdakota(mdb) B - 52 (HP) Version 2.0

Data Element Listing For III

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Custody-Supervision	DOA	7	Date Arrest or Print	42	Arrest Date/Time
Custody-Supervision	FBI	9	FBI Number	36	Identified Person FBI Number
Custody-Supervision	MKE	4	Message Key	0	Unsharable
Custody-Supervision	OCS	10	Originating Agency Case Number	19	Agency ORI Number
Custody-Supervision	ORI	29	Agency Identifier	19	Agency ORI Number
Custody-Supervision	SCC	1	Status Change Character	0	Unsharable
Custody-Supervision	SID	10	State Identification Number	35	Identified Person SID Number
Custody-Supervision	SLE	50	Custody or Supervision Status - Literal Extended	254	Supervision Status Code
Custody-Supervision	SSD	6	Custody or Supervision Status Starting Date	180	Custody Received Date/Time
Custody-Supervision	SSN	3	Custody or Supervision Status - Numeric	254	Supervision Status Code
Identification	DOB	6	Date of Birth	7	Person Birth Date/Time
Identification	EYE	3	Eye Color	11	Incident Person Eye Color Code
Identification	FBI	9	FBI Number	36	Identified Person FBI Number
Identification	HAI	3	Hair Color	12	Incident Person Hair Color Code
Identification	HGT	3	Height	13	Incident Person Height Number
Identification	ICO	50	Identification Comments	555	Identified Person Identification Comment Description
Identification	MKE	4	Message Key	0	Unsharable
Identification	MNU	15	Miscellaneous Number	548	Person Misc Number
Identification	NAM	30	Name	302	Person Name First Name
Identification	ORI	9	Originating Agency Identifier (Not Stored)	19	Agency ORI Number
Identification	POB	2	Place of Birth	2	State/Province/Country Code
Identification	RAC	1	Race	21	Person Race Code
Identification	SEX	1	Sex	23	Person Sex Code
Identification	SKN	3	Skin	24	Incident Person Skin Tone Code
Identification	SMT	10	Scars, Marks, Tattoos, etc.	525	Person SMT Code
Identification	SOC	9	Social Security Number	25	Person SSN Number
Identification	WGT	3	Weight	33	Incident Person Weight Number
III SID Pointer	DOB	6	Date of Birth	7	Person Birth Date/Time
5040\01\	11. \		D 1 (III)		T7

5040\01\northdakota(mdb) B - 1 (III) Version 2.0

Data Element Listing For III

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
III SID Pointer	FBI	9	FBI Number	36	Identified Person FBI Number
III SID Pointer	NAM	30	Name	302	Person Name First Name
III SID Pointer	RAC	1	Race	21	Person Race Code
III SID Pointer	SEX	1	Sex	23	Person Sex Code
III SID Pointer	SID	10	State Identification Number	35	Identified Person SID Number
Judicial	CCT	2	Court Count Number	238	Prosecution Charge Count
Judicial	CDD	6	Court Disposition Date	239	Court Case Judgment Date/Time
Judicial	CDN	3	Court Disposition - Numeric	240	Charge Disposition Code
Judicial	CFN	6	Fine	168	Financial Obligation Money
Judicial	CIT	17	Statute Citation	134	Citation Number
Judicial	CMT	12	Confinement	589	Custody Obligation Minimum Days
Judicial	COL	46	Court Offense Classification - Literal	0	Unsharable
Judicial	CON	4	Court Offense Classification - Numeric	0	Unsharable
Judicial	CPL	50	Other Court Sentence Provisions - Literal	0	Unsharable
Judicial	CPL	1	On Bail Pending Results of Appeal	556	Person On Bail Pending Appeal Indicator
Judicial	CPN	9	Other Court Sentence Provisions - Numeric	0	Unsharable
Judicial	CPR	12	Probation	166	Sentence Probation Time Count
Judicial	CSS	12	Sentence Suspended	240	Charge Disposition Code
Judicial	DCA	6	Date Case Appealed	248	Court Case Event Action Date/Time
Judicial	DOA	7	Date of Arrest or Print	42	Arrest Date/Time
Judicial	FBI	9	FBI Number	36	Identified Person FBI Number
Judicial	GOC	1	General Offense Character	526	Incident Offense General Character Code
Judicial	JCA	10	Judicial Case Number	139	Court Case Identifier Number
Judicial	MKE	4	Message Key	0	Unsharable
Judicial	ORI	29	Judicial Agency Identifier	19	Agency ORI Number
Judicial	SID	10	State Identification Number	35	Identified Person SID Number

5040\01\northdakota(mdb) B - 2 (III) Version 2.0

Data Element Listing For JPS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JPS XML	ActionDate			0	Unsharable
JPS XML	ActionLiteral			0	Unsharable
JPS XML	ActionType			0	Unsharable
JPS XML	AddressFull			1697	Address Complete Street Address
JPS XML	AddressLine			1697	Address Complete Street Address
JPS XML	AgencyName			40	Agency Name
JPS XML	AreaCode			41	Telephone Number
JPS XML	ArrestCaseNumber			73	Arrest Number
JPS XML	ArrestType			99	Arrest Type Code
JPS XML	Attention			823	Person Name Complete Name
JPS XML	BirthDate			7	Person Birth Date/Time
JPS XML	BirthPlaceData			1676	Person Birthplace - State/Province/Country Code
JPS XML	BuildingName			1699	Address Building Name
JPS XML	Caution			980	Person Caution and Medical Condition Code
JPS XML	Caveat			0	Unsharable
JPS XML	ChargeCaseNumber			635	Prosecution Case Number
JPS XML	ChargeLiteral			1718	Offense Description
JPS XML	ChargeName			1718	Offense Description
JPS XML	ChargeSequenceNumber			636	Prosecution Charge Sequence Number
JPS XML	ChargeSeverity			580	Prosecution Charge Offense General Character Code
JPS XML	ChargeStatute			1415	Law Sequence Number
JPS XML	Citizenship			1525	Incident Person Citizenship Code
JPS XML	City			1	City Name
JPS XML	ContactPerson			823	Person Name Complete Name

5040\01\northdakota(mdb) B - 1 (JPS XML) Version 2.0

Data Element Listing For JPS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JPS XML	CorrectionalNumber			546	Custody Inmate Number
JPS XML	Country			2	State/Province/Country Code
JPS XML	Counts			238	Prosecution Charge Count
JPS XML	County			485	County Name
JPS XML	CourtCaseNumber			139	Court Case Identifier Number
JPS XML	Department			382	Agency Department Name
JPS XML	DriversLicenseNumber			8	Person Driver License Number
JPS XML	Email			1668	Email Address Description
JPS XML	Employer			1508	Organization Name
JPS XML	EyeColor			11	Incident Person Eye Color Code
JPS XML	Fax			41	Telephone Number
JPS XML	FbiNumber			36	Identified Person FBI Number
JPS XML	FingerprintPattern			326	Identified Person Fingerprint Class Code
JPS XML	FirearmSalesDisqualified			0	Unsharable
JPS XML	FirstEventDate			0	Unsharable
JPS XML	Firstname			302	Person Name First Name
JPS XML	ForeignPostalCode			0	Unsharable
JPS XML	Format			0	Unsharable
JPS XML	Fullname			823	Person Name Complete Name
JPS XML	HairColor			12	Incident Person Hair Color Code
JPS XML	Height			13	Incident Person Height Number
JPS XML	LastEventDate			0	Unsharable
JPS XML	LastEventDate			0	Unsharable
JPS XML	LastName			304	Person Name Last Name
JPS XML	Link			0	Unsharable
JPS XML	LocalOrdinance			1415	Law Sequence Number
JPS XML	MiddleName			303	Person Name Middle Name
JPS XML	NameSuffix			595	Person Name Suffix Name
JPS XML	NcicCode			605	Law NCIC Offense Code

5040\01\northdakota(mdb) B - 2 (JPS XML) Version 2.0

Data Element Listing For JPS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JPS XML	Occupation			1511	Person Occupation Type Code
JPS XML	OffenderID			35	Identified Person SID Number
JPS XML	OffenderNotice			0	Unsharable
JPS XML	OffenseCode			56	Offense Code
JPS XML	OffenseDate			38	Incident Begin Date/Time
JPS XML	ORI			19	Agency ORI Number
JPS XML	PersonalIDNumber			712	Person ID Number
JPS XML	PostalCode			4	Address Postal Code
JPS XML	PostOfficeBox			448	Address Post Office Box Number
JPS XML	ProsecutorCaseNumber			635	Prosecution Case Number
JPS XML	ProsecutorCharge			56	Offense Code
JPS XML	PurposeCode			0	Unsharable
JPS XML	Race			21	Person Race Code
JPS XML	RoomNumber			432	Address Unit Number
JPS XML	ScarsMarksTattoosDescription			525	Person SMT Code
JPS XML	Sentence			1731	Securities Sequence Number
JPS XML	Sex			23	Person Sex Code
JPS XML	SidNumber			35	Identified Person SID Number
JPS XML	SkinTone			24	Incident Person Skin Tone Code
JPS XML	State			2	State/Province/Country Code
JPS XML	StreetName			430	Street Name
JPS XML	StreetNumber			429	Address Street Number
JPS XML	TelephoneNumber			41	Telephone Number
JPS XML	TotalArrests			0	Unsharable
JPS XML	TotalFailuresToAppear			0	Unsharable
JPS XML	TotalFelonyCharges			0	Unsharable
JPS XML	TotalFelonyConvictions			0	Unsharable
JPS XML	TotalMisdemeanorCharges			0	Unsharable
JPS XML	TotalMisdemeanorConvictions			0	Unsharable
JPS XML	TotalRevocations			0	Unsharable
5040\01\manth dalacta(ma	lb)	ъ 2	(IDC VMI)		¥7

5040\01\northdakota(mdb) B - 3 (JPS XML) Version 2.0

Data Element Listing For JPS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JPS XML	UnknownCharges			0	Unsharable
JPS XML	Weight			33	Incident Person Weight Number

5040\01\northdakota(mdb) B-4 (JPS XML) Version 2.0

Data Element Listing For JUS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JUS XML	actionDate			0	Unsharable
JUS XML	actionLiteral			0	Unsharable
JUS XML	actionType			0	Unsharable
JUS XML	address			1697	Address Complete Street Address
JUS XML	agencyName			40	Agency Name
JUS XML	agencyORI			19	Agency ORI Number
JUS XML	arrestCaseNumber			73	Arrest Number
JUS XML	arrestChargeSequence			587	Arrest Offense Sequence Number
JUS XML	attention			823	Person Name Complete Name
JUS XML	birthDate			7	Person Birth Date/Time
JUS XML	birthPlace			1676	Person Birthplace - State/Province/Country Code
JUS XML	buildingName			1699	Address Building Name
JUS XML	caution			980	Person Caution and Medical Condition Code
JUS XML	caveat			0	Unsharable
JUS XML	citizenship			1525	Incident Person Citizenship Code
JUS XML	city			1	City Name
JUS XML	code			0	Unsharable
JUS XML	comments			0	Unsharable
JUS XML	contactPerson			823	Person Name Complete Name
JUS XML	country			2	State/Province/Country Code
JUS XML	counts			238	Prosecution Charge Count
JUS XML	counts			238	Prosecution Charge Count
JUS XML	county			47	County Code
JUS XML	courtCaseNumber			139	Court Case Identifier Number
JUS XML	date			0	Unsharable
JUS XML	department			382	Agency Department Name
5040\01\northdakota(mo	lb)	В	- 1 (JUS XML)		Version 2.0

Data Element Listing For JUS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JUS XML	earliestDate			0	Unsharable
JUS XML	employerName			1508	Organization Name
JUS XML	eyeColor			11	Incident Person Eye Color Code
JUS XML	fax			41	Telephone Number
JUS XML	fax			41	Telephone Number
JUS XML	fbiNumber			36	Identified Person FBI Number
JUS XML	felony			0	Unsharable
JUS XML	firstEventDate			0	Unsharable
JUS XML	foreignPostalCode			0	Unsharable
JUS XML	fpPatternClass			326	Identified Person Fingerprint Class Code
JUS XML	hairColor			12	Incident Person Hair Color Code
JUS XML	height			13	Incident Person Height Number
JUS XML	ifsDisqualified			0	Unsharable
JUS XML	index			0	Unsharable
JUS XML	internetEMail			1668	Email Address Description
JUS XML	last			304	Person Name Last Name
JUS XML	lastEventDate			0	Unsharable
JUS XML	link			0	Unsharable
JUS XML	literal			1718	Offense Description
JUS XML	localOrdinance			0	Unsharable
JUS XML	middle			303	Person Name Middle Name
JUS XML	misdemeanor			0	Unsharable
JUS XML	name			823	Person Name Complete Name
JUS XML	ncicCode			605	Law NCIC Offense Code
JUS XML	number			0	Unsharable
JUS XML	occupation			1511	Person Occupation Type Code
JUS XML	offenderId			35	Identified Person SID Number
JUS XML	offenderNotice			0	Unsharable
JUS XML	offenseCode			56	Offense Code
# 0401041					

5040\01\northdakota(mdb) B - 2 (JUS XML) Version 2.0

Data Element Listing For JUS XML

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
JUS XML	offenseDate			38	Incident Begin Date/Time
JUS XML	other			0	Unsharable
JUS XML	phone			41	Telephone Number
JUS XML	photo			1715	Image Sequence Number
JUS XML	postOfficeBox			448	Address Post Office Box Number
JUS XML	prosecutorCaseNumber			635	Prosecution Case Number
JUS XML	prosecutorCharge			56	Offense Code
JUS XML	purposeCode			0	Unsharable
JUS XML	race			21	Person Race Code
JUS XML	roomNumber			432	Address Unit Number
JUS XML	severity			580	Prosecution Charge Offense General Character Code
JUS XML	sex			23	Person Sex Code
JUS XML	sidNumber			35	Identified Person SID Number
JUS XML	skinTone			24	Incident Person Skin Tone Code
JUS XML	smt			525	Person SMT Code
JUS XML	ssn			25	Person SSN Number
JUS XML	state			2	State/Province/Country Code
JUS XML	statute			1415	Law Sequence Number
JUS XML	street			430	Street Name
JUS XML	streetNumber			430	Street Name
JUS XML	totalArrests			0	Unsharable
JUS XML	totalFailurestoAppear			0	Unsharable
JUS XML	totalRevocations			0	Unsharable
JUS XML	TrackingNumber			0	Unsharable
JUS XML	type			0	Unsharable
JUS XML	unknown			0	Unsharable
JUS XML	weight			33	Incident Person Weight Number
JUS XML	zipCode			4	Address Postal Code

5040\01\northdakota(mdb) B - 3 (JUS XML) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	ADR	3 - 30 ANS	Street Address or P.O. Box	429	Address Street Number
NCIC	AGE	1 - 2 N	Approximate Age	5	Incident Person Age Code
NCIC	AKA	3 - 30 ANS	Alias	304	Person Name Last Name
NCIC	AN 1	1 - 30 ANS	Agency Name (Line 1)	40	Agency Name
NCIC	AN 2	1 - 30 ANS	Agency Name (Line 2)	40	Agency Name
NCIC	AN 3	1 - 30 ANS	Agency Name (Line 3)	40	Agency Name
NCIC	ARE	2 - 3 AS	Area (QU Inquiry)	112	Agency District Code
NCIC	ARE	2 - 2 AS	Area	112	Agency District Code
NCIC	ARI	9 - 9 AN	Arresting Agency Identifier	19	Agency ORI Number
NCIC	ATN	3 - 30 ANS	Attention	0	Unsharable
NCIC	ATR	1 - 47 AN	Agency Translation	0	Unsharable
NCIC	BCO	3 -3 A	Color - Boat	119	Boat Color Code
NCIC	BDAT	6 - 6 N	Beginning Date	0	Unsharable
NCIC	BHN	1 - 20 AN	Boat Hull Serial Number	120	Boat Hull Serial Number
NCIC	BLD	3 - 30 ANS	Building	0	Unsharable
NCIC	BLE	2 - 2 N	Overall Length	0	Unsharable
NCIC	BLT	4 - 5 A	Blood Type	121	Person Blood Type Code
NCIC	BMA	3 - 24 A	Boat Make	122	Boat Make Code
NCIC	BMO	1 - 20 AN	Model Name	315	Other Property Model Name
NCIC	BNM	1 - 20 AN	Boat Name	123	Registered Boat Name
NCIC	BPS	3 - 3 A	Body Parts Status	0	Unsharable
NCIC	BRA	2 - 6 ANS	Brand Name - Article	133	Other Property Brand Name
NCIC	BRA	3 - 4 A	Brand Name - Vehicle/Boat Parts	27	Vehicle Make Code
NCIC	BTY	3 - 3 A	Type - Boat	124	Boat Type Code
NCIC	BUC	1 - 10 ANS	Bureau Car Number - Undercover	0	Unsharable
NCIC	BXR	1 - 1 A	Body X-rays	0	Unsharable
NCIC	BYR	2 -2 N	Boat Model Year	125	Boat Model Year
NCIC	CAL	1 - 4 N	Caliber	126	Weapon Caliber Code
NCIC	CAT	2 - 2 A	Category - Vehicle/Boat Parts	0	Unsharable
NCIC	CDA	1 - 30 ANS	Manner and Cause of Death	0	Unsharable
5040\01\northdakota(mo	Ib)		R 1 (NCIC)		Vargion 2.0

5040\01\northdakota(mdb) B - 1 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	CDC	1 - 4 N	Code Manual Count	0	Unsharable
NCIC	CGD	1 - 8 AN	Coast Guard Document Number	0	Unsharable
NCIC	CIS	4 - 30 ANS	City and State	1	City Name
NCIC	CMC	2 - 2 N	Caution and Medical Conditions	0	Unsharable
NCIC	COPY	1 - 3 N	Number of Copies	0	Unsharable
NCIC	COU	1 - 20 A	County	47	County Code
NCIC	CRC	1 - 1 A	Circumcision	138	Person Circumcision Code
NCIC	CRI	9 - 9 AN	ORI of Court Issuing Warrant	19	Agency ORI Number
NCIC	CRY	1 - 30 A	Country	1534	State/Province/Country Name
NCIC	CT1	12 - 12 NS	Confirmation Telephone Number (Prim	41	Telephone Number
NCIC	CT2	12 - 12 NS	Confirmation Telephone Number (Seco	41	Telephone Number
NCIC	CT3	12 - 12 NS	Confirmation Telephone Number (Tert	41	Telephone Number
NCIC	CTF	2 - 11 ANS	NLETS Control Field	0	Unsharable
NCIC	CTI	9 - 9 AN	Court ORI	19	Agency ORI Number
NCIC	CTN	11 - 11 N	Control Number	0	Unsharable
NCIC	CTY	1 - 20 A	City Name	1	City Name
NCIC	DBF	6 - 6 N	Date Body Found	0	Unsharable
NCIC	DBN	0.04166666666666666666666666666666666666	Database Name	0	Unsharable
NCIC	DCH	3 - 3 A	Dental Characteristics	0	Unsharable
NCIC	DCL	6 - 6 N	Date of Clear	0	Unsharable
NCIC	DEN	1 - 9 ANS	Denomination	0	Unsharable
NCIC	DES	2 - 49 AN	Destination of NLETS Message	0	Unsharable
NCIC	DIS	6 - 6 N	Date Incarceration Starts (SENTRY)	337	Custody Obligation Begin Date/Time
NCIC	DLC	6 - 6 N	Date of Last Contact	0	Unsharable
NCIC	DOA	6 - 6 N	Date of Arrest	42	Arrest Date/Time
NCIC	DOB	6 - 6 N	Date of Birth - Wanted Persons	7	Person Birth Date/Time
NCIC	DOC	6 - 6 N	Date of Cancellation	0	Unsharable
NCIC	DOE	6 - 6 N	Date Of Emancipation - Missing Persons	0	Unsharable

5040\01\northdakota(mdb) B - 2 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	DOI	6 - 6 N	Date of Image	0	Unsharable
NCIC	DOL	6 - 6 N	Date of Loss	128	Incident Property Theft Date/Time
NCIC	DOR	6 - 6 N	Date of Recovery	85	Incident Property Recovery Date/Time
NCIC	DOT	6 - 6 N	Date of Theft	128	Incident Property Theft Date/Time
NCIC	DOV	6 - 6 N	Date of Violation	38	Incident Begin Date/Time
NCIC	DOW	6 - 6 N	Date of Warrant	189	Court Order Signed Date/Time
NCIC	DPE	6 - 6 N	Date of Expiration of Probation	401	Probation Completion Date/Time
NCIC	DPR	6 - 6 N	Date of Probation or Release Revoke	399	Probation Revocation Date/Time
NCIC	DPT	3 - 30 ANS	Department or Agency Name	40	Agency Name
NCIC	DRE	1 - 50 ANS	Dentist's Remark	0	Unsharable
NCIC	DSE	6 - 6 N	Date of Sentence	162	Sentence Date/Time
NCIC	DSP	6 - 6 N	Date Stop Placed - Undercover	0	Unsharable
NCIC	DSP	4 - 4 A	Disposition	0	Unsharable
NCIC	DSS	6 - 6 N	Date of Start of Supervision	337	Custody Obligation Begin Date/Time
NCIC	DTE	6 - 6 N	Date of Entry - All Information Inquiry	0	Unsharable
NCIC	DTE	15 - 15 AN	Date and Time of Entry	0	Unsharable
NCIC	DXR	1 - 1 A	Dental X-rays Available	0	Unsharable
NCIC	EDAT	6 - 6 N	Ending Date	0	Unsharable
NCIC	EDD	6 - 6 N	Estimated Date of Death	328	Person Death Date/Time
NCIC	EDS	6 - 6 N	Date of Release from Supervision	0	Unsharable
NCIC	EOT	1 - 1B	End of Transmission	0	Unsharable
NCIC	EPD	2 - 5 AN	Engine Power or Displacement	439	Vehicle Engine Power Measurement Code
NCIC	EXT	4 - 4 A	Extradition	0	Unsharable
NCIC	EYB	9 - 9 NS	Estimated Year of Birth	7	Person Birth Date/Time
NCIC	EYE	3 - 3 A	Eye Color	11	Incident Person Eye Color Code
5040\01\northdalcota(ma	1L)		D 2 (NCIC)		W 2.0

5040\01\northdakota(mdb) B - 3 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	FBI	1 - 9 AN	FBI Number	36	Identified Person FBI Number
NCIC	FII	18 - 18 ANS	Fingerprint Identification	0	Unsharable
NCIC	FILE	1 - 1 ANS	NCIC File Code	0	Unsharable
NCIC	FIM	1 - 16000 AN	Fingerprint Image Compressed	0	Unsharable
NCIC	FLN	1 - 8 AN	File Number	0	Unsharable
NCIC	FOC	4 - 4 A	FBI Field Office Code	0	Unsharable
NCIC	FON	1 - 20 AN	Field Office File Number - Undercover	0	Unsharable
NCIC	FOP	2 - 2 A	Field Office Placing Stop - Undercover	0	Unsharable
NCIC	FPA	1 - 1 A	Footprint Available	0	Unsharable
NCIC	FPP	6 - 6 AN	Foreign Postal Code	4	Address Postal Code
NCIC	FSIZ	1 - 6 N	File Size	0	Unsharable
NCIC	FTD	1 - 501 ANS	Free Text Data	0	Unsharable
NCIC	HAI	3 - 3 A	Hair Color	12	Incident Person Hair Color Code
NCIC	HGT	3 - 3 A	Approximate Height (Unidentified pe	13	Incident Person Height Number
NCIC	HGT	3 - 3 N	Height - Wanted Person	13	Incident Person Height Number
NCIC	HGT	3 - 3 N	Height - Missing Person	13	Incident Person Height Number
NCIC	HIT	1 - 2 N	Wanted/Missing Person Hit Results	0	Unsharable
NCIC	HMC	1 - 25 ANS	Hazardous Materials Container	0	Unsharable
NCIC	HPT	1 - 20 AN	Home Port	0	Unsharable
NCIC	HSP	2 - 2 A	Hull Shape	214	Boat Hull Shape Code
NCIC	HUL	2 - 2 A	Outer Hull Material	215	Boat Outer Hull Material Code
NCIC	IDN	5 - 5 AN	Identification Number	0	Unsharable
NCIC	IMN	10 - 10 AN	Image NIC Number	0	Unsharable
NCIC	IMT	1 - 1 A	Image Type	0	Unsharable
NCIC	INC	1 - 50 ANS	Place of Incarceration (SENTRY)	19	Agency ORI Number
NCIC	IND	1 - 1 A	Image Indicator	0	Unsharable
NCIC	ISS	1 - 15 ANS	Issuer	0	Unsharable
NCIC	JWL	1 - 100 ANS	Jewelry Description	0	Unsharable
NCIC	JWT	1 - 50 ANS	Jewelry Type	213	Jewelry Type Code

5040\01\northdakota(mdb) B - 4 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	LIC	1 - 8 AN	License Plate Number	14	Registered Vehicle License Plate Number
NCIC	LIC-VCO		Vehicle Date Deletion	0	Unsharable
NCIC	LIS	2 - 2 A	License Place State	2	State/Province/Country Code
NCIC	LIT	2 - 2 A	License Plate Type	16	Registered Vehicle License Plate NCIC Code
NCIC	LIY	2 - 2 AN	License Plate Year of Expiration	17	Registered Vehicle License Plate Expiration Year
NCIC	LKA	1 - 20 AN	Linkage Case Number	0	Unsharable
NCIC	LKI	9 - 9 AN	Linkage Agency Identifier	0	Unsharable
NCIC	LOC	1 - 50 ANS	Release Location	0	Unsharable
NCIC	LOT	1 - 20 ANS	Lot Number	0	Unsharable
NCIC	MAK	2 - 23 A	Gun Make	212	Weapon Gun Make Code
NCIC	MAL	1 - 50 ANS	Medical Examiner/Coroner Locality	0	Unsharable
NCIC	MAN	1 - 50 ANS	Medical Examiner/Coroner Agency Name	0	Unsharable
NCIC	MAT	12 - 12 NS	Medical Examiner/Coroner Telephone	41	Telephone Number
NCIC	MFC	4 - 4 AS	Message Field Code	0	Unsharable
NCIC	MIF	1 - 1 A	Missing Person Interest Field	0	Unsharable
NCIC	MIS	1 - 500 ANS	Miscellaneous - Missing Person	0	Unsharable
NCIC	MIS	1 - 500 ANS	Miscellaneous - Wanted Person	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - Vehicle	0	Unsharable
NCIC	MIS	1 - 500 ANS	Miscellaneous - Unidentified Person	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - Securities	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - License Plate	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - Gun	0	Unsharable
NCIC	MIS	1 - 500 ANS	Miscellaneous - Convicted Person on	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - Vehicle/Boat Part	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - Boat	0	Unsharable
NCIC	MIS	1 - 500 ANS	Miscellaneous - Undercover Agent	0	Unsharable
NCIC	MIS	1 - 200 ANS	Miscellaneous - Article	0	Unsharable

5040\01\northdakota(mdb) B - 5 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	MKE	2 - 4 AS	Message Key	0	Unsharable
NCIC	MKT	1 - 25 AN	Message Key Translation	0	Unsharable
NCIC	MNP	2 -2 A	Missing Person	0	Unsharable
NCIC	MNU	4 - 15 ANS	Miscellaneous Number	0	Unsharable
NCIC	MOD	1 - 9 AN	Model - Article	315	Other Property Model Name
NCIC	MOD	1 - 11 AN	Model - Gun	211	Weapon Model Number
NCIC	MPA	1 - 1 A	Dental Models/Photographs	0	Unsharable
NCIC	MPC	1 - 1 A	Missing Person Circumstances	0	Unsharable
NCIC	MTY	2 - 4 AS	Message Type	0	Unsharable
NCIC	NAM	3 - 30 ANS	Name - Undercover File	302	Person Name First Name
NCIC	NAM	3 - 30 ANS	Name - Wanted Person, Missing Perso	302	Person Name First Name
NCIC	NEED	3 - 3 A	Urgency of Request	0	Unsharable
NCIC	NIC	10 - 10 AN	NCIC Number	417	Incident NCIC Number
NCIC	NLC	1 - 4 N	Newsletter Count	0	Unsharable
NCIC	NMJ	1 - 20 ANS	Number of Messages Rejected	0	Unsharable
NCIC	NMR	1 - 20 ANS	Number of Messages Received	0	Unsharable
NCIC	NOA	1 - 1 A	Notify Originating Agency	0	Unsharable
NCIC	NOO	1 - 8 N	Number of Occurrences	0	Unsharable
NCIC	NPA	1 - 3 N	Number of Persons Apprehended	0	Unsharable
NCIC	NPF	1 - 20 AN	Number of Missing Persons Found	0	Unsharable
NCIC	NRC	1 - 7 N	Number of Records Canceled	0	Unsharable
NCIC	OAN	1 - 20 AN	Owner-Applied Number - Article	210	Other Property Owner Number
NCIC	OAN	1 - 20 AN	Owner-Applied Number - Boat	210	Other Property Owner Number
NCIC	OAN	1 - 20 AN	Owner-Applied Number - Vehicle	210	Other Property Owner Number
NCIC	OCA	1 - 20 AN	Originating Agency Case Number	130	LEA Case Number
NCIC	OFF	4 - 24 AN	Offense Code	43	Law IBR Code - THIS ELEMENT IS NO LONGER USED REFER TO DED#56
NCIC	OLN	1 - 20 AN	Operator's License Number	8	Person Driver License Number
NCIC	OLS	2 - 2 A	Operator's License State	8	Person Driver License Number
5040\01\n a + 4 a la a ta (+ a a	11.)		D ((MOIO)		

5040\01\northdakota(mdb) B - 6 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	OLY	2 - 2 N	Operator's License Year of Expirati	8	Person Driver License Number
NCIC	OMC	1 - 4 N	Operating Manual Revision Count	0	Unsharable
NCIC	OOC	4 - 4 N	Original Offense Code	43	Law IBR Code - THIS ELEMENT IS NO LONGER USED REFER TO DED#56
NCIC	ORI	9 - 9 AN	Originating Agency Identifier	19	Agency ORI Number
NCIC	OWN	1 - 40 AS	Owner - Securities	0	Unsharable
NCIC	PAPR	3 - 3 A	Type of Paper	0	Unsharable
NCIC	PAR	1 - 1 N	Person Armed	186	Incident Suspect Dangerous Flag
NCIC	PDT	6 - 6 N	Purge Date	0	Unsharable
NCIC	PLI	1 1 A	Partial Lot Indicator	0	Unsharable
NCIC	POB	2 - 2 A	Place of Birth	2	State/Province/Country Code
NCIC	PPS	1 - 1 A	NLETS CDMV Person/Property Code	0	Unsharable
NCIC	PRI	9 - 9 AN	ORI of Prison	19	Agency ORI Number
NCIC	PRJ	1 - 6 NS	Percent Rejected	0	Unsharable
NCIC	PRO	2 - 2 A	Propulsion	0	Unsharable
NCIC	PUR	1 - 1 A	Purpose	0	Unsharable
NCIC	RAC	1 - 1 A	Race	21	Person Race Code
NCIC	RADR	1 - 100 ANS	Address of Requester	429	Address Street Number
NCIC	RCA	1 - 20 AN	Recovering Agency Case Number	19	Agency ORI Number
NCIC	RCNT	1 - 6 N	Random Count	0	Unsharable
NCIC	REG	1 - 8 AN	Registration Number - Boat Inquiry	120	Boat Hull Serial Number
NCIC	REG	1 - 8 AN	Registration Number	0	Unsharable
NCIC	RES	2 - 2 A	Registration State	2	State/Province/Country Code
NCIC	REY	2 - 2 AN	Registration Year of Expiration	0	Unsharable
NCIC	RGN	9 - 9 ANS	Registration Number - SENTRY	0	Unsharable
NCIC	RLST	1 - 1 A	Random List	0	Unsharable
NCIC	RMI	1 - 1 A	Ransom Money Indicator	0	Unsharable
NCIC	RMS	1 - 100 ANS	Reject Message	0	Unsharable
NCIC	RPP	10 - 21 AN	Reason for Property Record Removal	0	Unsharable

5040\01\northdakota(mdb) B - 7 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	RPR	1 - 20 AN	Reason Probation or Release Revoked	400	Probation Revocation Code
NCIC	RPS	10 - 21 AN	Reason for Person Record Removal	0	Unsharable
NCIC	RQST	1 - 30 ANS	Name of Requester	302	Person Name First Name
NCIC	RRI	9 - 9 AN	Recovering Agency Identifier	19	Agency ORI Number
NCIC	RSCH	1 - 2480 ANS	Request Search Criteria	0	Unsharable
NCIC	RSD	11 - 20 AN	Requested Statistical Data	0	Unsharable
NCIC	RSN	1 - 1 A	NLETS CDMV Reason Code	0	Unsharable
NCIC	RTNO	12 - 12 NS	Requesters Telephone Number	41	Telephone Number
NCIC	SCI	9 - 9 AN	Sentencing Court Identifier	19	Agency ORI Number
NCIC	SDP	9 - 9 AN	Subject of Data Quality Profile	0	Unsharable
NCIC	SDR	2 - 9 AN	Subject of Statistical Data Request	0	Unsharable
NCIC	SDT	4 - 7 AN	Date or Series Year	0	Unsharable
NCIC	SEQ	3 - 3 N	Sequence Number	0	Unsharable
NCIC	SER	1 - 41 ANS	Sequence Number - Article Inquiry	0	Unsharable
NCIC	SER	1 - 11 AN	Serial Number - Gun	436	Weapon Serial Number
NCIC	SER	3 - 41 ANS	Sequence Number - Serialized Article	0	Unsharable
NCIC	SER	3 - 37 ANS	Serial Number - Securities (multipl	438	Securities Multiple Serial Number
NCIC	SER	1- 20 AN	Serial Number - Vehicle/Boat Part	32	Vehicle Identification Number
NCIC	SER	1 - 18 AN	Serial Number - Securities (single	437	Securities Single Serial Number
NCIC	SER	1 - 20 AN	Sequence Number - Article	0	Unsharable
NCIC	SET	1 - 200 AN	Serious Error Type	0	Unsharable
NCIC	SEX	1 - 1 A	Sex	23	Person Sex Code
NCIC	SID	3 - 10 AN	State Identification Number	35	Identified Person SID Number
NCIC	SKN	3 - 3 A	Skin Tone	24	Incident Person Skin Tone Code
NCIC	SLC	1 - 47 ANS	Secondary Location - SENTRY	0	Unsharable
NCIC	SMT	3 - 10 A	Scars, Marks, Tattoos, and Other Ch	525	Person SMT Code
NCIC	SNA	1 - 25 ANS	Street Name	430	Street Name
NCIC	SNU	1 - 7 AN	Street Number	429	Address Street Number
NCIC	SOC	9 - 9 N	Social Security Number	25	Person SSN Number
5040\01\	11. \		D 0 (NGIG)		T7

5040\01\northdakota(mdb) B - 8 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	SON	3 - 30 ANS	Name of Supervising Officer	302	Person Name First Name
NCIC	SOT	12 - 12 NS	Business Telephone Number of Superv	41	Telephone Number
NCIC	STA	2 -2 A	State Name	2	State/Province/Country Code
NCIC	TIM	3 - 10 ANS	Time Period	0	Unsharable
NCIC	TITL	1 - 50 ANS	Report Title	0	Unsharable
NCIC	TOC	1 - 30 ANS	Title of Case - Undercover	0	Unsharable
NCIC	TTY	4 - 4 ANS	Type of Transaction	0	Unsharable
NCIC	TUC	1 - 4 N	Technical and Operation Update Coun	0	Unsharable
NCIC	TXT	3 - 14604 ANS	NLETS Text	0	Unsharable
NCIC	TYP	2 - 2 A	Type - Securities	528	Securities Type Code
NCIC	TYP	1 - 1 AN	Type - ORI	52	Agency Type Code
NCIC	TYP	1 - 2 A	Type - Gun	236	Weapon NCIC Type Code
NCIC	TYP	4 - 7 A	Type - Article	217	Incident Property Code
NCIC	TYPE	3 -3 A	Type of Request	0	Unsharable
NCIC	TYPO	3 -3 A	Type of Output	0	Unsharable
NCIC	UCN	10 - 10 AN	Undercover Number	0	Unsharable
NCIC	UDC	1 - 1 A	User Decision Code	0	Unsharable
NCIC	UINF	1 - 100 ANS	User Information	0	Unsharable
NCIC	UNN	4 - 4 N	United Nations Number	0	Unsharable
NCIC	VCO	3 - 3 A	Vehicle Color	26	Incident Vehicle Color Code
NCIC	VIN	1 - 20 AN	Vehicle Identification Number	32	Vehicle Identification Number
NCIC	VIN	1 - 62 ANS	Vehicle Identification Number - Inq	32	Vehicle Identification Number
NCIC	VLD	6 - 6 N	Date of Last Validation	0	Unsharable
NCIC	VLN	3 - 30 ANS	Name of Validator	302	Person Name First Name
NCIC	VMA	2 - 24 ANS	Vehicle Make	27	Vehicle Make Code
NCIC	VMO	2 - 3 AN	Vehicle Model	28	Vehicle Model Code
NCIC	VNP	1 - 8 N	Value of Property Recovered	234	Incident Property Recovery Value Money
NCIC	VOD	1 - 1 A	Vehicle Ownership Data	0	Unsharable

5040\01\northdakota(mdb) B - 9 (NCIC) Version 2.0

Data Element Listing For NCIC

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
NCIC	VOR	1 - 8 N	Value of Other Recovered Property	234	Incident Property Recovery Value Money
NCIC	VRC	1 - 8 N	Value of Recovered Contraband	234	Incident Property Recovery Value Money
NCIC	VRX	1 - 40 ANS	Corrective Vision Prescription	0	Unsharable
NCIC	VST	2 - 2 AN	Vehicle Style	29	Vehicle Style Code
NCIC	VYR	2 - 2 AN	Vehicle Year	31	Vehicle Model Year
NCIC	WGT	3 - 3 A	Approximate Weight - Unidentified P	33	Incident Person Weight Number
NCIC	WGT	3 - 3 N	Weight - Wanted Person	33	Incident Person Weight Number
NCIC	WGT	3 - 3 N	Weight - Missing Person	33	Incident Person Weight Number
NCIC	WNO	1 - 15 AN	Warrant Number	132	Warrant Number
NCIC	XPL	1 - 75 ANS	Explanation Phrase	0	Unsharable
NCIC	ZIP	5 - 5 N	ZIP Code	4	Address Postal Code
Protection Order	BRD	C(1)	Brady Indicator	0	Unsharable
Protection Order	EXP	C(6)	Protection Order Expiration Date	444	Protection Order Expiration Date/Time
Protection Order	ISD	C(6)	Date of Issue	189	Court Order Signed Date/Time
Protection Order	PCO	C(2)	Protection Order Conditions	443	Protection Order Condition Code
Protection Order	PNO	C(15)	Protection Order Number	499	Protection Order Number
Protection Order	PPB	C(6)	Protected Person Date of Birth	7	Person Birth Date/Time
Protection Order	PPN	C(30)	Protected Person Name	302	Person Name First Name
Protection Order	PPR	C(1)	Protected Person Race	21	Person Race Code
Protection Order	PSX	C(1)	Protected Person Sex	23	Person Sex Code

5040\01\northdakota(mdb) B - 10 (NCIC) Version 2.0

Data Element Listing For ND NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Administrative File	Date Entered	YYYYMMDD		0	Unsharable
Administrative File	Exceptional Clearance Code	CHAR(1)		0	Unsharable
Administrative File	Exceptional Clearance Date	YYYYMMDD	A date exceptionally cleared should be reported if any of the codes other than N are reported.	0	Unsharable
Administrative File	Incident Date	YYYYMMDD	This should be the date the crime occurred.	38	Incident Begin Date/Time
Administrative File	Incident Hour	NUM(2)	This should be the time that the crime occurred. If unknown, the time should be left blank. Valid entries for incident hour are 00 through 23 or blanks.	38	Incident Begin Date/Time
Administrative File	Incident Number	CHAR(12)		37	Incident Number
Administrative File	Offenses 1 thru 10	CHAR(3)	Please see overlay 1 of officer manual for valid Group A offense codes	56	Offense Code
Administrative File	Officer Number	NUM(4)		510	Law Enforcement Officer Number
Administrative File	ORI	CHAR(9)	Agency identifier	19	Agency ORI Number
Administrative File	Report Date	YYYYMMDD		256	Incident Report Date/Time
Administrative File	Report Date Indicator	CHAR(1)	If the report date was entered as the incident date, an 'R' should be reported in this one character field. Otherwise, blank.	114	Incident Report Date/Time Indicator
Drug File	Drug Loss Code	CHAR(1)		0	Unsharable
Drug File	Drug Type	CHAR(1)	Valid codes are A-P, U	86	Drug Type Code
Drug File	Fraction	NUM(3)	Field for reporting portions of a unit. This is a three digit field, so ½ of a unit should be 500, ¼ should be 250, 1/3 should be 333, etc.	579	Drug Estimated Quantity Fraction
Drug File	Incident Number	CHAR(12)		37	Incident Number
Drug File	Measure	CHAR(2)	Valid codes GM, KG, OZ, LB, NP, DU, ML, LT, FO, GL	88	Drug Measurement Code
Drug File	ORI	CHAR(9)		19	Agency ORI Number
Drug File	Quantity	NUM(9)	This field should contain whole unit information	87	Drug Estimated Quantity Count
Drug File	Sequence Number	NUM(2)		0	Unsharable
5040\01\n outledoloo	11. \		B. 4 (AID MIDDO)		

5040\01\northdakota(mdb) B - 1 (ND NIBRS) Version 2.0

Data Element Listing For ND NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Offense File	Attempted/Completed	CHAR(1)	Valid codes "A" and "C".	526	Incident Offense General Character Code
Offense File	Bias Motivation Code	NUM(2)		62	Incident Offense Hate Bias Code
Offense File	Incident Number	CHAR(12)		37	Incident Number
Offense File	Location Code	CHAR(2)	Valid codes 01 thru 30. Please note that we have added some location codes beyond the NIBRS specs.	465	Location Sequence Number
Offense File	Method of Entry	CHAR(1)	Required for burglaries only. Valid codes include $N-Not$ Forcible and $F-Forcible$.	84	Incident Entry Method Code
Offense File	Number of Premises Entered	NUM(2)	This is reported only for burglaries of hotel, motel or storage facilities (location codes 14 and 19) valids are 01 thru 99	0	Unsharable
Offense File	Offender(s) Suspected of Using 1	CHAR(1)		58	Incident Person Suspected Using Code
Offense File	Offender(s) Suspected of Using 2	CHAR(1)		58	Incident Person Suspected Using Code
Offense File	Offender(s) Suspected of Using 3	CHAR(1)		58	Incident Person Suspected Using Code
Offense File	Offense Code	CHAR(3)		56	Offense Code
Offense File	Offense Number	NUM(2)	Offense sequence number	541	Incident Offense Number
Offense File	ORI	CHAR(9)	Agency identifier	19	Agency ORI Number
Offense File	Type of Criminal Activity 1	CHAR(1)	Up to three codes may be reported. If not required, these fields should be left blank.	572	Incident Activity Code
Offense File	Type of Criminal Activity 3	CHAR(1)		572	Incident Activity Code
Offense File	Weapon 1	CHAR(3)	At least one weapon code must be reported for the following offenses. Up to three weapons may be reported.	236	Weapon NCIC Type Code
Offense File	Weapon 2	CHAR(3)		236	Weapon NCIC Type Code
Offense File	Weapon 3	CHAR(3)		236	Weapon NCIC Type Code
Property File	Description Code	CHAR(3)		0	Unsharable
Property File	Incident Number	CHAR(12)		37	Incident Number
Property File	Loss Code	CHAR(1)		0	Unsharable

5040\01\northdakota(mdb) B - 2 (ND NIBRS) Version 2.0

Data Element Listing For ND NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Property File	ORI	CHAR(9)		19	Agency ORI Number
Property File	Quantity	NUM(4)		68	Incident Property Count
Property File	Recovery Date	YYYYMMDD		85	Incident Property Recovery Date/Time
Property File	Value	NUM(9)	whole dollars	67	Incident Property Value Money
Suspect/Arrestee File	Age1 and Age2	CHAR(4)	This allows for reporting an age range if necessary for suspects.	5	Incident Person Age Code
Suspect/Arrestee File	Armed with Code 1	CHAR(3)		0	Unsharable
Suspect/Arrestee File	Armed with Code 2	CHAR(3)		0	Unsharable
Suspect/Arrestee File	Arrest Code	CHAR(3)		99	Arrest Type Code
Suspect/Arrestee File	Arrest Date	YYYYMMDD	Reported for arrestees only. Should be blank for suspects.	42	Arrest Date/Time
Suspect/Arrestee File	Arrest Tracking Number	CHAR(12)	This is a mandatory field for arrestees. Should be blank for suspects.	73	Arrest Number
Suspect/Arrestee File	Ethnicity	CHAR(1)		10	Person Ethnicity Code
Suspect/Arrestee File	Gender	CHAR(1)		23	Person Sex Code
Suspect/Arrestee File	Incident Number	CHAR(12)		37	Incident Number
Suspect/Arrestee File	Juvenile Disposition	CHAR(1)	Valid codes are H, R	0	Unsharable
Suspect/Arrestee File	Multiple Clearance Code	CHAR(1)	Valid codes are M, C, N	0	Unsharable
Suspect/Arrestee File	ORI	CHAR(9)		19	Agency ORI Number
Suspect/Arrestee File	Race	CHAR(1)		21	Person Race Code
Suspect/Arrestee File	Resident of Jurisdiction	CHAR(1)	Valid codes are R, N, U	0	Unsharable
Suspect/Arrestee File	Subject number	NUM(2)		0	Unsharable
Suspect/Arrestee File	Type of Arrest	CHAR(1)	Valid codes are O, S, T	99	Arrest Type Code
Victim File	Age1 and Age2	CHAR(4)	This allows for reporting an age range if necessary.	5	Incident Person Age Code
Victim File	Agg Assault/Hom Circumstances 1	CHAR(2)		0	Unsharable
Victim File	Agg Assault/Hom Circumstances 2	CHAR(2)		0	Unsharable
Victim File	Ethnicity	CHAR(1)		10	Person Ethnicity Code

5040\01\northdakota(mdb) B - 3 (ND NIBRS) Version 2.0

Data Element Listing For ND NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
Victim File	Gender	CHAR(1)	Valid code list on overlay 2 of the reporting manual	23	Person Sex Code
Victim File	Handicap	CHAR(1)		0	Unsharable
Victim File	Incident Number	CHAR(12)		37	Incident Number
Victim File	Injury Type 1	CHAR(1)		93	Incident Victim Injury Code
Victim File	Injury Type 2	CHAR(1)		93	Incident Victim Injury Code
Victim File	Injury Type 3	CHAR(1)		93	Incident Victim Injury Code
Victim File	Injury Type 4	CHAR(1)		93	Incident Victim Injury Code
Victim File	Injury Type 5	CHAR(1)		93	Incident Victim Injury Code
Victim File	Justifiable Homicide Circumstances	CHAR(1)	Reported only when a justifiable homicide is reported	92	Incident Victim Justifiable Homicide Code
Victim File	Marital Status	CHAR(1)		178	Incident Person Marital Status Code
Victim File	Offender Number to be related	CHAR(2)		0	Unsharable
Victim File	ORI	CHAR(9)	agency identifier	19	Agency ORI Number
Victim File	Race	CHAR(1)	Valid code list on overlay 2 of the reporting manual.	21	Person Race Code
Victim File	Relationship to Offender	CHAR(2)		0	Unsharable
Victim File	Resident of Jurisdiction?	CHAR(1)		0	Unsharable
Victim File	Victim Number	NUM(3)	Valid victim numbers are 001 thru 999	679	Incident Victim Number
Victim File	Victim of Offense	CHAR(3)		56	Offense Code
Victim File	Victim Type	CHAR(1)	Valid code list on overlay 2 of the reporting manual.	89	Incident Victim Type Code
Victim File	Victim Under Influence	CHAR(1)		0	Unsharable

5040\01\northdakota(mdb) B - 4 (ND NIBRS) Version 2.0

Data Element Listing For NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
ADMINISTRATIVE		12	INCIDENT NUMBER	60	Incident Offense Criminal Activity Code
ADMINISTRATIVE		8	EXCEPTIONAL CLEARANCE DATE	115	Incident Exceptional Clearance Date/Time
ADMINISTRATIVE		1	CLEARED EXCEPTIONALLY	111	Incident Cleared Exception Code
ADMINISTRATIVE		11	INCIDENT DATE/HOUR	38	Incident Begin Date/Time
ADMINISTRATIVE		9	ORIGINATING AGENCY IDENTIFIER	19	Agency ORI Number
ARRESTEE		1	DISPOSITION OF ARRESTEE UNDER 18	103	Arrest Juvenile Disposition Code
ARRESTEE		12	ARREST NUMBER	73	Arrest Number
ARRESTEE		1	SEX OF ARRESTEE	23	Person Sex Code
ARRESTEE		9	ORIGINATING AGENCY IDENTIFIER	19	Agency ORI Number
ARRESTEE		8	ARREST DATE	42	Arrest Date/Time
ARRESTEE		1	ETHNICITY OF ARRESTEE	10	Person Ethnicity Code
ARRESTEE		1	TYPE OF ARREST	99	Arrest Type Code
ARRESTEE		3	ARRESTEE WAS ARMED WITH	101	Arrest Weapon Code
ARRESTEE		1	RACE OF ARRESTEE	21	Person Race Code
ARRESTEE		4	AGE OF ARRESTEE	5	Incident Person Age Code
ARRESTEE		1	RESIDENT STATUS OF ARRESTEE	107	Incident Person Resident Status Code
ARRESTEE		3	UCR ARREST OFFENSE CODE	43	Law IBR Code - THIS ELEMENT IS NO LONGER USED REFER TO DED#56
ARRESTEE		12	INCIDENT NUMBER	60	Incident Offense Criminal Activity Code
ARRESTEE		2	ARRESTEE NUMBER	549	Arrest Arrestee Number
ARRESTEE		1	MULTIPLE ARRESTEE SEGMENTS INDICATOR	100	Arrest Multiple Clearance Indicator
OFFENDER		1	SEX OF OFFENDER	23	Person Sex Code
OFFENDER		4	AGE OF OFFENDER	5	Incident Person Age Code
OFFENDER		2	OFFENDER NUMBER	542	Accident Person Number
OFFENDER		9	ORIGINATING AGENCY IDENTIFIER	19	Agency ORI Number
5040\01\northdakota(mdb))		B-1 (NIBRS)		Version 2.0

Data Element Listing For NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
OFFENDER		12	INCIDENT NUMBER	60	Incident Offense Criminal Activity Code
OFFENDER		1	RACE OF OFFENDER	21	Person Race Code
OFFENSE		1	OFFENDER SUSPECTED OF USING	58	Incident Person Suspected Using Code
OFFENSE		1	TYPE CRIMINAL ACTIVITY	60	Incident Offense Criminal Activity Code
OFFENSE		12	INCIDENT NUMBER	60	Incident Offense Criminal Activity Code
OFFENSE		3	UCR OFFENSE CODE	43	Law IBR Code - THIS ELEMENT IS NO LONGER USED REFER TO DED#56
OFFENSE		3	TYPE WEAPON/FORCE INVOLVED	61	Incident Offense Weapon Force Code
OFFENSE		1	OFFENSE ATTEMPTED/COMPLETED	57	Incident Offense Attempted Completed Code
OFFENSE		2	BIAS MOTIVIATION	62	Incident Offense Hate Bias Code
OFFENSE		2	LOCATION TYPE	83	Incident Offense Premises Entered Count
OFFENSE		2	NUMBER OF PREMISES ENTERED	83	Incident Offense Premises Entered Count
OFFENSE		1	METHOD OF ENTRY	84	Incident Entry Method Code
OFFENSE		9	ORIGINATING AGENCY IDENTIFIER	19	Agency ORI Number
PROPERTY		9	ORIGINATING AGENCY IDENTIFIER	19	Agency ORI Number
PROPERTY		2	NUMBER OF STOLEN MOTOR VEHICLES	0	Unsharable
PROPERTY		2	TYPE DRUG MEASUREMENT	88	Drug Measurement Code
PROPERTY		2	NUMBER OF RECOVERED MOTOR VEHICLES	0	Unsharable
PROPERTY		12	INCIDENT NUMBER	60	Incident Offense Criminal Activity Code
PROPERTY		1	TYPE PROPERTY LOSS/ETC.	66	Incident Property Type Code
PROPERTY		9	VALUE OF PROPERTY	67	Incident Property Value Money
5040\01\northdakota(mdb))		B - 2 (NIBRS)		Version 2.0

Data Element Listing For NIBRS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
PROPERTY		8	DATE RECOVERED	85	Incident Property Recovery Date/Time
PROPERTY		2	PROPERTY DESCRIPTION	418	Other Property Description
PROPERTY		12	ESTIMATED DRUG QUANTITY	87	Drug Estimated Quantity Count
PROPERTY	'	1	SUSPECTED DRUG TYPE	86	Drug Type Code
VICTIM		3	VICTIM (SEQUENCE) NUMBER	542	Accident Person Number
VICTIM		4	AGE OF VICTIM	5	Incident Person Age Code
VICTIM		1	RESIDENT STATUS OF VICTIM	107	Incident Person Resident Status Code
VICTIM		1	ETHNICITY OF VICTIM	10	Person Ethnicity Code
VICTIM		2	RELATIONSHIP OF VICTIM TO OFFENDER	95	Incident Victim Relationship Offender Code
VICTIM		1	TYPE INJURY	93	Incident Victim Injury Code
VICTIM		1	ADDITIONAL JUSTIFIABLE HOMICIDE CIRCUMSTANCES	91	Incident Victim Homicide Circumstances Code
VICTIM		2	AGGRAVATED ASSAULT/HOMICIDE CIRCUMSTANCES	91	Incident Victim Homicide Circumstances Code
VICTIM		12	INCIDENT NUMBER	60	Incident Offense Criminal Activity Code
VICTIM		1	TYPE OF VICTIM	89	Incident Victim Type Code
VICTIM		10	VICTIM CONNECTED TO UCR OFFENSE CODE	56	Offense Code
VICTIM		1	RACE OF VICTIM	21	Person Race Code
VICTIM		1	SEX OF VICTIM	23	Person Sex Code
VICTIM		2	OFFENDER NUMBER TO BE RELATED	584	Incident Victim Suspect Number
VICTIM		9	ORIGINATING AGENCY IDENTIFIER	19	Agency ORI Number

5040\01\northdakota(mdb) **B-3** (NIBRS) Version 2.0

Data Element Listing For RADIO

RADIO RADIO RADIO	ADR AMB BUS	VARCHAR(30) VARCHAR(4)	Address	1697	1
		VARCHAR(4)			Address
RADIO	BUS		Ambulance Unit	0	Unsharable
		VARCHAR(10)	Business Phone Number	41	Telephone Number
RADIO	CIT	VARCHAR(30)	City	1	City Name
RADIO	CTY	NUM(2,0)	County Number	47	County Code
RADIO	DAT	VARCHAR(6)	Date	38	Incident Begin Date/Time
RADIO	DIR	VARCHAR(200)	Directions	0	Unsharable
RADIO	DOB	NUM(8,0)	Date of Birth	7	Person Birth Date/Time
RADIO	EXT	VARCHAR(4)	Extension Phone Number	650	Telephone Extension Number
RADIO	FAX	VARCHAR(10)	Fax Number	41	Telephone Number
RADIO	FIR	VARCHAR(4)	Fire Department Unit	0	Unsharable
RADIO	FNA	VARCHAR(15)	First Name	302	Person Name First Name
RADIO	FST	VARCHAR(4)	First Responder Unit	19	Agency ORI Number
RADIO	HOS	VARCHAR(4)	Hospital	0	Unsharable
RADIO	HWY	VARCHAR(4)	Highway Patrol Officer	510	Law Enforcement Officer Number
RADIO	LIC	VARCHAR(8)	License Number	14	Registered Vehicle License Plate Number
RADIO	LNA	VARCHAR(30)	Last Name	304	Person Name Last Name
RADIO	LOC	VARCHAR(100)	Location	1697	Address Complete Street Address
RADIO	MIS	VARCHAR(1000)	Miscellaneous Information	0	Unsharable
RADIO	NAM	VARCHAR(30)	Name	823	Person Name Complete Name
RADIO	OID	NUM(3,0)	Operator ID Number	0	Unsharable
RADIO	OLN	VARCHAR(16)	Operator's License Number	8	Person Driver License Number
RADIO	PAG	VARCHAR(15)	Pager Number	0	Unsharable
RADIO	POL	VARCHAR(4)	Law Enforcement Unit	19	Agency ORI Number
RADIO	RES	VARCHAR(4)	Rescue Unit	0	Unsharable
RADIO	RES	VARCHAR(10)	Residence Phone Number	41	Telephone Number

5040\01\northdakota(mdb) B - 1 (RADIO) Version 2.0

Data Element Listing For RADIO

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
RADIO	RLN	VARCHAR(8)	Radio Log Number	0	Unsharable
RADIO	RNK	VARCHAR(10)	Rank	0	Unsharable
RADIO	SEQ	NUM(2,0)	Sequence Number	0	Unsharable
RADIO	SEX	VARCHAR(1)	Sex	23	Person Sex Code
RADIO	SHF	VARCHAR(4)	Sheriff's Office	19	Agency ORI Number
RADIO	STA	VARCHAR(2)	State	2	State/Province/Country Code
RADIO	TEL	NUM(10,0)	Telephone Number	41	Telephone Number
RADIO	TEN	NUM(4,0)	Ten Code	0	Unsharable
RADIO	TIM	VARCHAR(4)	Time	38	Incident Begin Date/Time
RADIO	TTL	VARCHAR(10)	Title Number	0	Unsharable
RADIO	TXT	VARCHAR(150)	Message Text	0	Unsharable
RADIO	TYP	VARCHAR(2)	Type	0	Unsharable
RADIO	UNI	VARCHAR(4)	Unit Number	0	Unsharable
RADIO	VIN	VARCHAR(20)	Vehicle ID Number	32	Vehicle Identification Number
RADIO	ZIP	VARCHAR(9)	ZIP Code	4	Address Postal Code

5040\01\northdakota(mdb) B - 2 (RADIO) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_AGENCY	AGENCY_ID	Integer	Uniquely identifies a agency involved in the state judiciary.	19	Agency ORI Number
T_AGENCY	AGENCY_NM	Character(35)	Agency/Group/Location where individual needs to report to.	40	Agency Name
T_AGENCY	DL_DIV_FL	Character(1)	Boolean (Y/N) denoting if agency issues drivers liscenses	0	Unsharable
T_AGENCY	OBSOLETE_FL	Character(1)	Boolean (Y/N) denoting if agency entry is obsolete	0	Unsharable
T_AMENDED_JUDGEMENT	AGAINST_ID	Integer	Interested party id whom the judgment is against.	0	Unsharable
T_AMENDED_JUDGEMENT	AMENDED_DT	DateTime	Date that the action was amended.	0	Unsharable
T_AMENDED_JUDGEMENT	AMMENDED_BY_ID	Character(8)	Userid who amended the action.	0	Unsharable
T_AMENDED_JUDGEMENT	ATTORNEY_FEE_AMT	Money	Fees due to the attorney.	259	Financial Obligation Type Code
T_AMENDED_JUDGEMENT	BANKRUPT_FL	Character(1)	Boolean (Y/N) denoting if bankruptcy is associated.	0	Unsharable
T_AMENDED_JUDGEMENT	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_AMENDED_JUDGEMENT	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_AMENDED_JUDGEMENT	COUNTY_ID	Character(2)	Uniquely identifies a county.	47	County Code
T_AMENDED_JUDGEMENT	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_AMENDED_JUDGEMENT	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_AMENDED_JUDGEMENT	DAMAGES_AMT	Money	Amount of damages awarded (in dollars).	259	Financial Obligation Type Code
T_AMENDED_JUDGEMENT	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_AMENDED_JUDGEMENT	DOCKET_DT	DateTime	Date the entry was entered.	0	Unsharable
T_AMENDED_JUDGEMENT	FOR_ID	Character(4)	Concatenated field of interested party type and sequence number denoting who the judgement is for.	0	Unsharable
T_AMENDED_JUDGEMENT	INTEREST_AMT	Money	Amount of interest in dollars.	0	Unsharable
T_AMENDED_JUDGEMENT	INTEREST_RATE	Decimal(82)	Interest rate associated with judgment.	0	Unsharable
T_AMENDED_JUDGEMENT	JUDGE_ID	Integer	Uniquely identifies a judge/judicial referee.	312	Judge Number
T_AMENDED_JUDGEMENT	JUDGEMENT_AMT	Money	Amount of judgment in dollars.	259	Financial Obligation Type Code

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_AMENDED_JUDGEMENT	JUDGEMENT_DISB_COS T	Money	Cost of judgment distribution in dollars.	259	Financial Obligation Type Code
T_AMENDED_JUDGEMENT	JUDGEMENT_DT	DateTime	Date judgment was entered.	239	Court Case Judgment Date/Time
T_AMENDED_JUDGEMENT	JUDGEMENT_SEQ_NBR	Integer	Sequence number of judgment.	0	Unsharable
T_AMENDED_JUDGEMENT	JUDGEMENT_TYPE_CD	Character(2)	Code denoting type of judgment.	240	Charge Disposition Code
T_AMENDED_JUDGEMENT	JUDGMENT_ID_NBR	Character(4)	Unique identifier for a judgement.	0	Unsharable
T_AMENDED_JUDGEMENT	RE_DOCKET_DT	DateTime	Date that the judgement was amended.	0	Unsharable
T_AMENDED_JUDGEMENT	RENEWED_DT	DateTime	Date the judgment was renewed.	0	Unsharable
T_AMENDED_JUDGEMENT	SATISFIED_CD	Character(1)	Code denoting is judgement has been satisifed.	0	Unsharable
T_AMENDED_JUDGEMENT	SATISFIED_DT	DateTime	Date that the condition was satisfied.	0	Unsharable
T_AMENDED_JUDGEMENT	SETTLEMENT_AMT	Money	Amount of settlement in dollars.	0	Unsharable
T_AMENDED_JUDGEMENT	STATUTE_LIMITATIONS _FL	Character(1)	Boolean (Y/N) denoting if statute of limitations has ran out for the given case/count.	0	Unsharable
T_AMENDED_JUDGEMENT	VACATED_FL	Character(1)	Boolean (Y/N) denoting if judgment has been vacated.	0	Unsharable
T_ASSIGNED_JUDGE	ASSIGNED_DT	DateTime	Date the case was assigned to the judge or judicial referee.	0	Unsharable
T_ASSIGNED_JUDGE	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_ASSIGNED_JUDGE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_ASSIGNED_JUDGE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_ASSIGNED_JUDGE	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_ASSIGNED_JUDGE	JUDGE_ID	Integer	Uniquely identifies a judge/judicial referee.	312	Judge Number
T_ASSIGNED_JUDGE	RRN	VarChar(10)	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_BAIL	BAIL_AMT	Money	Amount of bail in dollars.	219	Arrest Bail Money
T_BAIL	BAIL_ORDERED_DT	DateTime	Date bail was ordered.	0	Unsharable
T_BAIL	BAIL_SEQ_NBR	I	Sequence number of the bail.	0	Unsharable
T_BAIL	BAIL_TYPE_CD	Character(1)	Code denoting type of bail.	0	Unsharable

5040\01\northdakota(mdb) B - 2 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_BAIL	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_BAIL	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_BAIL	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_BAIL	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_BAIL	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_BAIL	PAY_PERCENT	Decimal(180)	Percentage of bail that needs to be paid.	0	Unsharable
T_BAIL	REFUND_FORFEIT_CD	Character(1)	Code (R=Refund,Blank=No) if bail was refunded to payee.	0	Unsharable
T_BAIL	REMAINING_BALANCE_ AMT	Money	Remaining balance of judgement/fine.	0	Unsharable
T_CASE_CONDITION	AGENCY_NM	Character(35)	Agency/Group/Location where individual needs to report to.	40	Agency Name
T_CASE_CONDITION	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_CASE_CONDITION	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_CASE_CONDITION	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_CASE_CONDITION	COND_CD	Integer	Condition code associated with case condition.	0	Unsharable
T_CASE_CONDITION	CONDITION_DY_CNT	Integer	Term days for condition.	0	Unsharable
T_CASE_CONDITION	CONDITION_MO_CNT	Integer	Term months for condition.	0	Unsharable
T_CASE_CONDITION	CONDITION_YR_CNT	Integer	Term years for condition.	0	Unsharable
T_CASE_CONDITION	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_CASE_CONDITION	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_CASE_CONDITION	DUE_DT	DateTime	Date the condition needs to be met by.	0	Unsharable
T_CASE_CONDITION	EFFECTIVE_DT	DateTime	Date the condition is effective.	0	Unsharable
T_CASE_CONDITION	ENTERED_DT	DateTime	Date the record was entered.	0	Unsharable
T_CASE_CONDITION	SATISFIED_DT	DateTime	Date that the condition was satisfied.	0	Unsharable

5040\01\northdakota(mdb) B - 3 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_CASE_CONDITION	SUSPENDED_DY_CNT	Integer	Days suspended from condition/sentence.	161	Custody Obligation Suspended Days
T_CASE_CONDITION	SUSPENDED_MO_CNT	Integer	Months/(Hours for community service) suspended from condition/sentence.	165	Custody Obligation Suspended Months
T_CASE_CONDITION	SUSPENDED_YR_CNT	Integer	Years suspended from condition/sentence.	165	Custody Obligation Suspended Months
T_CASE_TYPE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_CASE_TYPE	CASE_TYPE_DESC	Character(35)	Description of the case type.	0	Unsharable
T_CATEGORY	OFFENSE_CAT_DESC	Character(60)	Description of offense category.	0	Unsharable
T_CATEGORY	OFFENSE_CAT_ID	Integer	Uniquely identifies an offense category.	0	Unsharable
T_CIVIL_CASE	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_CIVIL_CASE	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_CIVIL_CASE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_CIVIL_CASE	CHARGED_DESC	Character(35)	Description of charged offense.	0	Unsharable
T_CIVIL_CASE	CLOSED_DT	DateTime	Date that case or event was closed.	0	Unsharable
T_CIVIL_CASE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_CIVIL_CASE	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_CIVIL_CASE	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_CIVIL_CASE	EVENT_DESC_ID	Integer	Uniquely identifies an event type.	0	Unsharable
T_CIVIL_CASE	FILED_DT	DateTime	Date the case/count was filed.	0	Unsharable
T_CIVIL_CASE	OFFENSE_ID	Integer	Unique identifier for an offense.	56	Offense Code
T_CIVIL_CASE	VOID_FL	Character(1)	Boolean (Y/N) denoting if item is null and void.	0	Unsharable
T_CONDITION	ALLOW_CHG_FL	Character(1)	Boolean (Y/N) flag denoting if changes are allowed.	0	Unsharable
T_CONDITION	COND_CD	Integer	Condition code associated with case condition.	0	Unsharable
T_CONDITION	COND_DESC	Character(35)	Description of case condition.	0	Unsharable

5040\01\northdakota(mdb) B - 4 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_CONDITION_NOTES	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_CONDITION_NOTES	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_CONDITION_NOTES	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_CONDITION_NOTES	COMMENT_TEXT	Character(35)	Textual field containing comments.	0	Unsharable
T_CONDITION_NOTES	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_CONDITION_NOTES	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_CONDITION_NOTES	NOTE_SEQ_NBR	Integer	Sequence number of note.	0	Unsharable
T_COUNTY	COUNTY_CD	Character(2)	Uniquely identifies a county.	47	County Code
T_COUNTY	COUNTY_DESC	Character(35)	Description associated with county code.	485	County Name
T_COURT	ALT_COUNTY_ID	Integer	Alternate county id for this county.	47	County Code
T_COURT	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_COURT	COURT_NM	Character(35)	Name of court.	40	Agency Name
T_COURT	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_CRIMINAL_CASE	ACTUAL_SPEED_AMT	Integer	Actual speed of the vehicle.	392	Citation Actual Speed Number
T_CRIMINAL_CASE	BLOCK_NBR	Integer	Block number where offense occurred.	0	Unsharable
T_CRIMINAL_CASE	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_CRIMINAL_CASE	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_CRIMINAL_CASE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_CRIMINAL_CASE	CASE_VOID_FL	Character(1)	Boolean (Y/N) denoting if case is voided.	0	Unsharable
T_CRIMINAL_CASE	CHARGED_OFFENSE_CL ASS_CD	Character(2)	Class code of the charged offense.	0	Unsharable
T_CRIMINAL_CASE	CHARGED_OFFENSE_DE SC	Character(70)	Charged offense description	1718	Offense Description
T_CRIMINAL_CASE	CITATION_NBR	Integer	Citation number associated with criminal case.	134	Citation Number
T_CRIMINAL_CASE	CLOSED_DT	DateTime	Date that case or event was closed.	0	Unsharable
T_CRIMINAL_CASE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
5040\01\northdakota(mdb)			B-5 (UCISDW)		Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_CRIMINAL_CASE	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_CRIMINAL_CASE	CURRENT_STATUS_CD	Integer	Current status of the case/count.	0	Unsharable
T_CRIMINAL_CASE	DEFENDENT_APPEARED _FL	Character(1)	Boolean (Y/N) denoting if defendant appeared in court for the given case/count.	0	Unsharable
T_CRIMINAL_CASE	DEFENSIVE_DRIVING_C RS_FL	Character(1)	Boolean (Y/N) denoting if defensive driver course has been identified as a need for the defendant.	0	Unsharable
T_CRIMINAL_CASE	DIRECTION_CD	Character(2)	Code denoting direction that vehicle was traveling (N/NW/W/SW/S/SE/E/NE)	0	Unsharable
T_CRIMINAL_CASE	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_CRIMINAL_CASE	DOT_ARREST_AGENCY_ ID	Integer	ID of the arresting DOT agency.	19	Agency ORI Number
T_CRIMINAL_CASE	DOT_TRANSFER_DT	DateTime	Date that the case/count was electronically transferred to Department of Transportation.	0	Unsharable
T_CRIMINAL_CASE	DRIVER_LICENSE_NBR	Character(20)	Drivers license number of the defendant.	8	Person Driver License Number
T_CRIMINAL_CASE	DRIVER_LICENSE_ST_C D	Character(2)	State code where the defendants drivers license was created.	1438	Person Driver License State - State/Province/Country Code
T_CRIMINAL_CASE	FILED_DT	DateTime	Date the case/count was filed.	248	Court Case Event Action Date/Time
T_CRIMINAL_CASE	HAZARDOUS_FL	Character(1)	Boolean (Y/N) denoting if the defendant was driving in a hazardous manner.	0	Unsharable
T_CRIMINAL_CASE	INCIDENT_NBR	Integer	Numeric identifier for an incident.	37	Incident Number
T_CRIMINAL_CASE	ISSUING_AGENCY_ID	Integer	Uniquely identifies a agency that issues/gives citations.	19	Agency ORI Number
T_CRIMINAL_CASE	MANDATORY_COURT_A PPEAR_FL	Character(1)	Boolean (Y/N) denoting if court appearance is mandatory for offense.	0	Unsharable
T_CRIMINAL_CASE	MUNICIPALITY_ID	Character(2)	Uniquely identifies a municipality.	0	Unsharable
T_CRIMINAL_CASE	OFFENSE_DT	DateTime	Date the offense occurred.	38	Incident Begin Date/Time
T_CRIMINAL_CASE	OFFENSE_ID	Integer	Unique identifier for an offense.	56	Offense Code
T_CRIMINAL_CASE	OFFENSE_PLEAD_TO_ID	Integer	Offense which the defendant plead to.	0	Unsharable
T_CRIMINAL_CASE	OFFICER_BADGE_NBR	Integer	Badge number of the officer who wrote the citation.	510	Law Enforcement Officer Number

5040\01\northdakota(mdb) B - 6 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_CRIMINAL_CASE	OPERATOR_FL	Character(1)	Boolean (Y/N) denoting if individual was operating a motor vehicle.	0	Unsharable
T_CRIMINAL_CASE	PLEA_ENTERED_CD	Character(2)	Plea entered by defendant.	319	Prosecution Charge Plea Code
T_CRIMINAL_CASE	PLEAD_OFFENSE_CLASS _CD	Character(2)	Class code associated with plea.	0	Unsharable
T_CRIMINAL_CASE	PLEAD_TO_OFFENSE_D ESC	Character(60)	Description of offense that defendant plead to.	1718	Offense Description
T_CRIMINAL_CASE	SENTENCED_DT	DateTime	Date that sentencing occurred.	244	Court Case Event Date/Time
T_CRIMINAL_CASE	SENTENCING_JUDGE_ID	Integer	Judge who ordered the sentence.	312	Judge Number
T_CRIMINAL_CASE	SPEED_ZONE_AMT	Integer	Posted speed in which the offense occurred.	0	Unsharable
T_CRIMINAL_CASE	STREET_NAME	Character(15)	Street name.	430	Street Name
T_CRIMINAL_CASE	VEHICLE_TYPE_CD	Character(1)	Code denoting vehicle type.	30	Vehicle Type Code
T_DISTRICT	COURT_ADM_NM	Character(35)	Court administrators name.	823	Person Name Complete Name
T_DISTRICT	DISTRICT_FULL_NM	Character(35)	Full name of judicial district.	112	Agency District Code
T_DISTRICT	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_DISTRICT	DISTRICT_SHORT_NM	Character(25)	Short name (report name) for district.	112	Agency District Code
T_EVENT	BENCH_WARRANT_FL	Character(1)	Boolean (Y/N) denoting if event is a bench warrant.	0	Unsharable
T_EVENT	EVENT_ACTION_CD	Character(1)	Code denoting action of case (R=Reopen,C=Close)	247	Court Case Event Action Code
T_EVENT	EVENT_DESC	Character(35)	Textual description of event	245	Court Case Event Type Code
T_EVENT	EVENT_DESC_ID	Integer	Uniquely identifies an event type.	245	Court Case Event Type Code
T_INTERESTED_PARTY	ADDRESS_1	Character(25)	First line of address	1697	Address Complete Street Address
T_INTERESTED_PARTY	ADDRESS_2	Character(25)	Second line of address.	1697	Address Complete Street Address
T_INTERESTED_PARTY	ATTORNEY_ID	I	Unique ID for an attorney.	242	Attorney BAR Number
T_INTERESTED_PARTY	BIRTH_DT	DateTime	Birth date of interested party.	7	Person Birth Date/Time
T_INTERESTED_PARTY	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number

5040\01\northdakota(mdb) B - 7 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_INTERESTED_PARTY	CASE_RELATIONSHIP_F L	Character(1)	Boolean (Y/N) denoting if interested party is associated with any case.	0	Unsharable
T_INTERESTED_PARTY	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_INTERESTED_PARTY	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_INTERESTED_PARTY	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_INTERESTED_PARTY	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_INTERESTED_PARTY	HOME_PHONE_AREA_C D	Integer	Home phone area code.	41	Telephone Number
T_INTERESTED_PARTY	HOME_PHONE_NBR	Integer	Home phone number.	41	Telephone Number
T_INTERESTED_PARTY	LAST_UPDATED_DT	DateTime	Date/time the record was last updated.	0	Unsharable
T_INTERESTED_PARTY	LOCATION_ID	Character(2)	Location where the event is to be held.	465	Location Sequence Number
T_INTERESTED_PARTY	MONEY_OWED_FL	Character(1)	Boolean (Y/N) denoting if money is owed by interested party.	0	Unsharable
T_INTERESTED_PARTY	NAME_TYPE_CD	Character(1)	Code denoting party type (I=Individual, B=Business).	0	Unsharable
T_INTERESTED_PARTY	OCCUPATION_DESC	Character(20)	Occupation of interested party.	1511	Person Occupation Type Code
T_INTERESTED_PARTY	PARTY_NM	Character(40)	Name of party.	823	Person Name Complete Name
T_INTERESTED_PARTY	PARTY_SEQ_NBR	Integer	Sequence number of party within a case.	0	Unsharable
T_INTERESTED_PARTY	PARTY_SUFFIX_NM	Character(3)	Suffix.	595	Person Name Suffix Name
T_INTERESTED_PARTY	PARTY_TYPE_CD	Character(2)	Code denoting party type (IE: PL, DE, etc)	507	Incident Person Interest Code
T_INTERESTED_PARTY	POSTAL_CD	Character(30)	Postal/Zip Code.	4	Address Postal Code
T_INTERESTED_PARTY	RRN	VarChar(10)	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_INTERESTED_PARTY	SOC_SEC_NBR	Integer	Social Security Number of party.	25	Person SSN Number
T_INTERESTED_PARTY	WORK_PHONE_AREA_C D	Integer	Work phone area code.	41	Telephone Number
T_INTERESTED_PARTY	WORK_PHONE_NBR	Integer	Work phone number.	41	Telephone Number
T_JUDGE	ADDRESS_1	Character(25)	First line of address	1697	Address Complete Street Address
T_JUDGE	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_JUDGE	FIRST_NAME	Character(12)	First name of individual.	302	Person Name First Name
5040\04\ .1.1.1 . (.2)			D 0 (TICTODITI)		

5040\01\northdakota(mdb) B - 8 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_JUDGE	INCLUDE_NEXT_ROTAT ION_FL	Character(1)	Boolean (Y/N) denoting if the judge/referee should be included in the next rotation.	0	Unsharable
T_JUDGE	JUDGE_CURRENT_FL	Character(1)	Boolean (Y/N) denoting if the judge/referee is active.	0	Unsharable
T_JUDGE	JUDGE_ID	Integer	Uniquely identifies a judge/judicial referee.	312	Judge Number
T_JUDGE	JUDGE_NAME	Character(25)	Judges name	823	Person Name Complete Name
T_JUDGE	LAST_NAME	Character(18)	Last name of party/individual.	304	Person Name Last Name
T_JUDGE	POSTAL_CD	Character(30)	Postal/Zip Code.	4	Address Postal Code
T_JUDGE_CALENDAR	BEGIN_AMPM_CD	Character(1)	Code (A/P) denoting if AM or PM.	0	Unsharable
T_JUDGE_CALENDAR	BEGIN_CENT		Begin century of the event.	0	Unsharable
T_JUDGE_CALENDAR	BEGIN_DT	DateTime	Begin Date time.	0	Unsharable
T_JUDGE_CALENDAR	BEGIN_DY	Integer	Begin day of event	0	Unsharable
T_JUDGE_CALENDAR	BEGIN_MO	Integer	Begin month of the event.	0	Unsharable
T_JUDGE_CALENDAR	BEGIN_TM	Integer	Begin Time of the event	0	Unsharable
T_JUDGE_CALENDAR	BEGIN_YR	Integer	Begin year of the event.	0	Unsharable
T_JUDGE_CALENDAR	CALENDAR_ID	Integer	Identifer for the calanedar entry.	0	Unsharable
T_JUDGE_CALENDAR	DESCRIPTION_1	Character(60)	Description line 1.	0	Unsharable
T_JUDGE_CALENDAR	DESCRIPTION_2	Character(60)	Description line 2.	0	Unsharable
T_JUDGE_CALENDAR	END_DT	DateTime	End date.	0	Unsharable
T_JUDGE_CALENDAR	JUDGE_ID	Integer	Uniquely identifies a judge/judicial referee.	312	Judge Number
T_JUDGE_CALENDAR	PERSONAL_EVENT_FL	Character(1)	Boolean (Y/N) denoting if event is personal or not.	0	Unsharable
T_JUDGE_CALENDAR_ADT L	BEGIN_CENT	Integer	Begin century of the event.	0	Unsharable
T_JUDGE_CALENDAR_ADT L	BEGIN_DT	DateTime	Begin Date time.	0	Unsharable
T_JUDGE_CALENDAR_ADT L	BEGIN_DY	Integer	Begin day of event	0	Unsharable

5040\01\northdakota(mdb) B - 9 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_JUDGE_CALENDAR_ADT L	BEGIN_MO	Integer	Begin month of the event.	0	Unsharable
T_JUDGE_CALENDAR_ADT L	BEGIN_YR	Integer	Begin year of the event.	0	Unsharable
T_JUDGE_CALENDAR_ADT L	CALENDAR_ID	Integer	Identifer for the calanedar entry.	0	Unsharable
T_JUDGE_CALENDAR_ADT L	END_DT	DateTime	End date.	0	Unsharable
T_JUDGEMENT	AGAINST_ID	Integer	Interested party id whom the judgment is against.	0	Unsharable
T_JUDGEMENT	ATTORNEY_FEE_AMT	Money	Fees due to the attorney.	259	Financial Obligation Type Code
T_JUDGEMENT	BANKRUPT_FL	Character(1)	Boolean (Y/N) denoting if bankruptcy is associated.	0	Unsharable
T_JUDGEMENT	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_JUDGEMENT	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_JUDGEMENT	COUNTY_ID	Character(2)	Uniquely identifies a county.	47	County Code
T_JUDGEMENT	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_JUDGEMENT	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_JUDGEMENT	DAMAGES_AMT	Money	Amount of damages awarded (in dollars).	259	Financial Obligation Type Code
T_JUDGEMENT	DOCKET_DT	DateTime	Date the entry was entered.	0	Unsharable
T_JUDGEMENT	FOR_ID	Character(4)	Concatenated field of interested party type and sequence number denoting who the judgement is for.	0	Unsharable
T_JUDGEMENT	INTEREST_AMT	Money	Amount of interest in dollars.	0	Unsharable
T_JUDGEMENT	INTEREST_RATE	Decimal(82)	Interest rate associated with judgment.	0	Unsharable
T_JUDGEMENT	JUDGE_ID	Integer	Uniquely identifies a judge/judicial referee.	312	Judge Number
T_JUDGEMENT	JUDGEMENT_AMT	Money	Amount of judgment in dollars.	259	Financial Obligation Type Code
5040\01\northdakota(mdb)			B-10 (UCISDW)		Version 2.0

5040\01\northdakota(mdb)

STATE OF NORTH DAKOTA CRIMINAL JUSTICE INFORMATION SHARING

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_JUDGEMENT	JUDGEMENT_DISB_COS T	Money	Cost of judgment distribution in dollars.	259	Financial Obligation Type Code
T_JUDGEMENT	JUDGEMENT_DT	DateTime	Date judgment was entered.	239	Court Case Judgment Date/Time
T_JUDGEMENT	JUDGEMENT_SEQ_NBR	Integer	Sequence number of judgment.	0	Unsharable
T_JUDGEMENT	JUDGEMENT_TYPE_CD	Character(2)	Code denoting type of judgment.	505	Court Case Disposition Code
T_JUDGEMENT	RE_DOCKET_DT	DateTime	Date that the judgement was amended.	0	Unsharable
T_JUDGEMENT	RENEWED_DT	DateTime	Date the judgment was renewed.	0	Unsharable
T_JUDGEMENT	SATISFIED_CD	Character(1)	Code denoting is judgement has been satisifed.	0	Unsharable
T_JUDGEMENT	SATISFIED_DT	DateTime	Date that the condition was satisfied.	0	Unsharable
T_JUDGEMENT	SETTLEMENT_AMT	Money	Amount of settlement in dollars.	0	Unsharable
T_JUDGEMENT	STATUTE_LIMITATIONS _FL	Character(1)	Boolean (Y/N) denoting if statute of limitations has ran out for the given case/count.	0	Unsharable
T_JUDGEMENT	TRANFER_DT	DateTime	Date of transfer to DOT.	0	Unsharable
T_JUDGEMENT	VACATED_FL	Character(1)	Boolean (Y/N) denoting if judgment has been vacated.	0	Unsharable
T_JUDGEMENT_NOTE	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_JUDGEMENT_NOTE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_JUDGEMENT_NOTE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_JUDGEMENT_NOTE	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_JUDGEMENT_NOTE	JUDGEMENT_SEQ_NBR	Integer	Sequence number of judgment.	0	Unsharable
T_JUDGEMENT_NOTE	NOTE_SEQ_NBR	Integer	Sequence number of note.	0	Unsharable
T_JUDGEMENT_NOTE	NOTE_TEXT	Character(70)	Text.	0	Unsharable
T_JUDGES_NOTE	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_JUDGES_NOTE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_JUDGES_NOTE	COMMENT_TEXT	Character(35)	Textual field containing comments.	0	Unsharable
T_JUDGES_NOTE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_JUDGES_NOTE	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year

B - 11 (UCISDW)

Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_JUDGES_NOTE	NOTE_SEQ_NBR	Integer	Sequence number of note.	0	Unsharable
T_LEDGER_NAME	ADDRESS_1	Character(25)	First line of address	1697	Address Complete Street Address
T_LEDGER_NAME	ADDRESS_2	Character(25)	Second line of address.	1697	Address Complete Street Address
T_LEDGER_NAME	BIRTH_DT	DateTime	Birth date of interested party.	7	Person Birth Date/Time
T_LEDGER_NAME	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_LEDGER_NAME	PARTY_NM	Character(40)	Name of party.	823	Person Name Complete Name
T_LEDGER_NAME	PARTY_SUFFIX_NM	Character(3)	Suffix.	595	Person Name Suffix Name
T_LEDGER_NAME	POSTAL_CD	Character(30)	Postal/Zip Code.	4	Address Postal Code
T_LEDGER_NAME	RRN	VarChar(10)	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_LEDGER_NAME	SOC_SEC_NBR	Integer	Social Security Number of party.	25	Person SSN Number
T_LEDGER_NOTE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_LEDGER_NOTE	HISTORY_CD	Character(1)	Boolean (Y/N) denoting if event is historical in nature and should not be displayed on claendars.	0	Unsharable
T_LEDGER_NOTE	LEDGER_NOTE_NBR	Integer	Sequence number of ledger note.	0	Unsharable
T_LEDGER_NOTE	NOTE_TEXT	Character(70)	Text.	0	Unsharable
T_LEDGER_NOTE	RRN	VarChar	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_LEDGER_NOTE	SOC_SEC_NBR	Integer	Social Security Number of party.	25	Person SSN Number
T_OFFENSE	CLASS_AA_FELONY_FL	Character(1)	Boolean (Y/N) denoting if offense is a Class AA felony.	0	Unsharable
T_OFFENSE	CLASS_FA_FELONY_FL	Character(1)	Boolean (Y/N) denoting if offense is a Class A felony.	0	Unsharable
T_OFFENSE	CLASS_FB_FELONY_FL	Character(1)	Boolean (Y/N) denoting if offense is a Class B felony.	0	Unsharable
T_OFFENSE	CLASS_FC_FELONY_FL	Character(1)	Boolean (Y/N) denoting if offense is a Class C felony.	0	Unsharable
T_OFFENSE	CLASS_MA_MISD_FL	Character(1)	Boolean (Y/N) denoting if offense is a Class A misdemeanor.	0	Unsharable
5040\01\northdakota(mdb)			B - 12 (UCISDW)		Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_OFFENSE	CLASS_MB_MISD_FL	Character(1)	Boolean (Y/N) denoting if offense is a Class B misdemeanor.	0	Unsharable
T_OFFENSE	COURT_MANDATORY_F L	Character(1)	Boolean (Y/N) denoting if a court appearance is mandatory for this case.	0	Unsharable
T_OFFENSE	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_OFFENSE	INFRACTION_FL	Character(1)	Boolean (Y/N) denoting if the offense is a criminal infraction.	0	Unsharable
T_OFFENSE	ND_CENTURY_CD	Character(20)	ND Century code associated with offense.	56	Offense Code
T_OFFENSE	OFFENSE_CAT_ID	Integer	Uniquely identifies an offense category.	0	Unsharable
T_OFFENSE	OFFENSE_DESC	Character(60)	Description of offense.	1718	Offense Description
T_OFFENSE	OFFENSE_FINE_AMT	Money	Fine associated with offense.	642	Charge Fine Money
T_OFFENSE	OFFENSE_ID	Integer	Unique identifier for an offense.	56	Offense Code
T_OFFICER	BADGE_NBR		Badge number of the officer who wrote the citation.	510	Law Enforcement Officer Number
T_OFFICER	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_OFFICER	OFFICER_NM		Name of the arresting officer.	823	Person Name Complete Name
T_PAPERS	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_PAPERS	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_PAPERS	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_PAPERS	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_PAPERS	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_PAPERS	FILED_DT	DateTime	Date the case/count was filed.	248	Court Case Event Action Date/Time
T_PAPERS	PAPER_DESC	Character(60)	Textual description of paper.	0	Unsharable
T_PAPERS	PAPER_SEQUENCE_NBR	Integer	Sequence number of filed paper.	0	Unsharable
T_PAPERS	RRN	VarChar(10)	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_PARTY_TYPE	ATTORNEY_FL	Character(1)	Boolean (Y/N) denoting if the individual is an attorney.	0	Unsharable

5040\01\northdakota(mdb) B - 13 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_PARTY_TYPE	PARTY_TYPE_CD	Character(2)	Code denoting party type (IE: PL, DE, etc)	507	Incident Person Interest Code
T_PARTY_TYPE	PARTY_TYPE_DESC	Character(20)	Description of party type	507	Incident Person Interest Code
T_PAYMENT_SCHEDULE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_PAYMENT_SCHEDULE	DUE_DT	DateTime	Date the condition needs to be met by.	0	Unsharable
T_PAYMENT_SCHEDULE	PAYMENT_AMT	Money	Payment amount in dollars.	0	Unsharable
T_PAYMENT_SCHEDULE	PAYMENT_PERIOD_CD	Character(1)	Code denoting when the payment is due (M=Monthly,W=Weekly,O=Once)	0	Unsharable
T_PAYMENT_SCHEDULE	RRN	VarChar	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_PAYMENT_SCHEDULE	SOC_SEC_NBR	Integer	Social Security Number of party.	25	Person SSN Number
T_POSTAL_CODE	CITY	Character(20)	Name of city.	1	City Name
T_POSTAL_CODE	POSTAL_CD	Character(30)	Postal/Zip Code.	4	Address Postal Code
T_RECEIPT	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_RECEIPT	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_RECEIPT	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_RECEIPT	CHANGE_AMT	Money	Amount given back to the remitter.	0	Unsharable
T_RECEIPT	CHECK_NBR	Integer	Check number for the receipt.	0	Unsharable
T_RECEIPT	COUNTY_CD	Character(2)	Uniquely identifies a county.	47	County Code
T_RECEIPT	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_RECEIPT	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_RECEIPT	DISTRIBUTED_AMT	Money	Amount distributed .	0	Unsharable
T_RECEIPT	LICENSE_NBR	Character(20)	License number	8	Person Driver License Number
T_RECEIPT	MISC_TXT	Character(35)	Free-form text.	0	Unsharable
T_RECEIPT	RCEN	Integer	Century the receipt was created	0	Unsharable
T_RECEIPT	RDD	Integer	Day the receipt was created.	0	Unsharable
T_RECEIPT	RECEIPT_DT	DateTime	Date the receipt was created.	0	Unsharable
T_RECEIPT	RECEIPT_NBR	Integer	Unique ID for a reciept.	0	Unsharable
T_RECEIPT	RECEIPT_STATUS_CD	Character(1)	Code denoting print status of receipt.	0	Unsharable

5040\01\northdakota(mdb) B - 14 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_RECEIPT	RECEIPT_TYPE_CD	Character(1)	Type of Receipt.	0	Unsharable
T_RECEIPT	REMITTER_NM	Character(35)	Fullname of the remitter.	0	Unsharable
T_RECEIPT	RMM	Integer	Month of the remittance.	0	Unsharable
T_RECEIPT	RTIME	Integer	Time of the remittance.	0	Unsharable
T_RECEIPT	RYY	Integer	Year the remittance occurred.	0	Unsharable
T_RECEIPT	TENDERED_AMT	Money	Amount tendered.	0	Unsharable
T_RECEIPT	USER_NM	Character(8)	Userid who amended the action.	0	Unsharable
T_RECEIPT	VOID_CD	Character(1)	Boolean (Y/N) denoting if the event if voided.	0	Unsharable
T_RECEIPT	VOID_DT	DateTime	Date/time that the void occurred.	0	Unsharable
T_RECEIPT	VOID_USER_ID	Character(8)	Userid who performed the void.	0	Unsharable
T_RECEIPT_TYPE	RECEIPT_CD	DateTime	Code denoting receipt type.	0	Unsharable
T_RECEIPT_TYPE	RECEIPT_CR	Money	Amount of the receipt that was credited to account.	0	Unsharable
T_RECEIPT_TYPE	RECEIPT_DESC	Character(30)	Textual field describing receipt.	0	Unsharable
T_RECEIPT_TYPE	RECEIPT_TYPE_CD	Character(1)	Type of Receipt.	0	Unsharable
T_RECEIVABLE	CASE_AR_CD	Character(1)	Code denoting receipt type.	0	Unsharable
T_RECEIVABLE	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_RECEIVABLE	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_RECEIVABLE	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_RECEIVABLE	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_RECEIVABLE	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_RECEIVABLE	LEVIED_AMT	Money	Amount levied in dollars.	0	Unsharable
T_RECEIVABLE	RECEIVED_AMT	Money	Amount received from payee.	0	Unsharable
T_RECEIVABLE	REFUNDED_AMT	Money	Amount refunded back to payee.	0	Unsharable
T_RECEIVABLE	SUSPENDED_AMT	Money	Amount of fine that was suspended in dollars.	0	Unsharable
T_RECEIVABLE	TRANS_DT	DateTime	Transaction date.	0	Unsharable

5040\01\northdakota(mdb) B - 15 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_REFUND	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_REFUND	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_REFUND	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_REFUND	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_REFUND	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_REFUND	REFUND_AMT	Money	Amount refunded back to payee.	0	Unsharable
T_REFUND	REFUND_CD	Character(1)	Denotes type of refund.	0	Unsharable
T_REFUND	REFUND_CENT	Integer	Century the refund was created.	0	Unsharable
T_REFUND	REFUND_DT	DateTime	Date/Time the refund was given to payee.	0	Unsharable
T_REFUND	REFUND_DY	Integer	Day the refund was given to payee.	0	Unsharable
T_REFUND	REFUND_MO	Integer	Month the refund was given to payee.	0	Unsharable
T_REFUND	REFUND_TM	Integer	Time (HHMM) the refund was given to payee.	0	Unsharable
T_REFUND	REFUND_USER_ID	Integer	Userid who refunded the money.	0	Unsharable
T_REFUND	REFUND_YR	Integer	Year the refund was given to payee.	0	Unsharable
T_REFUND	RRN	VarChar(10)	Relative Record Number from Source System Used for replication purposes.	0	Unsharable
T_REFUND	VOID_CD	Character(1)	Boolean (Y/N) denoting if the refund is voided.	0	Unsharable
T_RESTITUTION	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_RESTITUTION	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_RESTITUTION	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_RESTITUTION	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_RESTITUTION	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_RESTITUTION	DUE_DT	DateTime	Date the condition needs to be met by.	0	Unsharable
T_RESTITUTION	ENTERED_DT	DateTime	Date the record was entered.	0	Unsharable

5040\01\northdakota(mdb) B - 16 (UCISDW) Version 2.0

Data Element Listing For UCISDW

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
T_RESTITUTION	ISSUED_AMT	Money	Amount issued from a financial transaction (receipt/judgement).	0	Unsharable
T_RESTITUTION	PARTY_SEQ_NBR	Integer	Sequence number of party within a case.	0	Unsharable
T_RESTITUTION	PAYMENT_AMT	Money	Payment amount in dollars.	0	Unsharable
T_RESTITUTION	PAYMENT_PERIOD_CD	Character(1)	Code denoting when the payment is due (M=Monthly,W=Weekly,O=Once)	0	Unsharable
T_RESTITUTION	RESTITUTION_AMT	Money	Amount of restitution in dollars.	0	Unsharable
T_RESTITUTION	VICTIM_AMT	Money	Amount award to victim in dollars.	0	Unsharable
T_SCHEDULED_EVENT	BEGIN_DT	DateTime	Begin Date time.	0	Unsharable
T_SCHEDULED_EVENT	CASE_COUNT_NBR	Integer	Sequential numer that identifies occurrence of a count within a case.	0	Unsharable
T_SCHEDULED_EVENT	CASE_NBR	Integer	Uniquely identifies a case within a court and year.	139	Court Case Identifier Number
T_SCHEDULED_EVENT	CASE_TYPE_CD	Character(1)	Denotes case type.	149	Court Case Type Code
T_SCHEDULED_EVENT	COURT_ID	Character(2)	Unique identifier for a court.	19	Agency ORI Number
T_SCHEDULED_EVENT	COURT_YR	Integer	Year of court case/count.	423	Court Calendar Year
T_SCHEDULED_EVENT	DISTRICT_ID	Character(2)	Uniquely identifies a district.	112	Agency District Code
T_SCHEDULED_EVENT	END_DT	DateTime	End date.	0	Unsharable
T_SCHEDULED_EVENT	ENTERED_DT	DateTime	Date the record was entered.	0	Unsharable
T_SCHEDULED_EVENT	EVENT_DESC_ID	Integer	Uniquely identifies an event type.	0	Unsharable
T_SCHEDULED_EVENT	EVENT_RECORD_NBR	Integer	A Unique for a court event.	1744	Court Case Event Sequence Number
T_SCHEDULED_EVENT	HISTORY_FLAG	Character(1)	Boolean (Y/N) denoting if the event is historical or not.	0	Unsharable
T_SCHEDULED_EVENT	INTERESTED_PARTY_ID	Integer	Uniquely identifies an interested party within a case.	0	Unsharable
T_SCHEDULED_EVENT	JUDGE_ID	Integer	Uniquely identifies a judge/judicial referee.	312	Judge Number
T_SCHEDULED_EVENT	LOCATION_ID	Character(2)	Location where the event is to be held.	465	Location Sequence Number
T_SCHEDULED_EVENT	ORDER_ID	Integer	Uniquely identifies a court order.	0	Unsharable
T_SCHEDULED_EVENT	SCHEDULED_EVENT_DE SC	=	Description denoting nature of scheduled event.	0	Unsharable

5040\01\northdakota(mdb) B - 17 (UCISDW) Version 2.0

Data Element Listing For VRTS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
ADDRESS	ACS_KEYLINE_VALUE	VARCHAR2(12)		0	Unsharable
ADDRESS	ADDRESS ID	NUMBER(9)		0	Unsharable
ADDRESS	ADDRESS_LINE1	VARCHAR2(100)		0	Unsharable
ADDRESS	ADDRESS_LINE1_LINE2_ COUNTRY	VARCHAR2(186)		0	Unsharable
ADDRESS	ADDRESS_LINE2	VARCHAR2(100)		0	Unsharable
ADDRESS	ADDRESS_SET_ID	NUMBER(9)		0	Unsharable
ADDRESS	ADDRESS_SINGLE	VARCHAR2(231)		0	Unsharable
ADDRESS	ADDRESS_TYPE	NUMBER(4)		1371	Address Type Code
ADDRESS	AUDIT_DATE	DATE		0	Unsharable
ADDRESS	AUDIT_USER_ID	VARCHAR2(10)		0	Unsharable
ADDRESS	CITY_NAME	VARCHAR2(28)		1	City Name
ADDRESS	CITY_STATE	VARCHAR2(31)		0	Unsharable
ADDRESS	CITY_STATE_ZIP4	VARCHAR2(44)		0	Unsharable
ADDRESS	COUNTRY_NAME	VARCHAR2(35)		1534	State/Province/Country Name
ADDRESS	COUNTY_NUMBER	VARCHAR2(4)		47	County Code
ADDRESS	DELIVERY_POINT_CODE	CHAR(2)		0	Unsharable
ADDRESS	EFFECTIVE _FROM_DATE	DATE		1522	Person Location Start Date/Time
ADDRESS	EFFECTIVE_TO_DATE	DATE		1523	Person Location Stop Date/Time
ADDRESS	GROUP1_PROBABILITY_ CODE	VARCHAR2(10)		0	Unsharable
ADDRESS	GROUP1_REASON_CODE	VARCHAR2(10)		0	Unsharable
ADDRESS	HOUSE_NUMBER	VARCHAR2(10)		429	Address Street Number
ADDRESS	IN_CITY_LIMITS_IND	CHAR(1)		0	Unsharable
ADDRESS	MAILING_NAME	VARCHAR2(40)		823	Person Name Complete Name
ADDRESS	NOTE_SET_ID	NUMBER(9)		0	Unsharable
ADDRESS	NOTE_TEXT	VARCHAR2(2000)		0	Unsharable
ADDRESS	PMB_CODE	VARCHAR2(10)		0	Unsharable
ADDRESS	PMB_NUMBER	VARCHAR2(10)		0	Unsharable

5040\01\northdakota(mdb) B - 1 (VRTS) Version 2.0

Data Element Listing For VRTS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	D	STANDARD ELEMENT
ADDRESS	POST_DIRECTION_CODE	VARCHAR2(10)	15	00	Street Post Direction Code
ADDRESS	POSTNET_BARCODE	VARCHAR2(14))	Unsharable
ADDRESS	PRE_DIRECTION_CODE	VARCHAR2(10)	43	31	Street Pre Direction Code
ADDRESS	PROPERTY_TAX_AREA	VARCHAR2(4)	()	Unsharable
ADDRESS	RURAL_BOX_CODE	VARCHAR2(10)	()	Unsharable
ADDRESS	RURAL_BOX_NUMBER	VARCHAR2(10)	44	18	Address Post Office Box Number
ADDRESS	RURAL_CODE	VARCHAR2(10)	()	Unsharable
ADDRESS	RURAL_NUMBER	VARCHAR2(10)	()	Unsharable
ADDRESS	SECONDARY_ADDRESS_ CODE	VARCHAR2(10))	Unsharable
ADDRESS	SECONDARY_ADDRESS_ NUMBER	VARCHAR2(10))	Unsharable
ADDRESS	STATE_CODE	CHAR(2)		2	State/Province/Country Code
ADDRESS	STREET_NAME	VARCHAR2(28)	43	80	Street Name
ADDRESS	SUFFIX_CODE	VARCHAR2(10)	43	3	Street Type Code
ADDRESS	TITLE_ADDRESS_IND	CHAR(1)	()	Unsharable
ADDRESS	VALID_IND	CHAR(1)	()	Unsharable
ADDRESS	ZIP_CODE	VARCHAR2(10)	4	ļ	Address Postal Code
ADDRESS	ZIP_EXTENSION_CODE	CHAR(4)	()	Unsharable
OWNER	ACTIVE_IND	CHAR(1)	()	Unsharable
OWNER	ADDRESS_SET_ID	NUMBER(9)	()	Unsharable
OWNER	ALERT_SET_ID	NUMBER(9)	()	Unsharable
OWNER	AUDIT_DATE	DATE	()	Unsharable
OWNER	AUDIT_USER_ID	VARCHAR2(10)	()	Unsharable
OWNER	BIRTH_DATE	DATE	•	7	Person Birth Date/Time
OWNER	CONFIDENTIAL_IND	CHAR(1)	()	Unsharable
OWNER	CONTACT_SET_ID	NUMBER(9)	()	Unsharable
OWNER	DRIVER_LICENSE_NUM BER	VARCHAR2(10)	8	3	Person Driver License Number

5040\01\northdakota(mdb) B - 2 (VRTS) Version 2.0

Data Element Listing For VRTS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
OWNER	DRIVER_LICENSE_STAT E_CODE	CHAR(2)		1438	Person Driver License State - State/Province/Country Code
OWNER	EMAIL_NAME	VARCHAR2(50)		1668	Email Address Description
OWNER	EXEMPT_IND	CHAR(1)		0	Unsharable
OWNER	FAX_AREA_CODE	VARCHAR2(3)		41	Telephone Number
OWNER	FAX_EXTENSION_NUMB ER	VARCHAR2(5)		650	Telephone Extension Number
OWNER	FAX_PHONE_NUMBER	VARCHAR2(7)		41	Telephone Number
OWNER	FICTITIOUS_IND	CHAR(1)		0	Unsharable
OWNER	FIRST_NAME	VARCHAR2(15)		302	Person Name First Name
OWNER	HOME_AREA_CODE	VARCHAR2(3)		41	Telephone Number
OWNER	HOME_EXTENSION_NU MBER	VARCHAR2(5)		650	Telephone Extension Number
OWNER	HOME_PHONE_NUMBER	VARCHAR2(7)		41	Telephone Number
OWNER	LAST_NAME	VARCHAR2(50)		304	Person Name Last Name
OWNER	MIDDLE_NAME	VARCHAR2(15)		303	Person Name Middle Name
OWNER	NOTE_SET_ID	NUMBER(9)		0	Unsharable
OWNER	OWNER ID	NUMBER(9)		0	Unsharable
OWNER	OWNER_SUFFIX_CODE	VARCHAR2(10)		595	Person Name Suffix Name
OWNER	OWNER_TYPE	NUMBER(4)		0	Unsharable
OWNER	PRIVACY_IND	CHAR(1)		0	Unsharable
OWNER	SALUTATION_CODE	VARCHAR2(10)		0	Unsharable
OWNER	SOCIAL_SECURITY_NU MBER	VARCHAR2(10)		25	Person SSN Number
OWNER	WORK_AREA_CODE	VARCHAR2(3)		41	Telephone Number
OWNER	WORK_EXTENSION_NU MBER	VARCHAR2(5)		650	Telephone Extension Number
OWNER	WORK_PHONE_NUMBER	VARCHAR2(7)		41	Telephone Number
VEHICLE_TITLE_CURRENT	ADDRESS_ ID	NUMBER(9)		0	Unsharable
VEHICLE_TITLE_CURRENT	ADDRESS_CAREOF_NA ME	VARCHAR2(40)		823	Person Name Complete Name

5040\01\northdakota(mdb) B - 3 (VRTS) Version 2.0

Data Element Listing For VRTS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
VEHICLE_TITLE_CURRENT	ALERT_SET_ID	NUMBER(9)		0	Unsharable
VEHICLE_TITLE_CURRENT	APPLICATION_DATE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	AUDIT_DATE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	AUDIT_USER_ID	VARCHAR2(10)		0	Unsharable
VEHICLE_TITLE_CURRENT	CANCEL_DATE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	CONFIDENTIAL_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	EVIDENCE_OF_OWNERS HIP_CODE	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	FICTITIOUS_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	FUTURE_ADVANCES_IN D	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	ISSUE_DATE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	JOINT_TENANT_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	LEGAL_TEXT	VARCHAR2(400)		0	Unsharable
VEHICLE_TITLE_CURRENT	LIEN_HOLDER_STEP_TI TLE_CODE	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	LINK_ORDER	NUMBER(3)		0	Unsharable
VEHICLE_TITLE_CURRENT	NOTE_SET_ID	NUMBER(9)		0	Unsharable
VEHICLE_TITLE_CURRENT	ODOMETER_CODE	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	ODOMETER_DATE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	ODOMETER_DISCREPAN CY_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	ODOMETER_QTY	NUMBER(7)		0	Unsharable
VEHICLE_TITLE_CURRENT	ODOMETER_UOM	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	OUT _OF_STATE_BRAND_TE XT	VARCHAR2(50)		0	Unsharable
VEHICLE_TITLE_CURRENT	OUT_OF_STATE_STATE_ CODE	CHAR(2)		0	Unsharable
VEHICLE_TITLE_CURRENT	OUT_OF_STATE_TITLE_ NUMBER	VARCHAR2(25)		0	Unsharable

5040\01\northdakota(mdb) B - 4 (VRTS) Version 2.0

Data Element Listing For VRTS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	ID	STANDARD ELEMENT
VEHICLE_TITLE_CURRENT	OVER_THE_COUNTER_I ND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	OWNER_STEP_TITLE_C ODE	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	OWNER_TEXT	VARCHAR2(400)		0	Unsharable
VEHICLE_TITLE_CURRENT	PREVIOUS_BRAND_TEX T	VARCHAR2(50)		0	Unsharable
VEHICLE_TITLE_CURRENT	PREVIOUS_OWNER_ADD RESS	VARCHAR2(209)		1697	Address Complete Street Address
VEHICLE_TITLE_CURRENT	PREVIOUS_OWNER_NA ME	VARCHAR2(90)		823	Person Name Complete Name
VEHICLE_TITLE_CURRENT	PREVIOUS_STATE_COD E	CHAR(2)		2	State/Province/Country Code
VEHICLE_TITLE_CURRENT	PREVIOUS_TITLE_DOCU MENT_CODE	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	PREVIOUS_TITLE_NUMB ER	VARCHAR2(22)		0	Unsharable
VEHICLE_TITLE_CURRENT	PRIOR_MILEAGE_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	QUICK_PRINT_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	SURRENDER_TITLE_DA TE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	SURRENDER_TITLE_STA TE_CODE	CHAR(2)		2	State/Province/Country Code
VEHICLE_TITLE_CURRENT	TITLE_BOND_DATE	DATE		0	Unsharable
VEHICLE_TITLE_CURRENT	TITLE_NUMBER	VARCHAR2(22)		0	Unsharable
VEHICLE_TITLE_CURRENT	TITLE_PRINT_MASK_NU MBER	NUMBER(3)		0	Unsharable
VEHICLE_TITLE_CURRENT	TITLE_STATUS_CODE	NUMBER(4)		0	Unsharable
VEHICLE_TITLE_CURRENT	TRANSFER_ON_DEATH_ TEXT	VARCHAR2(400)		0	Unsharable
VEHICLE_TITLE_CURRENT	TWO_STEP_TITLE_IND	CHAR(1)		0	Unsharable
VEHICLE_TITLE_CURRENT	VEHICLE ID	NUMBER(9)		0	Unsharable
50.40 (0.4)		_	(TTP-00)		

5040\01\northdakota(mdb) B - 5 (VRTS) Version 2.0

Data Element Listing For VRTS

SYSTEM FILE	DATA ELEMENT NAME	FORMAT	DESCRIPTION	STANDARD ELEMENT
VEHICLE_TITLE_CURRENT	VEHICLE TITLE ORDER	NUMBER(3)	0	Unsharable
VEHICLE_TITLE_CURRENT	VEHICLE_TITLE_BRAND _CODE	NUMBER(4)	27	Vehicle Make Code
VEHICLE_TITLE_CURRENT	VEHICLE_TITLE_DAMA GE_CODE	NUMBER(4)	0	Unsharable
VEHICLE_TITLE_CURRENT	VEHICLE_TITLE_DAMA GE TEXT	VARCHAR2(60)	0	Unsharable